QUICK REFERENCE GUIDE > OB60SD9PLX1

Oven, 60cm, 9 Function, Selfcleaning

Series 7 | Contemporary

Stainless Steel



With beautiful Contemporary styling and generous capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 85L total capacity with nine oven functions including Pizza Bake and Roast
- Moisture level control with ActiveVent technology
- Pyrolytic self-cleaning function breaks down food residue for an easy clean

 Guided cooking capability offers helpful tips for different food types

DIMENSIONS

Height	598 mm
Width	596 mm
Depth	565 mm

FEATURES & BENEFITS

Multi-Function Flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has nine functions including Pizza Bake and Roast, allowing you to use a variety of cooking styles.

Generous Capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Cook With Confidence

The intuitive 2.4" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out. Cook by food type and allow your oven to guide you through steps, or change temperature and heat type automatically, depending on your selection.

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech circulates heat evenly for a consistent temperature.

Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design Freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories (included)	
Chromed shelf runners	•
Flat brushed baking tray	1
Roasting dish	1
Step down wire shelf	1
Telescopic sliding runners	1 set
Wire shelf	1

Capacity

Shelf positions	6
Total capacity	85 L
Usable capacity	72 L

Cleaning

Acid resistant graphite enamel

QUICK REFERENCE GUIDE > OB60SD9PLX1 Date: 14.06.2024 > 2

Pyrolytic self-clean	•	Grill	•	Catalytic venting system	•	
Removable oven door	•	Number of functions	9	Control panel key lock •		
Removable oven door inner glass	•	Pizza bake	•	CoolTouch door	•	
Removable shelf runners	•	Pyrolytic self-clean	•	Non-tip shelves	•	
		Roast	•	Safety thermostat	•	
		Vent bake	•			
Controls						
Adjustable audio and display settings	•			Warranty		
Automatic cooking/minute timer	•	Performance		Parts and labour	2 years	
Automatic pre-set temperatures	•	ActiveVent™ system	•			
Celsius/Fahrenheit temperature	•	AeroTech™ technology	•			
Certified Sabbath mode	•	Automatic rapid pre-heat	•	CKI	02566	
Delay start	•	Temperature range	35°C - 280°C	SKU	82566	
Electronic clock	•	Whisper quiet cooking	•			
Electronic oven control	•			The product dimensions and specifications in this pa	ge apply to the specific	
Halogen lights	•		_	product and model. Under our policy of continuous i dimensions and specifications may change at any tin		
Multi-language display	UK English, US	Power requirements		check with Fisher & Paykel's Customer Care Centre to		
	English, Simplified	Amperage	15 A	correctly describes the model currently available. © F Appliances Ltd 2020	Fisher & Paykel	
C	hinese, Français, Español	Rated current	15 A	Appliances Ltd 2020		
Soft close doors	•	Supply frequency	50 Hz			
True convection oven	•	Supply voltage	220-240 V	Other product downloads available at fisherpaykel.com		
Turned stainless steel dials with illuminated halos	•			↓ 2D-DWG Oven		
Wi-Fi connectivity	•	Product dimensions				
		Depth	565 mm	↓ ArchiCAD Oven		
		Height	598 mm	 <u>↓</u> Datasheet Oven		
Functions		Width	596 mm	Service & Warranty Service → Service & Warranty Service → S		
Bake	•	widti	330 11111			
Fan bake				→ Revit Oven		
Fan forced	•	Safety		→ Rhino Oven		
Fan grill	•	Balanced oven door		↓ SketchUp Oven↓ Preliminary Specification Guide Wall Over	ran.	
. 3 3	-	Balanced Over 1 door	•	Preliminary Specification Guide Wall Ov	CII	

QUICK REFERENCE GUIDE > OB60SD9PLX1



User Guide Oven

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com