
61cm Series 11 Integrated Column Refrigerator

Series 11 Integrated	
Panel Ready Left hinge	

Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS



FEATURES & BENEFITS

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Clever Energy

Our ActiveSmart[™] Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB

QUICK REFERENCE GUIDE > RS6121SLK3

Handle kit Professional round flush	AHP3RDSF
Joiner Kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110

Capacity	
Total gross capacity	383 L
Volume	351 L
Volume refrigerator	351 L
Consumption	
Energy rating	с
Energy usage	104kWh/year
In-use energy carbon emissions estimate	32.1kgCO2e/year

Features

Adjustable door shelves
Covered door shelves
Door alarm
Gallon door shelves
LED bin lighting
LED ceiling lighting
LED side lighting
Smart appliance

Stackable bottle holders	4
Installation Dimensions	
Minimum inside width of cabinetry frame	610 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm
Performance	
ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Noise emissions	42 dBA
Noise emissions class	D
Sabbath mode	•
Variable temperature zones	2

Power requirements

Rated current	10 A
Supply frequency	50 Hz
Supply voltage	220 - 240 V

Product dimensions

- Depth
- Height

4

1

1

Width	603 mm
Product information	
Packaged weight	137 kg
Unpackaged weight	117 kg
Warranty	
Parts and labour	5 years
Sealed system parts only	5 years
SKU	26639
The product dimensions and specifications in this page apply product and model. Under our policy of continuous improven dimensions and specifications may change at any time. You s check with Fisher & Paykel's Customer Care Centre to ensure correctly describes the model currently available. © Fisher & I Appliances Ltd 2020	nent, these hould therefore this page

Other product downloads available at fisherpaykel.com

$\overline{1}$	2D-DWG Integrated Column Fridge-Hinge
$\overline{1}$	2D-DWG Integrated Column Fridge
\checkmark	2D-DWG Integrated Column Fridge-Panel Prep
1	2D-DXF Integrated Column Fridge-Hinge
$\overline{1}$	2D-DXF Integrated Column Fridge

- ↓ 2D-DXF Integrated Column Fridge-Panel Prep
- ↓ Data Sheet Integrated Column Fridge Dual Install (457mm + 610mm)

610 mm

2134 mm

QUICK REFERENCE GUIDE > RS6121SLK3

- ↓ Data Sheet Integrated Column Fridge Dual Install (610mm + 610mm)
- ↓ Data Sheet Integrated Column Fridge Dual Install (610mm + 762mm)
- ↓ Data Sheet Integrated Column Fridge with Contemporary Square Handle Kit
- ↓ Data Sheet Integrated Column Fridge with Contemporary Round Handle Kit
- Data Sheet Integrated Column Fridge
- ↓ Declaration of Conformity Refrigeration with WiFi Capability
- 🛓 🛛 Energy Label
- Service & Warranty
- ↓ Installation Guide Integrated Column Refrigerator
- Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Integrated Columns
- ↓ Product Information Sheet
- ↓ Specification Guide Integrated Column Fridge
- User Guide Integrated Refrigerator Freezer EN
- 👃 🛛 Energy Label

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com