QUICK REFERENCE GUIDE > RS7621FLJE1 Date: 02.12.2024 > 1

76cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Left hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring a left hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height 2134 mm
Width 756 mm
Depth 610 mm

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Right hinge 762mm	RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner Kit	AJ-RS21LR
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1524mm	AKRS15210
Toe kick stainless steel 762mm	AKRS7610

Capacity

Total gross capacity	477 L
Volume freezer	442 L

QUICK REFERENCE GUIDE > RS7621FLJE1

ActiveSmart™ Foodcare	4	Adjustable door shelves
Adaptive defrost	•	Adjustable glass cantilevered shelves
Dual evaporator	3	Adjustable glass shelves
Frost free	•	Door alarm
Inverter controlled compressor	•	LED bin lighting
Noise emissions	•	LED ceiling lighting
Noise emissions class	•	LED side lighting
Sabbath mode	•	SmartTouch interface at counter height
Variable food modes		
Variable temperature zones		Freezer Features
	•	Automatic ice maker
	•	Bottle chill
Power requirements	•	Door alarm
Rated current	•	Fast freeze
Supply frequency	4	Freezer bins
Supply voltage	•	Ice Boost
	•	LED bin lighting
	•	LED ceiling lighting
Product dimensions	•	LED side lighting
Depth	•	SmartTouch interface at counter height
Height		
Width		Installation Dimensions
	2134 mm	Cabinetry height with included trim kit
Product information	762 mm	Minimum inside width of cabinetry frame
Packaged weight	635 mm	Minimum internal depth of cabinetry
Unpackaged weight	2134 mm	Minimum internal height of cabinetry
	Adaptive defrost Dual evaporator Frost free Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode Variable food modes Variable temperature zones Power requirements Rated current Supply frequency Supply voltage Product dimensions Depth Height Width Product information Packaged weight	 Adaptive defrost Dual evaporator Frost free Inverter controlled compressor Noise emissions Noise emissions class Sabbath mode Variable food modes Variable temperature zones Power requirements Rated current Supply frequency Supply voltage Product dimensions Depth Height Width 2134 mm Product information 635 mm Packaged weight

Warranty

Parts and labour	2 years
Sealed system parts only	5 years

SKU 26956

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

$\underline{\downarrow}$	2D-DWG Integrated Refrigeration - K05 Hinge
$\overline{\underline{\downarrow}}$	2D-DWG Integrated Refrigeration
\overline{ullet}	2D-DXF Integrated Refrigeration - K05 Hinge
$\overline{\downarrow}$	2D-DXF Integrated Refrigeration
$\overline{\downarrow}$	2D-DXF Panel Preparation
\overline{ullet}	Service & Warranty
\overline{ullet}	Planning Guide Integrated Refrigeration EN
$\overline{\bot}$	Revit 20 Freezer
\downarrow	Rhino 6

Where applicable:

SketchUp Freezer

QUICK REFERENCE GUIDE > RS7621FLJE1

Date: 02.12.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com