QUICK REFERENCE GUIDE > RS2474BRU1 Date: 05.11.2024 > 1

# 24" Series 9 Integrated Refrigerator Freezer, Ice & Water

Series 9 | Integrated

Panel Ready | Right Hinge



A slim profile, perfect for compact kitchens, or pair with other Integrated models for generous chilled and frozen storage.

- Flush fit design with 3/16\ gaps and custom height installation
- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

· Easy-to-use touch-control panel and Wi-Fi capability

# **DIMENSIONS**

Height 73 5/8 "
Width 23 5/16 "
Depth 22 11/16 "

# **FEATURES & BENEFITS**

#### Perfect Fit

These models fit flush, with only 3/16" gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

## Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximize internal storage space, with a temperature-controlled flow and an angled water delivery to reduce drips and spills.

#### Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customize with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

## Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

## Flexible Storage

Designed to make it simple for you to store, access and remove food, this refrigerator includes LED-lit adjustable cantilevered shelving and full extension bins in the freezer.

#### Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customized to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

#### Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the door is family safe with a soft-close mechanism.

#### **SPECIFICATIONS**

#### Accessories (included)

Hinge change (from right hinge to left hinge)

#### Accessories (sold separately)

Door panel set stainless steel Right hinge
RD2474BR, Left
hinge RD2474BL

Handle kit Classic AHCLRDB

Handle kit Contemporary round, aluminium AHSRDB74

QUICK REFERENCE GUIDE > RS2474BRU1 Date: 05.11.2024 > 2

Handle kit Contemporary square fine,	AHD5RDB74	LED side lighting	•	Humidity control system	•	
aluminium	ALIDEDDD 74D	Smart appliance	•	Inverter controlled compressor	•	
Handle kit Contemporary square fine, black		SmartTouch control panel	•	Sabbath mode	•	
Handle kit Professional round flush	AHP3RDB74	Stackable bottle holders	2			
Joiner Kit	AJRS74LR	Water tank capacity	30.7 oz			
Toe kick stainless steel 23"	AKRS2304			Power Requirements		
Toe kick stainless steel 47"	AKRS4704			Rated current	10 A	
Toe kick stainless steel 71"	AKRS7104	Freezer Features		Supply frequency	60 Hz	
		Automatic ice maker	•	Supply voltage	115 V	
Capacity		Bottle chill	•			
		Door alarm	•			
Volume	10.7 cu ft	Fast freeze	•	Product Dimensions		
Volume freezer	4.3 cu ft	Freezer bins	3	Depth	22 11/16 "	
Volume refrigerator	6.4 cu ft	Ice Boost	•	Height	73 5/8 "	
		Ice making rate per day	2.2 lbs	Width	23 5/16 "	
Consumption		LED bin lighting	•			
Consumption		LED ceiling lighting	•			
Energy rating	Energy star Most efficient	LED side lighting	•	Warranty		
Energy usage	382kWh/year			Parts and labor	2 years	
In-use energy carbon emissions estimate	140.0kgCO2e/ year	Installation Dimensions		Sealed system parts only	5 years	
		Minimum inside width of cabinetry frame	23 5/8 "	-		
		Minimum internal depth of cabinetry	24 "	SKU	26205	
eatures		Minimum internal height of cabinetry	74 "			
Adjustable door shelves	4					
Adjustable glass cantilevered shelves	•			The product dimensions and specifications in this p	age apply to the specific	
Covered door shelves	1	Performance		product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore		
Door alarm	•	ActiveSmart™ Foodcare	•	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Internal water dispenser	•	Adaptive defrost	•			
LED bin lighting	•	Dual evaporator	•			
LED ceiling lighting	•	Frost free	•			
LED lighting	•					

QUICK REFERENCE GUIDE > RS2474BRU1 Date: 05.11.2024 > 3

#### Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K08 Hinge

2D - DWG Refrigerator Freezer

2D - DWG Refrigerator Freezer with Custom Panel

2D-DXF Integrated Refrigeration - K08 Hinge

↓ 2D-DXF Integrated Refrigeration - Panel Preparation

↓ 2D - DXF Refrigerator Freezer

J. 2D - DXF Refrigerator Freezer with Custom Panel

↓ ArchiCAD 23 Refrigerator Freezer

Energy Label

↓ Service & Warranty

J Installation Guide Integrated Fridge Freezer EN

J. Guide d'installation FR

↓ Planning Guide Integrated Refrigeration

Revit 18 Refrigerator Freezer

Rhino 5 Refrigerator Freezer

Rhino 5 Refrigerator Freezer with Custom Panel

Rhino 5 Refrigerator Freezer Door with Classic Round Handle

Ahino 5 Refrigerator Freezer Door with Contemporary Round Handle

Rhino 5 Refrigerator Freezer Door with Professional Round

Rhino 5 Refrigerator Freezer Door with Square Fine Black

Rhino 5 Refrigerator Freezer Door with Square Fine Handle

Sketchup 8 Refrigerator Freezer

Sketchup 8 Refrigerator Freezer with Custom Panel

Sketchup 8 Refrigerator Freezer Door with Classic Round Handle

Sketchup 8 Refrigerator Freezer Door with Contemporary Round Handle

Sketchup 8 Refrigerator Freezer Door with Professional Round Flush Handle

Sketchup 8 Refrigerator Freezer Door with Square Fine Black Handle

User Guide Integrated Refrigerator & Freezer EN

↓ Guide d'utilisation FR

Guía del usuario ES

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com