QUICK REFERENCE GUIDE > OS60NDBB1 Date: 17.12.2024 > 1

60cm Series 9 Minimal Compact Combi-Steam Oven

Series 9 | Minimal

Black




Reduce the need for oils and fats with steam cooking, paired with a convection oven for cooking flexibility.

- · 36L total capacity
- Cooking flexibility with nine oven functions, including five Steam functions, Grill and Fan Forced
- Steam cooking allows you to cook a food in its own juices, to retain nutrients and flavour

 Designed to match aesthetically with companion products such as warming drawers, for flexible cooking configurations

DIMENSIONS

Height 458 mm
Width 596 mm
Depth 562 mm



FEATURES & BENEFITS

Sized To Suit

The compact 46cm height means this Combination Steam Oven can be placed almost anywhere. companion products share the same dimensions and can be installed in multiple configurations to suit your kitchen design and preference.

Cooking Flexibility

The Combination Steam Oven allows ingredients to retain their nutrients, moisture content and colouration. With nine oven modes, it doesn't just Steam, but also has Grill and Fan functions.

Easy To Use

An easy to use, intuitive display shows the time and provides useful information about functions along with a refill alert.

Beauty Of Choice

With the choice of a stylish stainless steel or elegant black trim, our companion products help you achieve a coherent kitchen aesthetic that suits your design style.

Easy Cleaning

Cleaning and care of the Combination Steam Oven is easy. Simply wipe the smooth stainless steel interior with a dry cloth after each use.

Safe And Sound

The CoolTouch door is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories (included) Baking pan Perforated baking tray Wire shelf Wired temperature sensor

Accessories (sold separately)

Optional lower trim kit Part 81662 (478mm)

QUICK REFERENCE GUIDE > OS60NDBB1 Date: 17.12.2024 > 2

Shelf positions Total capacity Usable capacity Water tank capacity 1 L Cleaning Easy clean stainless steel interior Easy to clean formed side racks Removable water tank Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) Steam 130 (130°C / 265°F) • Steam 130 (130°C / 265°F)	Capacity	
Usable capacity Water tank capacity 11 Cleaning Easy clean stainless steel interior Easy to clean formed side racks Removable water tank Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) - Cleaning P. Cleaning Fan Steam 100 (100°C / 210°F) P. Cleaning P. Steam - ring P. Steam -	Shelf positions	3
Water tank capacity Cleaning Easy clean stainless steel interior Easy to clean formed side racks Removable water tank Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Total capacity	36 L
Cleaning Easy clean stainless steel interior Easy to clean formed side racks Removable water tank Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Usable capacity	29 L
Easy clean stainless steel interior Easy to clean formed side racks Removable water tank Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Water tank capacity	1L
Easy to clean formed side racks Removable water tank Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F)	Cleaning	
Removable water tank Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Easy clean stainless steel interior	•
Controls Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Easy to clean formed side racks	•
Audio feedback Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F)	Removable water tank	•
Automatic cooking/minute timer Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F)	Controls	
Celsius/Fahrenheit temperature Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F)	Audio feedback	•
Electronic capacitive touch controls Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F)	Automatic cooking/minute timer	•
Electronic oven control Intuitive touchscreen display Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F)	Celsius/Fahrenheit temperature	•
Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Electronic capacitive touch controls	•
Functions Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) Fan forced • • • • • • • • • • • • •	Electronic oven control	•
Fan forced Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F)	Intuitive touchscreen display	•
Fan grill Grill Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Functions	
Grill Number of functions 9 Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Fan forced	•
Number of functions Ring + grill Steam + ring Steam 100 (100°C / 210°F) •	Fan grill	•
Ring + grill • Steam + ring • Steam 100 (100°C / 210°F) •	Grill	•
Steam + ring • Steam 100 (100°C / 210°F) •	Number of functions	9
Steam 100 (100°C / 210°F) •	Ring + grill	•
	Steam + ring	•
Steam 130 (130°C / 265°F) •	Steam 100 (100°C / 210°F)	•
	Steam 130 (130°C / 265°F)	•

Steam assist	•
Steam clean (oven)	•
Performance	
Grill power	1500 W
Steam generator	1800 W
Power requirements	
Amperage	15 A
Supply frequency	50 Hz
Supply voltage	220 - 240 V
Product dimensions	
Depth	562 mm
Height	458 mm
Width	596 mm
Safety	
Control panel key lock	
CoolTouch door	•
SKU	81936

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

\underline{ullet}	2D-DWG Combination Steam Oven
$\underline{\downarrow}$	2D-DXF Combination Steam Oven
$\underline{\downarrow}$	Archicad Combination Steam Oven
$\overline{\downarrow}$	Archicad Combination Steam Oven with Bottom Trim
\downarrow	Archicad Combination Steam Oven with 760mm Trim
$\overline{\downarrow}$	Data Sheet Combination Steam Oven
$\overline{\downarrow}$	Service & Warranty
\downarrow	Installation Guide
$\overline{\downarrow}$	Installation Guide
$\overline{\downarrow}$	Revit Combination Steam Oven
$\overline{\downarrow}$	Revit Combination Steam Oven with Bottom Trim
\downarrow	Revit Combination Steam Oven with 760mm Trim
$\overline{\downarrow}$	Rhino Combination Steam Oven
\downarrow	Rhino Combination Steam Oven with Bottom Trim
$\overline{\downarrow}$	Rhino Combination Steam Oven with 760mm Trim
$\overline{\downarrow}$	Restriction of Hazardous Substances
$\overline{\downarrow}$	Restriction of Hazardous Substances
\downarrow	Sketchup Combination Steam Oven
$\underline{\downarrow}$	Sketchup Combination Steam Oven with Bottom Trim
$\overline{\downarrow}$	Sketchup Combination Steam Oven with 760mm Trim
<u> </u>	User Guide
$\underline{\downarrow}$	User Guide

Where applicable:

QUICK REFERENCE GUIDE > OS60NDBB1 Date: 17.12.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.