QUICK REFERENCE GUIDE > DD60SI9

Integrated Single DishDrawer Dishwasher, Sanitise

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

 Customise with your own front panel and handle to match your kitchen cabinetry

DIMENSIONS

| Height | 410 mm |
|--------|--------|
| Width | 599 mm |
| Depth | 553 mm |



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A double knock on the front panel will pause the dishwasher which can be restarted again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket
Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60SPB Door panel stainless steel ADDD60SPX Handle kit Contemporary round, aluminium AHS-OBDD-60S AHD5-Handle kit Contemporary square fine, OBDD-60SX aluminium Handle kit Contemporary square fine, black AHD5-OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Contemporary square, black AHD3-OBDD-60B Handle kit Professional round flush AHP3-DWDD-60S

QUICK REFERENCE GUIDE > DD60SI9 Date: 02.07.2024 > 2

| Capacity and loading | | Fan assisted drying | • | Wash Programs |
|--|-----------------|----------------------------------|------------|--|
| Accommodates round plates up to | 280mm | Flow through detergent dispenser | • | Delicate |
| Adjustable height, foldable cupracks | • | Quiet operation | • | Eco |
| Fold down tines | • | SmartDrive™ technology | • | Fast |
| Pitch adjustable tines | • | | | Heavy |
| Place settings | 7 | Deufermen | | Medium |
| Place settings | 7 | Performance | | Rinse |
| | | Noise emissions | 43 dBA | |
| Consumption | | | | Water connection |
| Energy rating | 3.5 star | Power requirements | | Water pressure |
| Energy usage | 136kWh/year | Amperage | 5A | Water supply |
| In-use energy carbon emissions estimate | 18.4kgCO2e/year | Supply frequency | 50Hz | |
| Water rating | 4.5 star (WELS) | Supply voltage | 220 - 240V | |
| Water usage (per wash cycle) | 6.9L | | | |
| | | Product dimensions | | SKU |
| Controls | | Depth | 553 mm | |
| Electronic fault/Diagnostic indicator | • | Height | 410 mm | The product dimensions and specification |
| End of cycle beeps | • | Width | 599 mm | product and model. Under our policy of |
| Energy saving delay start option of up to 12 hours | • | | | dimensions and specifications may chan check with Fisher & Paykel's Customer (correctly describes the model currently |
| Internal wash selector | • | Warranty | | Appliances Ltd 2020 |
| Keylock | • | Parts and labour | 2 years | |
| Knock to pause | • | | | |
| Rinse aid indicator light | • | | | Other product downloads availab |
| Smart appliance | • | Wash Program Modifiers | | |
| Wi-Fi connectivity • | | Extra Dry | • | |
| | | Quick | • | |

Sanitise

| Water supply 3/4" BSP (20mm) Connector Water Inlet Hose | Water pressure | 30kPa - 1000 kPa |
|---|----------------|------------------|
| | Water supply | Connector Water |

82321

ations in this page apply to the specific of continuous improvement, these nange at any time. You should therefore r Care Centre to ensure this page tly available. © Fisher & Paykel

able at fisherpaykel.com



DishDrawer™ Dishwasher

Data Sheet Integrated Single DishDrawer™ Dishwasher

Energy & Water Label DishDrawer™

Energy and Water Label

QUICK REFERENCE GUIDE > DD60SI9

- ↓ Service & Warranty
- Installation Guide Single DishDrawer™ Dishwasher
- ↓ Installation Guide Single DishDrawer™ Dishwasher
- ↓ Planning Guide Integrated Single DishDrawer™ Dishwasher
- ↓ Quick Start Guide
- ↓ Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- → Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Specification Guide Single DishDrawer[™] Dishwasher
- User Guide DishDrawer™ Dishwasher
- User Guide Integrated DishDrawer™ Dishwasher
- ↓ Wash Program Data DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com