30" Series 7 Professional 4 Burner Gas Range, LPG

Series 7 | Professional

Stainless Steel | LPG



Professional style and performance, with high power burners delivering high heat or the most gentle simmer.

- Top burner heat of 17,000 BTU, for seriously fast boiling
- Convection oven with 4.6 cu ft total capacity
- Non-tip full-extension shelves in main cavitiy for safe removal of hot dishes
- Made from quality materials and real stainless steel

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	29 7/8 "
Depth	29 1/8 "

FEATURES & BENEFITS

Cooktop Power

Sealed Dual Flow Burners[™] deliver cooktop power up to 17,000 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, the Range is built to last.

Easy To Clean

With a continuous, porcelain basepan, cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

SPECIFICATIONS

Accessories (sold separately)

Wok grate included	Yes
Burner ratings	
Maximum burner power	17000 BTU
Power back left	13000BTU
Power back right	13000BTU
Power front left	17000BTU
Power front right	15000BTU
Total cooktop power	58000 BTU

Capacity

Shelf positions	5
Total capacity	4.6 cu ft
Usable capacity	3.4 cu ft

Cleaning

Easy clean porcelain basepan

Controls

Electric circuit

3 wire

Metal illuminated dials

Gas Requirements

QUICK REFERENCE GUIDE > RGV3-304-L

Power requirements

Service

Supply

Fitting and pipe	½ NPT, min. 5%″ Ŋ flex line
Supply Pressure (LPG) 11" t	
Oven features	
Auto re-ignition system	
Broil pan	•
Electronic oven control	•
Full extension telescopic sliding shelves	•
Infrared Broiler	•
Internal light	true
Titanium coated, illuminated metal dials	•
Oven functions	
Bake	•
Broil	•
Convection bake	•
Convection bake Number of functions	•
	• 4
Number of functions	•

Depth	29 1/8 "
Depth (excluding handles)	2918 mm
Height	35 3/4 - 36 3/4 "
Width	29 7/8 "

Rangetop features

15 A

120 V, 60 Hz

Product dimensions

Sealed range top	•
Vent trim included	•

Recommended Back Guards Ventilation

Combustible situation Non combustible situation	BGRV3-3030H BGRV2-3030 / BGRV2-1230
Recommended hood	HCB30-6_N (Professional Range Hood)
Safety	
ADA compliant	•
Full extension telescopic sliding shelves	•
sku	82005

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

$\overline{1}$	2D-DWG Gas Cooker
⊻	2D-DXF Range
$\overline{1}$	Service & Warranty
$\overline{1}$	Installation Guide EN
$\overline{1}$	Installation Guide FR
$\overline{1}$	Guide d'utilisation FR
$\overline{1}$	User Guide EN
Whe	ere applicable:
All a	ppliances use energy, and
carb	on emissions. Fisher & Pag
Carb	oon Emissions Estimate in
proc	luct's in-use energy. This is
cycle	e, using the product's mar
cons	sumption data multiplied b
ener	av in your country or real

d energy usage typically generates aykel Appliances' In-use Energy ndicates carbon emissions from a is calculated either annually or per rket-specific energy label energy by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com