QUICK REFERENCE GUIDE > RS6121SRK3

# 61cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

### **DIMENSIONS**

Height	2134 mm
Width	603 mm
Depth	610 mm



#### **SPECIFICATIONS**

## Accessories (sold separately)

Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner Kit	AJ-RS21LR

Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110

## Capacity

Total gross capacity	383 I
Volume	351 I
Volume refrigerator	351 I

#### Consumption

Energy rating	C
Energy usage	104kWh/yea
In-use energy carbon emissions estimate	32.1kgCO2e/yea

#### Features

Adjustable door shelves	4
Covered door shelves	•
Door alarm	•
Gallon door shelves	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
Smart appliance	•
Stackable bottle holders	4

QUICK REFERENCE GUIDE > RS6121SRK3

Minimum inside width of cabinetry frame	610 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm
Performance	
ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Noise emissions	42 dBA
Noise emissions class	D
Sabbath mode	•
Variable temperature zones	2
Power requirements	
Rated current	10 A
Supply frequency	50 Hz
Supply voltage	220 - 240 V
Product dimensions	
Depth	610 mm
Height	2134 mm
Width	603 mm

Installation Dimensions

#### **Product information**

Packaged weight	137 kg
Unpackaged weight	117 kg

#### Warranty

Parts and labour	5 years
Sealed system parts only	5 years

SKU	26640
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG Integrated Column Fridge-Hinge

762mm)

_	
$\underline{\downarrow}$	2D-DWG Integrated Column Fridge
$\underline{\downarrow}$	2D-DWG Integrated Column Fridge-Panel Prep
$\overline{ullet}$	2D-DXF Integrated Column Fridge-Hinge
$\overline{\underline{\downarrow}}$	2D-DXF Integrated Column Fridge
$\overline{\underline{\downarrow}}$	2D-DXF Integrated Column Fridge-Panel Prep
$\overline{\downarrow}$	Data Sheet Integrated Column Fridge Dual Install (457mm + 610mm)
$\overline{\uparrow}$	Data Sheet Integrated Column Fridge Dual Install (610mm + 610mm)
1	Data Sheet Integrated Column Fridge Dual Install (610mm +

Ψ.	Data Sheet Integrated Column Fridge	with Contemporary
_	Square Handle Kit	

Data Sheet Integrated Column Fridge with Contemporary Round Handle Kit

Data Sheet Integrated Column Fridge

Declaration of Conformity Refrigeration with WiFi Capability

Energy Label

Service & Warranty

Installation Guide Integrated Column Refrigerator

Key Purchase Decisions Integrated Columns

Planning Guide Integrated Columns

Training Garde integrated of

Specification Guide

User Guide Integrated Refrigerator Freezer EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com