# Series 9, Integrated Tall Single DishDrawer Dishwasher

### Panel Ready




Designed to fit your full-sized dinner plates, this DishDrawer<sup>™</sup> can be placed anywhere in your kitchen, integrating seamlessly.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

• American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading

### DIMENSIONS

Height	17 7/8 "
Width	23 9/16 "
Depth	21 3/4 "



## FEATURES & BENEFITS

### Seamless integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

### Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

### Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

### Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

### Quiet performer

Running at a very low decibel rate, these DishDrawer<sup>™</sup> Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

### SPECIFICATIONS

### Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

### Accessories (sold separately)

Door panel stainless steel	ADDD24STPX
Handle kit Classic	AHCL-DDDW-24X
Handle kit Contemporary round, aluminium	AHS-OBDD-60S

### QUICK REFERENCE GUIDE > DD24STI9 N

Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX
Handle kit Contemporary square fine, blac	AHD5- OBDD-60SB
Handle kit Contemporary square, aluminiu	m <b>AHD3-OBDD-60S</b>
Handle kit Professional round flush	AHP3-DWDD-SX
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA
Handle kit Professional round flush, Dark Copper off-stands	AHP3DDDW24DC

### Capacity and loading

Accommodates round plates up to	12.25″
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7

### Consumption

Energy rating	Energy star
Energy usage	144kWh/year
In-use energy carbon emissions estimate	17.8kgCO2e/year
Water usage (per wash cycle)	1.64 gal

### Controls

Electronic fault/Diagnostic indicator
End of cycle beeps
Energy saving delay start option of up to 12 hours

Internal wash selector	
Keylock	
Knock to pause	
Rinse aid indicator light	
Smart appliance	

### Features

### Performance

Noise emissions	43 dBA

### Power requirements

Amperage	5A
Electric circuit	3 wire
Rated current	15 A
Supply frequency	60Hz
Supply voltage	100 - 120V

### Product dimensions

Depth	21 3/4 "
Height	17 7/8 "
Width	23 9/16 "

# Safety and compliance ADA compliant Warranty Parts and labor Limited 2 years Wash Program Modifiers Extra Dry Quick Sanitise

### Wash Programs

Wash modifiers

٠

٠

٠

.

Delicate	•
Eco	•
Fast	•
Heavy	•
Medium	•
Rinse	•
Wash programs	6

### Water connection

Inlet water temperature	Max 140 °F
Supplied hose to suit 3/8" (9mm) male compression fitting	•
Water pressure	30kPa - 1000 kPa

Date: 17.10.2024 > 2

3

# FISHER & PAYKEL

### QUICK REFERENCE GUIDE > DD24STI9 N

Water supply	3/8" to suit Male Compression Fitting
SKU	82341

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

### Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Single DishDrawer™ Dishwasher
- ↓ 2D-DXF Integrated Single DishDrawer<sup>™</sup> Dishwasher
- ↓ Data Sheet Integrated Single DishDrawer™ Dishwasher
- ↓ Energy Label Single DishDrawer™ Dishwasher
- Service & Warranty
- J Installation Guide DishDrawer™ Dishwasher Venting Kit EN
- ↓ Planning Guide Integrated Single DishDrawer™
- Planning Guide Professional Style Dial/Handle Accessories
- 👃 🛛 Quick Start Guide
- ↓ Guide De Démarrage Rapide FR
- ↓ Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Sketchup Single DishDrawer™ Dishwasher
- ↓ Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ User Guide DishDrawer™ Dishwasher EN

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com