QUICK REFERENCE GUIDE > RS6121FRJE1

61cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency

- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm

Door panel stainless steel Right hinge RD6121R10D 610mm

Handle kit Classic AHCLRDSF

Handle kit Contemporary round, aluminium	AHSRDSF	Door alarm	•	Supply frequency	50 Hz
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Fast freeze	•	Supply voltage	230 - 240 V
Handle kit Contemporary square fine, black	AHD5RDSFB	Freezer bins	4		
Handle kit Professional round flush	AHP3RDSF	Ice Boost	•		
		LED bin lighting	•	Product dimensions	
Joiner kit	AJ-RS21LR	LED ceiling lighting	•	Depth	610 mm
Toe kick stainless steel 1220mm	AKRS12210	LED side lighting	•	Height	2134 mm
Toe kick stainless steel 1372mm	AKRS13710	SmartTouch interface at counter height	•	Width	603 mm
Toe kick stainless steel 1828mm	AKRS18310				
Toe kick stainless steel 1981mm	AKRS19810				
Toe kick stainless steel 610mm AKRS06		Installation Dimensions		Product information	
		Minimum inside width of cabinetry frame	610 mm	Packaged weight	137 kg
Capacity		Minimum internal depth of cabinetry	635 mm	Unpackaged weight	117 kg
, ,		Minimum internal height of cabinetry	2134 mm		
Total gross capacity	368 L				
Volume	336 L			Warranty	
Volume freezer	336 L	Performance		Parts and labour	5 years
Volume variable temperature compartment	295 L	ActiveSmart™ Foodcare	•	Sealed system parts only	5 years
		Adaptive defrost	•		
Features		Dual evaporator	•		
		Frost free	•	CIAL	26954
Adjustable door shelves	4	Frost free freezer	•	SKU	26954
Adjustable glass cantilevered shelves	•	Inverter controlled compressor	•		
Adjustable glass shelves	4	Noise emissions	42 dBA	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Adjustable half width door shelves	3	Noise emissions class	D		
Front levelling feet	•	Sabbath mode	•		
Smart appliance	•	Variable temperature zones	2		
Freezer Features		Power requirements		Other product downloads available at fi	shornaykol com
Automatic ice maker	•	Rated current	10 A	other product downloads available at II	siiei paykei.com
Bottle chill			10 / 1		

QUICK REFERENCE GUIDE > RS6121FRJE1 Date: 05.11.2024 > 3

2D-DWG Integrated Refrigeration - K05 Hinge
2D-DWG Integrated Refrigeration
2D-DXF Integrated Refrigeration - K05 Hinge
2D-DXF Integrated Refrigeration
2D-DXF Panel Preparation
Service & Warranty
Planning Guide Integrated Refrigeration DA
Planning Guide Integrated Refrigeration DEU

Planning Guide Integrated Refrigeration DUT
Planning Guide Integrated Refrigeration EN
Planning Guide Integrated Refrigeration FIN

Planning Guide Integrated Refrigeration FR
Planning Guide Integrated Refrigeration HEB
Planning Guide Integrated Refrigeration ITA

Planning Guide Integrated Refrigeration NOR
Planning Guide Integrated Refrigeration SWE

→ Revit 20 Freezer→ Rhino 6 Freezer

SketchUp Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

