QUICK REFERENCE GUIDE > RS6019F2L1 Date: 30.10.2024 > 1

60cm Series 9 Integrated Dual Zone Freezer

Series 9 | Integrated

Panel Ready | Left hinge



Pair with the Integrated Dual Zone Refrigerator for the ultimate kitchen solution – this model features two independent food zones taking cooling flexibility to a new level.

- Flush fit design with 4mm gaps and custom height installation
- Two independent food zones with adjustable temperature from -21 to -14°C
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

Easy-to-use touch-control panel and Wi-Fi capability

DIMENSIONS

Height 1870 mm
Width 592 mm
Depth 576 mm

FEATURES & BENEFITS

Perfect Fit

These models fit flush, with only 4mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

Independent Food Zones

When it comes to optimal food preservation, one temperature does not fit all. With two independent food zones, you can create the perfect climate for storing different foods. Each zone has adjustable temperature from -21°C to -14°C, ideal for items such as meat, seafood, frozen desserts and ice.

Mix & Match

These modular refrigerators and freezers can be mixed and matched, with different sizes and finishes. Installed side by side or individually throughout the kitchen, you can create a cooling solution to suit your lifestyle. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Clever Energy

ActiveSmart™ Foodcare learns how you live. It is technology that understands how you use your freezer and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Flexible Storage

Designed to make it simple for you to store, access and remove food, this freezer includes LED-lit adjustable cantilevered shelving and full extension bins.

Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place as separate units – a perfect fit for European design kitchens.

Ease Of Use

Using the intuitive touch-sensitive control panel, you can easily adjust the temperature to suit. Beautiful to use, the freezer door is family safe with a soft-close mechanism.

SPECIFICATIONS

Accessories (included)

Hinge change (from left hinge to right hinge)

Joiner kit AJRS19LR

Accessories (sold separately)

Door panel set stainless steel Right & Left hinge RD6019

Handle kit Classic AHCLRDSF

Handle kit Contemporary round, aluminium AHSRDSF

QUICK REFERENCE GUIDE > RS6019F2L1 Date: 30.10.2024 > 2

Handle kit Contemporary square fine, AHDS		Freezer bins	2	
aluminium	ALIBEE	LED ceiling lighting	•	
Handle kit Contemporary square fine, black	AHD5RDSFB			
Handle kit Professional round flush	AHP3RDSF			
Toe kick stainless steel 1200mm	AKRS12010	Installation Dimensions		
Toe kick stainless steel 1800mm AKRS18010		Minimum inside width of cabinetry frame 600 r		
Toe kick stainless steel 600mm	AKRS06010	Minimum internal depth of cabinetry	600 mm	
		Minimum internal height of cabinetry	1880 mm	
Capacity				
Total gross capacity	329 L	Performance		
olume 304 L		ActiveSmart™ Foodcare	•	
Volume freezer	304 L	Adaptive defrost		
		Dual evaporator	•	
Consumption		Frost free		
Consumption		Inverter controlled compressor	•	
Energy rating	E	Sabbath mode	•	
Energy usage	247kWh/year			
In-use energy carbon emissions estimate 7	76.3kgCO2e/year			
		Power requirements		
Features		Rated current	10 A	
Adjustable glass cantilevered shelves		Supply frequency	50 Hz	
Adjustable glass shelves	2	Supply voltage	230 V	
Smart appliance	•			
SmartTouch control panel	•	Product dimensions		
		Depth	576 mm	
		Height	1870 mm	
Freezer Features		Width	592 mm	
Bottle chill	•	*******	552 11111	
Door alarm	•			
Fast freeze	•	Warranty		

	-	•	-		-

5 years

5 years

26208

Parts and labour

SKU

Sealed system parts only

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K08 Hinge 2D-DWG Freezer 2D-DWG Freezer with Custom Panel 2D-DXF Integrated Refrigeration - K08 Hinge 2D-DXF Freezer 2D-DXF Freezer with Custom Panel 2D-DXF Integrated Refrigeration - Panel Preparation Archicad 23 Freezer Declaration of Conformity Refrigeration with WiFi Capability **Declaration of Conformity Energy Rating** Service & Warranty Installation Guide Integrated Refrigeration Planning Guide Integrated Refrigeration Product Information Sheet Integrated Dual Zone Freezer Revit 18 Freezer Rhino 5 Freezer

Rhino 5 Freezer with Custom Panel

QUICK REFERENCE GUIDE > RS6019F2L1 Date: 30.10.2024 > 3

- ↓ Rhino 5 Freezer Door with Classic Round Handle
- ↓ Rhino 5 Freezer Door with Contemporary Round Handle
- ↓ Rhino 5 Freezer Door with Professional Round Flush Handle
- Rhino 5 Freezer Door with Square Fine Handle
- ↓ Sketchup 8 Freezer
- J. Sketchup 8 Freezer Door with Classic Round Handle
- ↓ Sketchup 8 Freezer Door with Contemporary Round Handle
- Sketchup 8 Freezer Door with Professional Round Flush
- ↓ Sketchup 8 Freezer Door with Square Fine Black Handle
- ↓ Sketchup 8 Freezer Door with Square Fine Handle
- ↓ User Guide Integrated Refrigerator & Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com