QUICK REFERENCE GUIDE > RS6121SRK1

# Integrated Column Refrigerator, 61cm

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.


- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

#### **DIMENSIONS**

 Height
 2134 mm

 Width
 603 mm

 Depth
 610 mm



#### **FEATURES & BENEFITS**

#### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

#### Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

### Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

#### **Design Quality**

The premium design and quality finish include a stainless steel interior lining, full-extension metal shelf runners for easy access, and robust glass shelving.

#### Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

## **SPECIFICATIONS**

#### Accessories (sold separately)

Handle kit Contemporary round, aluminium

AHS-RD21

Handle kit Contemporary square fine, aluminium

Handle kit Contemporary square fine, black

AHD5RDSFB

AHD3-RD21

Handle kit Contemporary square, aluminium

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 20.06.2024 > 2

Joiner Kit	AJ-RS21LR	Smart appliance EU	•	Depth	610 mm	
Stainless steel door panel	RD6121R10D	Smart appliance UK IE	•	Height	2134 mm	
Toe kick stainless steel 1067mm	AKRS10710	Stackable bottle holders	4	Width	603 mm	
Toe kick stainless steel 1220mm	AKRS12210					
Toe kick stainless steel 1372mm	AKRS13710					
Toe kick stainless steel 1828mm	AKRS18310	Installation Dimensions		Product information		
Toe kick stainless steel 1981mm	AKRS19810	Minimum inside width of cabinetry frame	610 mm	Packaged weight	137 kg	
Toe kick stainless steel 610mm	AKRS06110	Minimum internal depth of cabinetry	635 mm	Unpackaged weight	117 kg	
		Minimum internal height of cabinetry	2134 mm			
Capacity				Warranty		
Total gross capacity	383 L	Performance		Parts and labour	2 years	
Volume	351 L	ActiveSmart™ Foodcare	•	Sealed system parts only	additional 3 years	
Volume refrigerator	351 L	Adaptive defrost	•			
		Dual evaporator	•			
		Frost free	•	SKU	26136	
Consumption		Humidity control system	•	SNU	20130	
Energy consumption	179kWh/year	Inverter controlled compressor	•			
Energy rating	3 ticks	Noise emissions	42 dBA	The product dimensions and specifications in this page apply to the specific		
In-use energy carbon emissions estimate	68.6kgCO2e/year	Noise emissions class  Sabbath mode  Variable temperature zones  Description dimensions a dimensions a check with F		product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page		
				correctly describes the model currently avai Appliances Ltd 2020	ectly describes the model currently available. © Fisher & Paykel liances Ltd 2020	
Features						
Adjustable door shelves	4	Barrar na mainteana anta				
Covered door shelves 1 Power requirements			Other product downloads available at fisherpaykel.com			
Door alarm	•	Rated current	10 A			
Gallon door shelves	1	Supply frequency	50 Hz			
LED bin lighting	•	Supply voltage	220 - 240 V			
LED ceiling lighting	•			2D-DWG Integrated Column Frie		
LED side lighting	•			<ul> <li>         ↓ 2D-DXF Integrated Column Fridge         ↓ 2D-DXF Integrated Column Fridge-Hinge         ↓ 2D-DXF Integrated Column Fridge-Panel Prep     </li> </ul>		
Smart appliance AU NZ	•	Product dimensions				
				v 25 5% integrated column na	ge i anci i icp	

QUICK REFERENCE GUIDE > RS6121SRK1

Date: 20.06.2024 > 3

- Data Sheet Integrated Column Fridge
- Data Sheet Integrated Column Fridge Dual Install (457mm + 610mm)
- Data Sheet Integrated Column Fridge Dual Install (610mm + 610mm)
- Data Sheet Integrated Column Fridge Dual Install (610mm + 762mm)
- Data Sheet Integrated Column Fridge with Contemporary Square Handle Kit
- Data Sheet Integrated Column Fridge with Contemporary Round Handle Kit
- ↓ Service & Warranty
- Installation Guide Toe Kick
- Key Purchase Decisions Integrated Columns
- J. Planning Guide
- ↓ Revit Integrated Column Refrigerator
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- ↓ Sketchup Integrated Column Refrigerator
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- ↓ Specification Guide
- ↓ User Guide Integrated Refrigerator Freezer EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



## A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com