QUICK REFERENCE GUIDE > RS2484FRJ1

24" Series 9 Integrated Column Freezer, Ice

Series 9 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with white interior.
p>

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

 Height
 84 "

 Width
 23 3/4 "

 Depth
 24 "



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever Energy

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD2484L4D	Energy usage	439kWh/year	Variable temperature zones	2
Door panel stainless steel Right hinge 84"	RD2484R4D	In-use energy carbon emissions estimate	54.1kgCO2e/year		
Handle kit Classic	AHCLRDSF				
Handle kit Contemporary round, aluminium	AHSRDSF	·		Power requirements	
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Features	4	Rated current	10 A
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable door shelves	4	Supply frequency	60 Hz 115 V
Handle kit Professional round flush	AHP3RDSF	Adjustable glass cantilevered shelves	•	Supply voltage	115 V
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Door alarm	• 		
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Freezer Features		Product dimensions Depth	24 "
Joiner Kit	AJ-RS84LR	Automatic ice maker	•	Height	84 "
Stainless steel door panel	RD2484R4D	Bottle chill	•	Width	23 3/4 "
Toe kick stainless steel 24"	AKRS2404	Door alarm	•		20 0 / 1
Toe kick stainless steel 42"	AKRS4204	Fast freeze	•		
Toe kick stainless steel 48"	AKRS4804	Freezer bins	4	Warranty	
Toe kick stainless steel 54"	AKRS5404	Glass shelves	3	Parts and labor	2 years
Toe kick stainless steel 60"	AKRS6004	Ice Boost	•	Sealed system parts only	5 years
Toe kick stainless steel 66"	AKRS6604	LED bin lighting	•		
Toe kick stainless steel 72"	AKRS7204	LED ceiling lighting	•		
Toe kick stainless steel 78"	AKRS7804	LED side lighting	•		
Toe kick stainless steel 84"	AKRS8404	SmartTouch interface at counter height	•	SKU	26125
Capacity		Performance		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these	
Total gross capacity	11.9 cu ft	ActiveSmart™ Foodcare	•	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page	
Volume	11.9 cu ft	Adaptive defrost	•	correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Volume freezer	11.9 cu ft	Dual evaporator	•		
		Frost free	•		
		Inverter controlled compressor	•	Other product downloads available at fisherpaykel.com	
Consumption		Sabbath mode	•		-
Energy rating	Energy star				

QUICK REFERENCE GUIDE > RS2484FRJ1 Date: 17.12.2024 > 3

- ↓ 2D-DWG Integrated Column Freezer
- 2D-DXF Integrated Column Freezer
- ↓ Data Sheet Integrated Column Freezer
- Data Sheet Integrated Column Freezer Dual Install (24" + 24")
- Energy Label
- ↓ Service & Warranty
- ightharpoonup Water Filter Replacement Instructions Parts 847200 and 847201 EN
- ↓ Installation Guide
- ightharpoonup Water Filter Replacement Instructions Parts 847200 and 847201 FR
- ↓ Guide d'installation FR
- J. Installation Guide
- Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Integrated Columns
- J. Revit Freezer
- ↓ Rhino Freezer
- ↓ Rhino Freezer
- ↓ Rhino Freezer
- J. Rhino Freezer
- ↓ Rhino Freezer
- ↓ Sketchup Freezer
- J. Sketchup Freezer
- J. Sketchup Freezer
- J. Sketchup Freezer
- Sketchup Freezer
- ↓ User Guide EN
- ↓ User Guide Integrated Refrigerator Freezer EN
- J. Guide d'utilisation FR
- ↓ Guide d'utilisation FR
- J. User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com