Series 11 | Integrated

Panel Ready




Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware

- With soft-close drawers, and knock to pause convenience
- Wi-Fi connected for remote control and helpful alerts using the Haier Smart Home app

DIMENSIONS

| Height | 865 - 925 mm |
|--------|--------------|
| Width | 599 mm |
| Depth | 553 mm |



FEATURES & BENEFITS

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Control from anywhere

Get the most out of your connected appliance with the Haier Smart Home app. Connect and monitor your smart DishDrawer™ Dishwasher while conveniently accessing the latest tips, remote status notifications, and more.

Efficient Performance

This DishDrawer[™] Dishwasher uses the water it needs without compromising on wash performance.

SPECIFICATIONS

| Accessories (included) | | |
|----------------------------------|------|--|
| Cutlery basket | • | |
| Kickstrip | true | |
| Knife clip and multipurpose clip | • | |

Accessories (sold separately)

| Door panel black stainless steel | ADDD60DTPB |
|---------------------------------------------------|-------------|
| Door panel stainless steel | ADDD60DTPX |
| Handle kit Contemporary square fine, aluminium | AHD5DDDW60S |

Capacity and loading

| Accommodates round plates up to | 310mm |
|--------------------------------------|-------|
| Adjustable height, foldable cupracks | • |
| Fold down tines | • |

QUICK REFERENCE GUIDE > DD60DTX6HI1-CN

| Pitch adjustable tines | • |
|--------------------------------------------|------------------------------|
| Place settings | 16 |
| Place settings per drawer | 8 |
| Wine glass supports with stemware grippers | • |
| | |
| Consumption | |
| Cleaning Index | 1.21 |
| Drying Index | 1.32 |
| Energy consumption | 0.538kWh/cycle per drawer |
| Energy rating | Grade 1 |
| Water consumption | 6.8L |
| | |

| Electronic fault/Diagnostic indicator | |
|----------------------------------------------------|--|
| End of cycle beeps | |
| Energy saving delay start option of up to 12 hours | |
| Internal wash selector | |
| Intuitive capacitive touch controls | |
| Keylock | |
| Knock to pause | |
| Rinse aid indicator light | |
| Spray arm sensing | |
| Wi-Fi connectivity | |

Features

| Built-in water softener |
|-------------------------|
| Fan assisted drying |

| Flood protection | |
|-----------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Flow through detergent dispenser | |
| Internal tub material | Stainless stee |
| | BLDC |
| Motor type | BLDC |
| Quiet operation | |
| SmartDrive™ technology | · |
| Soft close drawer | |
| Three-stage filtration system | |
| Performance | |
| Noise on standard cycle top drawer | 43 dBA |
| Power requirements | |
| Amperage | 104 |
| Amperage Supply frequency | 50H2 |
| Amperage | 50H |
| Amperage Supply frequency Supply voltage | 50H |
| Amperage Supply frequency | 50H: 220 - 240\ |
| Amperage Supply frequency Supply voltage Product dimensions | 50H: 220 - 240V 553 mn |
| Amperage Supply frequency Supply voltage Product dimensions Depth | 50H: 220 - 240 553 mn 865 - 925 mn |
| Amperage Supply frequency Supply voltage Product dimensions Depth Height | 104 50H; 220 - 240\ 553 mm 865 - 925 mm 599 mm |

Wash Program Modifiers

٠

| Dry + | • |
|----------------|---|
| Quiet | • |
| Sanitise | • |
| Wash modifiers | 3 |
| | |

Wash Programs

| 60 min | • |
|---------------|---|
| Auto | • |
| Eco | • |
| Glassware | • |
| Heavy | • |
| Light | • |
| Medium | • |
| Rinse | • |
| Wash programs | 8 |
| | |

| Water connection | | | |
|------------------|--------------------------------------------------|--|--|
| Water pressure | 100kPa - 1000kPa | | |
| Water supply | 3/4" BSP (20mm) Connector Water Inlet Hose | | |
| SKU | 84247 | | |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG DishDrawer™ Dishwasher
- ↓ 2D-DXF DishDrawer™ Dishwasher
- Service & Warranty
- ↓ Installation Guide EN
- ✓ Installation Guide ZH
- Planning Guide EN
- Planning Guide ZH
- ↓ Revit 20 DishDrawer™ Dishwasher
- ↓ Rhino 6 DishDrawer™ Dishwasher
- J SketchUp DishDrawer™ Dishwasher
- ↓ User Guide EN
- ↓ User Guide ZH
- Vater Label ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.