QUICK REFERENCE GUIDE > OR30SCG6X1

Dual Fuel Range, 30", 4 Burners, Self-cleaning

Series 9 | Classic

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a convection oven with 9 functions.

- · Four burner gas cooktop with two dual wok burners
- Convection oven with 3.5 cu.ft total capacity and nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes


 High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height 35 3/4 - 37 5/8 "

Width 29 7/8 "

Depth 25 1/4 "



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and glowing halo dials all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension telescopic shelves 2 sets (part 578776)

Small pot support 1 (part 533981

cast)

Accessories (sold separately)

Hob rear trim	3 1/8" (part 84656)	Audio feedback	•	Oven functions	
		Automatic cooking/minute timer	•	Aero™ Bake	•
Kick strip, stainless steel (optional)	KICKOR90X1	Automatic pre-set temperatures	•	Aero™ Pastry with Pizza mode	•
		Celsius/Fahrenheit temperature	•	Number of functions	9
Burner ratings		Electronic clock	•	Rapid proof	•
		High resolution display	•	Roast	•
Dual wok burner inner/outer (LPG)	1000 - 18000BTU	Laser etched graphics	•	True convection	•
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU	Precise electronic temperature control	•		
Maximum burner power	18000 BTU	Sabbath mode	•		
Semi-rapid burner (LPG)	1500 - 7600BTU	Turned stainless steel clock buttons	•	Oven performance	
Semi-rapid burner (natural gas)	1500 - 8000BTU			Drail naver	4050 W
Total cooktop power	52000 BTU			Broil power	
		Gas Requirements		CoolTouch door	Triple glazed
		Supply Pressure (LPG)	11" W.C.P	Warming drawer power	220 W
Capacity		Supply Pressure (natural gas)	4" W.C.P		
Shelf positions	7	Capp.,		Power Requirements	
Total capacity	3.5 cu ft				
Usable capacity	2.9 cu ft	Oven features		Amperage	30 A
		AeroTech™ technology	•	Supply frequency	60 Hz
		Auto re-ignition system			
Cleaning		Automatic rapid pre-heat		Product Dimensions	
Acid resistant graphite enamel	•	· ·		Product Dimensions	
Drop down broil element	•	Bright chromed, cast zinc dials with illuminated halos	•	Depth	25 1/4 "
Drop down grill element	•	Concealed element	•	Height	35 3/4 - 37 5/8 "
Flat easy clean glass surface	•	Electronic oven control	•	Width	29 7/8 "
Pyrolytic proof shelf runners	•	Full extension telescopic sliding shelves	•		
Pyrolytic self-clean	•	Internal light	2 x 25W halogen		
Removable oven door	•		(rear)	Rangetop features	
Removable shelf runners	•	Soft open/close door	•	Brass burner spreader (power burner)	•
		True convection	•	Embossed brass burner cap (power b	urner) •
_		Turned stainless steel clock dial	•	Hob rail	•
Controls				LPG / Natural Gas compatible	_

QUICK REFERENCE GUIDE > OR30SCG6X1

Sealed range top	•
Rangetop Performance	
Number of burners	4
Safety	
ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	45.42 L
Spill containment	1/2 gallon
SKU	81717

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



2D-DWG Dual Fuel Range



Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com