61cm Series 11 Integrated Column Wine Cabinet

Series 11	Integrated
Panel Ready	Left hinge




Create a wine collector's ultimate kitchen with a panel ready Column Wine Cabinet that seamlessly integrates into your kitchen design.

- A generous 91 bottle capacity, with optional display capability for your favourite bottles
- Two independent Variable Temperature Zones, each with four wine modes to create the best environment for any varietal
- Pair with Integrated Column Refrigerators and Freezers or install separately to suit your kitchen design

 Customise with your own cabinetry, or purchase our stainless steel door panel. Designed to fit flush, with minimal 3mm gaps

DIMENSIONS





FEATURES & BENEFITS

The Perfect Fit

Customise your Integrated Column Wine Cabinet with a door panel that matches your kitchen cabinetry, or purchase our stainless steel door panel accessory. You can also choose your preferred handle style, opt for left or right hinge, as well as mix and match with other Integrated Column Refrigerator and Freezer models.

Optimal Wine Care

To provide the optimal storage environment for your collection, your Integrated Column Wine Cabinet has been engineered to maintain a consistent temperature throughout both zones. An activated carbon filter in each compartment clears the air of pollutants to ensure your wine is perfectly cared for.

Precise Temperature Control

Four specially developed wine modes provide optimal temperatures for serving and cellaring different types of wine. Red, White, Sparkling and Cellar modes ensure that each bottle gets the care it needs to be enjoyed at its best. You can also adjust manually in 0.5°C increments between 6-18°C.

Reduced Vibration

Vibration can dull flavor and cause other unwanted issues in wine. With a quiet, low vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials, the Integrated Column Wine Cabinet carefully maintains the flavour profile of every drop.

Customisable Lighting

The tinted glass door effectively filters out UV light, allowing vour wine to mature at its natural pace. LED lighting provides four beautiful illumination options to showcase the highlights of your collection, from a candlelit ambience to a brilliant display lighting. Display mode automates the lighting cycle to show off your collection on special occasions.

Curate Your Collection

Showcase your collection with accessories for our Integrated Column Wine Cabinet. Independent cradles can be adjusted to create your ideal display angle, while a water-based pencil and aluminium labels offer a stylish way to catalogue your wine.

SPECIFICATIONS

Accessories (included)

Date: 17.10.2024 > 1



QUICK REFERENCE GUIDE > RS6121VL2K1

AJ-RS21LR	Joiner Kit	
	Accessories (sold separately)	
Left hinge RD6121VL4, Right hinge RD6121VR4	Door panel stainless steel Wine cabinet	
AHCLRDSF	Handle kit Classic	
AHSRDSF	Handle kit Contemporary round	
AHD5RDSF	Handle kit Contemporary square fine, aluminium	
AHD5RDSFE	Handle kit Contemporary square fine, black	
AHP3RDSF	Handle kit Professional round flush	
AJRS35LF	Joiner kit	
AKR\$10710	Toe kick stainless steel 1067mm	
AKRS12210	Toe kick stainless steel 1220mm	
AKRS13710	Toe kick stainless steel 1372mm	
AKRS15210	Toe kick stainless steel 1524mm	
AKRSO6110	Toe kick stainless steel 610mm	
AKRS7610	Toe kick stainless steel 762mm	
ADV4	Wine display kit (four cradles and rail with positioning guide)	
ALV14	Wine display label Kit (14 labels with white pencil)	
863974	Wine filter odour kit	
	Capacity	
9.	Number of bottles	
376L	Total net volume	
376 L	Volume	

n-use energy carbon emissions estimate 25.8kgCO2e/year eatures Air filter lower compartment Air filter upper compartment Coor alarm =ull extension display shelf =ull extension storage racks LED ceiling lighting LED side lighting LED side lighting LED side lighting LED side lighting LED side lighting Cow vibration compressor Precision ball-bearing runner mounted racks Rated load for slide runners Acted load for slide runners ActiveSmartTouch interface at counter height Soft-mounted wine racks JV tempered glass door ActiveSmart [™] wine care Dual evaporator nverter controlled compressor Noise emissions At 2 dBA Noise Emissions Class Data and the state of	Energy consumption	130kWh/year
Geatures Air filter lower compartment Air filter upper compartment Door alarm =ull extension display shelf =ull extension storage racks	Energy rating	F
Air filter lower compartment Air filter upper compartment Air filter upper compartment Door alarm Full extension display shelf 1 Full extension storage racks 13 LED ceiling lighting LED side lighting LED side lighting LED side lighting LED side lighting LED side lighting Cow vibration compressor Precision ball-bearing runner mounted racks Rated load for slide runners 40 kg Smart appliance Smart appliance Smart Touch interface at counter height Soft-mounted wine racks JV tempered glass door Performance ActiveSmart [™] wine care Dual evaporator nverter controlled compressor Noise emissions 42 dBA Noise Emissions Class Sabbath mode Variable temperature zones 2	In-use energy carbon emissions estimate	25.8kgCO2e/year
Air filter upper compartment . Door alarm . Full extension display shelf 1 Full extension storage racks 13 LED ceiling lighting . LED cide lighting . LeD side lighting . Lew vibration compressor . Precision ball-bearing runner mounted racks . Rated load for slide runners 40 kg Smart appliance . Smart Touch interface at counter height . Soft-mounted wine racks . JV tempered glass door . Performance . ActiveSmart™ wine care . Dual evaporator . nverter controlled compressor . Noise emissions 42 dBA Noise Emissions Class D Sabbath mode . Variable temperature zones 2	- eatures	
Door alarm • Full extension display shelf 1 Full extension storage racks 13 LED ceiling lighting • LED side lighting • Lew vibration compressor • Precision ball-bearing runner mounted racks • Rated load for slide runners 40 kg Smart appliance • SmartTouch interface at counter height • Soft-mounted wine racks • JV tempered glass door • Performance • ActiveSmart™ wine care • Dual evaporator • nverter controlled compressor • Noise emissions 42 dBA Noise Emissions Class D Sabbath mode • Variable temperature zones 2	Air filter lower compartment	
Full extension display shelf 1 Full extension storage racks 13 LED ceiling lighting • LED side lighting • LOW vibration compressor • Precision ball-bearing runner mounted racks • Rated load for slide runners 40 kg Smart appliance • SmartTouch interface at counter height • Soft-mounted wine racks • JV tempered glass door • Preformance • ActiveSmart™ wine care • Dual evaporator • Noise emissions 42 dBA Noise Emissions Class D Sabbath mode • Variable temperature zones 2	Air filter upper compartment	•
Full extension storage racks 13 LED ceiling lighting • LED side lighting • LeD side lighting • Low vibration compressor • Precision ball-bearing runner mounted racks • Rated load for slide runners 40 kg Smart appliance • SmartTouch interface at counter height • Soft-mounted wine racks • JV tempered glass door • Verformance • ActiveSmart™ wine care • Dual evaporator • Noise emissions 42 dBA Noise Emissions Class D Sabbath mode • Variable temperature zones 2	Door alarm	•
LED ceiling lighting . LED side lighting . Precision ball-bearing runner mounted racks . Rated load for slide runners . Smart appliance . Smart appliance . Smart appliance . Smart appliance . Soft-mounted wine racks . JV tempered glass door . Preformance . ActiveSmart [™] wine care . Dual evaporator . Noise emissions . Noise emissions Class . Sabbath mode . Variable temperature zones . 2	Full extension display shelf	1
LED side lighting LED side lighting Low vibration compressor Precision ball-bearing runner mounted racks Rated load for slide runners Rated load for slide runners Smart appliance Smart Touch interface at counter height Soft-mounted wine racks Soft-mounted wine racks JV tempered glass door Performance ActiveSmart [™] wine care Dual evaporator Noise emissions Noise Emissions Class Sabbath mode Variable temperature zones 2	Full extension storage racks	13
Low vibration compressor · Precision ball-bearing runner mounted racks · Rated load for slide runners · 40 kg Smart appliance · Smart Touch interface at counter height · Soft-mounted wine racks · JV tempered glass door · Performance · ActiveSmart™ wine care · Dual evaporator · Nverter controlled compressor · Noise emissions · Noise Emissions Class · Sabbath mode · Variable temperature zones ·	LED ceiling lighting	•
Precision ball-bearing runner mounted racks Rated load for slide runners Smart appliance Smart Touch interface at counter height Soft-mounted wine racks JV tempered glass door Performance ActiveSmart™ wine care Dual evaporator Noise emissions 42 dBA Noise Emissions Class D Sabbath mode Variable temperature zones 2	LED side lighting	•
Rated load for slide runners 40 kg Smart appliance • Smart Touch interface at counter height • Soft-mounted wine racks • JV tempered glass door • Performance • ActiveSmart™ wine care • Dual evaporator • nverter controlled compressor • Noise emissions 42 dBA Noise Emissions Class D Sabbath mode • Variable temperature zones 2	Low vibration compressor	•
Smart appliance • Smart appliance • Smart Touch interface at counter height • Soft-mounted wine racks • JV tempered glass door • Performance ActiveSmart™ wine care • Dual evaporator • Noise emissions 42 dBA Noise Emissions Class D Sabbath mode • Variable temperature zones 2	Precision ball-bearing runner mounted rac	•ks
SmartTouch interface at counter height Soft-mounted wine racks UV tempered glass door Performance ActiveSmart™ wine care Dual evaporator nverter controlled compressor Noise emissions 42 dBA Noise Emissions Class Sabbath mode variable temperature zones 2	Rated load for slide runners	40 kg
Soft-mounted wine racks . JV tempered glass door . Performance ActiveSmart [™] wine care . Dual evaporator . Noise emissions . Noise emissions Class . Sabbath mode . Variable temperature zones . 2	Smart appliance	•
JV tempered glass door • Performance ActiveSmart [™] wine care • Dual evaporator • nverter controlled compressor • Noise emissions 42 dBA Noise Emissions Class D Sabbath mode • Variable temperature zones 2	SmartTouch interface at counter height	•
Performance ActiveSmart [™] wine care Dual evaporator nverter controlled compressor Noise emissions 42 dBA Noise Emissions Class D Sabbath mode variable temperature zones 2	Soft-mounted wine racks	•
ActiveSmart [™] wine care Dual evaporator nverter controlled compressor Noise emissions 42 dBA Noise Emissions Class D Sabbath mode √ariable temperature zones 2	UV tempered glass door	•
Dual evaporator•nverter controlled compressor•Noise emissions42 dBANoise Emissions ClassDSabbath mode•Variable temperature zones2	Performance	
nverter controlled compressor•Noise emissions42 dBANoise Emissions ClassDSabbath mode•Variable temperature zones2	ActiveSmart™ wine care	•
Noise emissions42 dBANoise Emissions ClassDSabbath mode•Variable temperature zones2	Dual evaporator	•
Noise Emissions ClassDSabbath mode•Variable temperature zones2	Inverter controlled compressor	•
Sabbath mode • Variable temperature zones 2	Noise emissions	42 dBA
Variable temperature zones 2	Noise Emissions Class	D
	Sabbath mode	•
Variable wine modes Red, White,	Variable temperature zones	2
	Variable wine modes	Red, White,

Power requirements Rated current 10 A 50 Hz Supply frequency Supply voltage 220-240 V Product dimensions Depth 610 mm 2134 mm Height Width 603 mm Warranty Parts and labour 5 years Sealed system parts only 5 years

SKU			25745

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Column Wine Cabinet
- ↓ 2D-DWG Integrated Column Wine Cabinet Hinge
- ↓ 2D-DWG Integrated Column Wine Cabinet Panel Prep

Sparkling, Cellar

FISHER & PAYKEL

- ↓ 2D-DXF Integrated Column Wine Cabinet
- 2D-DXF Integrated Column Wine Cabinet Hinge
- ↓ Data Sheet Integrated Column Wine Cabinet
- ↓ Data Sheet Integrated Column Wine Cabinet Handle AHC RD84
- ↓ Data Sheet Integrated Column Wine Cabinet Handle AHD3 RD84
- ↓ Data Sheet Integrated Column Wine Cabinet Handle AHS RD84
- Data Sheet Integrated Column Wine Cabinet Handle AHV2 RD84
- ↓ Declaration of Conformity Refrigeration with WiFi Capability
- 👃 🛛 Energy Rating
- Service & Warranty
- ↓ Installation Guide Toe Kick
- Installation Guide Integrated Column Refrigerator
- ↓ Installation Guide
- Revit Wine Cabinet
- Rhino Wine Cabinet
- Rhino Wine Cabinet with Door Panel and Contemporary Round Handle
- Rhino Wine Cabinet with Door Panel and Contemporary Square Handle
- Sketchup Wine Cabinet
- ✓ Sketchup Wine Cabinet with Door Panel and Contemporary Round Handle
- Sketchup Wine Cabinet with Door Panel and Contemporary Square Handle
- ↓ User Guide
- 👃 🛛 Energy Label

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com

FISHER & PAYKEL