QUICK REFERENCE GUIDE > OR90SCI4W1 Date: 17.10.2024 > 1

90cm Series 7 Classic 5 Zone Induction Cooker, 2 SmartZones

Series 7 | Classic

White




Heritage styling with contemporary performance in the large convection oven and induction cooktop, with SmartZone capability.

- Five cooking zones, with the ability to pair zones to create SmartZones
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake with pizza mode and rapid proof for making bread

Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech^{T} system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

SPECIFICATIONS

Accessories (included)

Chromed shelf runners 1 set

Flat wire shelf 1
Full extension sliding shelves 1 set (part

578744)

Full extension telescopic shelves 1 set (part 578744)

Grill rack true

Roasting dish 1

Step down wire shelf

Accessories (sold separately)

QUICK REFERENCE GUIDE > OR90SCI4W1 Date: 17.10.2024 > 2

Kick strip, white (optional)	KICKOR90W1	Installation cutout dimensions (Depth)	600 mm	Oven performance	
		Installation cutout dimensions (Width)	900 mm	CoolTouch door	Triple glazed
Capacity					
Shelf positions (main oven)	6	Oven features		Power requirements	
Total capacity	140 L	AeroTech™ technology	•	Amperage	67 A
Usable capacity (main oven)	121 L	Automatic rapid pre-heat	•	Supply frequency	50 Hz
		Bright chromed, cast zinc dials with illuminated halos	•	Supply voltage	220 - 240 V
Cleaning		Electronic oven control	•		
Acid resistant graphite enamel		Full extension telescopic sliding shelves	•	Product details	
Drop down grill element	•	Internal light	4 x 25W halogen		
Flat easy clean glass surface	•	Coff and Alasa days	(2 side & 2 top)	Self Cleaning Sf	Yes
Removable oven door	•	Soft open/close door	•		
Removable oven door inner glass	•	Storage drawer True convection	•	Product dimensions	
Removable shelf runners	•	Twin cavity fans	•		
The make the man and the make the man and		TWITI CAVILY TAILS	•	Depth	600 mm
				Height	898 - 946 mm
Controls		Oven functions		Width	897 mm
Audio feedback	•	Bake	•		
Automatic cooking/minute timer	•	Classic bake	•	Rangetop features	
Automatic pre-set temperatures	•	Fan bake	•	Auto heat reduce	•
Celsius/Fahrenheit temperature	•	Fan forced	•	Dual colour display	•
Electronic clock	•	fanGrill	•	Gentle heat	•
Laser etched graphics	•	Grill	•	Heat settings	9
Precise electronic temperature control	•	Number of functions	9	Hob rail	•
Sabbath mode	•	Pastry Bake with Pizza mode	•	Hob rear trim	60 mm
Toughened fused glass graphics	•	Rapid proof	•	Induction cooking technology	•
Turned stainless steel clock buttons	•	Roast	•	SmartZone	1
		True convection	•	Zone bridging	•
lock-listing Bioconsisson					
Installation Dimensions					

QUICK REFERENCE GUIDE > OR90SCI4W1 Date: 17.10.2024 > 3

Rangetop Performance

Centre	2300 W
PowerBoost	•
Safety	
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•

Warranty

Non-tip shelves

Safety time out

Spill containment

Spillage auto off

Pan detection system

Surface hot indicators

Parts and labour	2 years

SKU 81686

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

✓ Service & Warranty
 ✓ Installation Guide Freestanding Cooker
 ✓ Installation Guide - Kick Strip
 ✓ Revit Induction Cooker
 ✓ Rhino Induction Cooker
 ✓ SketchUp Induction Cooker
 ✓ User Guide Freestanding Cooker
 ✓ User Guide

Where applicable:

12 L

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

