QUICK REFERENCE GUIDE > DD24DCHTX9 N Date: 12.06.2024 > 1

Double DishDrawer Dishwasher, Tall, Sanitize

Series 7 | Contemporary

Stainless Steel




Doing the dishes got easier. Load one drawer while the other washes - with the top drawer fitting your large dinner plates easily.

- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Built-in water softener improves wash performance by reducing unwanted minerals in the water
- Flexible racking can be folded down to fit bigger dishes

DIMENSIONS

Height 34 - 36 3/8 "
Width 23 9/16 "
Depth 22 9/16 "



FEATURES & BENEFITS

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent wash

With the ability to use both drawers independently and select different wash programs the DishDrawer $^{\text{TM}}$ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Quiet performer

Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket	•	
Kickstrip	true	
Knife clip and multipurpose clip	•	

Capacity and loading

Accommodates round plates up to	12.25" (top) 11" (bottom)
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Controls

Electronic fault/Diagnostic indicator

QUICK REFERENCE GUIDE > DD24DCHTX9 N Date: 12.06.2024 > 2

End of cycle beeps	•	Height	34 - 36 3/8 "
Energy saving delay start option of up to 12 hours	•	Width	23 9/16 "
Keylock	•		
Rinse aid indicator light	•	Warranty	
Wi-Fi connectivity	•	Parts and labor	Limited 2 years
Features		Wash Program Modifiers	
Built-in water softener	•		
Fan assisted drying	•	Extra Dry Quick	•
Flood protection	•	Guick Sanitise	•
Flow through detergent dispenser	•	Wash modifiers	3
Motor type	BLDC	washinoumers	3
Quiet operation	•		
SmartDrive™ technology	•	Wash Programs	
		Delicate	•
Performance		Eco	•
Noise on standard cycle top drawer	42 40 4	Fast	•
	42 dBA	Heavy	•
		Medium	•
Power requirements		Rinse	•
Amperage	10A	Wash programs	6
Electric circuit	3 wire		
Rated current	15 A		
Supply frequency	60Hz	Water connection	
Supply voltage	100 - 120V	Supplied hose to suit 3/8" (9mm) male compression fitting	•
		Water pressure	100kPa - 1000kPa
Product dimensions		Water supply	3/8" to suit Male Compression Fitting
Depth	22 9/16 "		

SKU 82332

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Double DishDrawer™ Dishwasher 2D-DXF Double DishDrawer™ Dishwasher Data Sheet Double DishDrawer™ Dishwasher Energy Label Double DishDrawer™ Dishwasher Service & Warranty Installation Guide Double DishDrawer™ Dishwasher Guide De Démarrage Rapide FR Revit Double DishDrawer™ Dishwasher Rhino Double DishDrawer™ Dishwasher Sketchup Double DishDrawer™ Dishwasher Specification Guide DoubleDishDrawer™ Dishwasher User Guide DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

QUICK REFERENCE GUIDE > DD24DCHTX9 N Date: 12.06.2024 > 3

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com