QUICK REFERENCE GUIDE > OR90SCI1X1 Date: 19.06.2024 > 1

Freestanding Cooker, Induction, 90cm, 4 Zones

Series 5 | Classic

Stainless Steel



Heritage styling paired with contemporary performance, in a freestanding cooker with large convection oven and induction cooktop.

- Large induction cooktop with four cooking zones
- Convection oven with 140L total capacity and seven oven functions including Fan Bake
- Optional non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm

FEATURES & BENEFITS

Quality And Durability

This freestanding cooker has been carefully crafted in every detail from performance to durability, using quality materials including the balanced soft-close door and turned stainless steel dials.

Impressive Capacity

With an extra large 140L capacity, this freestanding cooker has plenty of space for cooking multiple dishes at the same time.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear and stir fry over powerful heat, or simmer a delicate sauce to perfection.

Even Heat

Dishes on the top shelf turn out as perfectly as the ones on the bottom, due to our AeroTech $^{\text{TM}}$ convection system that circulates air evenly throughout the entire oven.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new for years to come.

Safe And Sound

The door and cavity cooling system keeps the heat on the inside, protecting your hands and surrounding cabinetry.

SPECIFICATIONS

Accessories (included)	
Chromed shelf runners	1 se
Flat wire shelf	
Grill rack	true
Roasting dish	
Square foot covers, stainless steel	
Step down wire shelf	•

Accessories (sold separately)

Optional (part 578744)	Full extension sliding shelves	
Optional (part 578744)	Full extension telescopic shelves	
KICKOR90X1	Kick strip, stainless steel (optional)	

Capacity

Shelf positions	6
Shelf positions (main oven)	6
Total capacity	140 L
Usable capacity	120 L
Usable capacity (main oven)	121 L

Cleaning

Acid resistant graphite enamel	•
Drop down grill element	•
Flat easy clean glass surface	•

QUICK REFERENCE GUIDE > OR90SCI1X1 Date: 19.06.2024 > 2

Removable oven door	•	Storage compartment	•	Rangetop features	
Removable oven door inner glass	•	True convection	•	Auto heat reduce	•
Removable shelf runners	•	Twin cavity fans	•	Dual colour display	•
		Warming drawer	•	Gentle heat	•
				Heat settings	9
Controls				Hob rail	•
Audio feedback	•	Oven functions		Hob rear trim	60 mm
Automatic cooking/minute timer	•	Bake	•	Induction cooking technology	•
Automatic pre-set temperatures	•	Defrost	•	SmartZone	true
Celsius/Fahrenheit temperature	•	Fan bake	•	Zone bridging	•
Electronic clock	•	Fan forced	•		
High resolution display	•	Fan grill	•		
Laser etched graphics	•	Grill	•	Rangetop Performance	
Precise electronic temperature control	•	Number of functions	7	Centre	2300 W
Sabbath mode	•	Warm	•	Left front	1600 W
Toughened fused glass graphics	•			Left rear	2100 W
Turned stainless steel clock buttons	•			PowerBoost	•
Turned stainless steel clock crown (dial)	•	Oven performance			
		CoolTouch door	Double glazed		
				Safety	
Installation Dimensions				Advanced cooling system	•
Installation cutout dimensions (Depth)	600 mm	Power requirements		Anti-tilt bracket	•
Installation cutout dimensions (Width)	900 mm	Amperage	46 A	Balanced oven door	•
		Supply frequency	50 Hz	Catalytic venting system	•
				Child lock	•
Oven features				CoolTouch door	•
AeroTech™ technology	•	Product dimensions		Full extension telescopic shelves	2 sets (part
Electronic oven control	•	Depth	600 mm		578744)
Full extension telescopic sliding shelves	•	Height	898 - 946 mm	Non-tip shelves	•
Internal light	2 x 25W halogen	Width	897 mm	Pan detection system	•
Soft open/close door	(side)			Safety time out	•
sort open/close door	•			Spill containment	12 L

QUICK REFERENCE GUIDE > OR90SCI1X1

Date: 19.06.2024 > 3

Spillage auto off			
Surface hot indicators	•		
SKU	81679		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ Service & Warranty

↓ Installation Guide Freestanding Cooker

↓ Installation Guide - Kick Strip

L Revit Induction Cooker

↓ Rhino Induction Cooker

Sketchup Induction Cooker

User Guide Freestanding Cooker

User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com