QUICK REFERENCE GUIDE > DD24DAX9 N

Double DishDrawer Dishwasher

Series 7 | Contemporary

Stainless Steel



With a contemporary stainless steel finish, each drawer washes independently and fits a half load, so you can run one while you load the other.


- Six wash programs to suit any load, from Delicate to Heavy
- American Disabilities Act (ADA) compliant, this Double DishDrawer™ sits at an accessible height

DIMENSIONS

Height 32 5/16- 34 5/8 "

Width 23 9/16 "

Depth 22 9/16 "



FEATURES & BENEFITS

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Easy to load

Running at a very low decibel rating, these DishDrawer™
Dishwashers do their job without making a fuss. The
combination of intelligent technology and simple mechanics
means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket • Kickstrip true

Capacity and loading

Accommodates round plates up to	11" (top drawer) 11" (bottom drawer)
Fixed height, foldable cupracks	•
Fold down tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Consumption

Energy usage 265kWh/year
In-use energy carbon emissions estimate 97.lkgCO2e/year

QUICK REFERENCE GUIDE > DD24DAX9 N Date: 09.07.2024 > 2

Water usage (per wash cycle)	3.44 gal running both tubs	Supply voltage	100 - 120V	Water supply	3/8" to suit Male Compression Fitting
Controls		Product Dimensions	00.0/10.11		
Electronic fault/Diagnostic indicator	•	Depth Height	22 9/16 " 32 5/16- 34 5/8 "	SKU	82328
End of cycle beeps	•	Width	23 9/16 "		
Energy saving delay start option of up to 12 hours	•				ifications in this page apply to the specific
Rinse aid indicator light	•				icy of continuous improvement, these y change at any time. You should therefore
Smart appliance	•	Safety and compliance			omer Care Centre to ensure this page
Wi-Fi connectivity	•	ADA compliant	•	correctly describes the model curr Appliances Ltd 2020	rently available. © Fisher & Paykel
Features		Warranty		Other product downloads av	ailable at fisherpaykel.com
Fan assisted drying	•	Parts and labor	Limited 2 years		
Flood protection	•			↓ 2D-DWG Double DishD	rawer™ Dishwasher
Flow through detergent dispenser	•			2D-DXF Double DishDra	awer™ Dishwasher
Motor type	BLDC	Wash Programs		Data Sheet Double Dish	Drawer™ Dishwasher
Quiet operation	•	Delicate	•	<u>↓</u> Energy Label Double Di	ishDrawer™ Dishwasher
SmartDrive™ technology	•	Fast	•	↓ Service & Warranty	
		Heavy	•	<u>-</u>	le DishDrawer™ Dishwasher EN
		Medium	•		le DishDrawer™ Dishwasher EN
Performance		Normal eco	•		er™ Dishwasher
Noise on standard cycle top drawer	43 dBA	Rinse	•	▼ Revit Double DishDrawe	
		Wash programs	6	↓ Rhino Double DishDraw	ver™ Dishwasher
				Rhino Double DishDraw	ver™ Dishwasher
Power Requirements					rawer™ Dishwasher
Amperage	10A	Water connection			
Electric circuit	3 wire	Supplied hose to suit 3/8" (9mm) male	•	<u>-</u>	uble DishDrawer™ Dishwasher
Rated current	15 A	compression fitting			™ Dishwasher EN
Supply frequency	60Hz	Water pressure	30kPa - 1000 kPa		

QUICK REFERENCE GUIDE > DD24DAX9 N

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com