QUICK REFERENCE GUIDE > DD60STI9

# Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.\*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving

 Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

## **DIMENSIONS**

Height	454 mm
Width	599 mm
Depth	553 mm



## **FEATURES & BENEFITS**

#### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

# Knock to pause

Instead of needing a remote control, these DishDrawer $^{\text{TM}}$  Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

#### **Quiet Performer**

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket
Knife clip and multipurpose clip

## Accessories (sold separately)

Door panel black stainless steel ADDD60STPB Door panel stainless steel ADDD60STPX Handle kit Contemporary round, aluminium AHS-OBDD-60S AHD5-Handle kit Contemporary square fine, OBDD-60SX aluminium Handle kit Contemporary square fine, black AHD5-OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Contemporary square, black AHD3-OBDD-60B Handle kit Professional round flush AHP3-DWDD-60S

QUICK REFERENCE GUIDE > DD60STI9 Date: 28.08.2024 > 2

Capacity and loading		Flood protection	•	Wash Programs		
Accommodates round plates up to	310mm	Flow through detergent dispenser	•	Delicate	•	
Adjustable height, foldable cupracks	•	Quiet operation	•	Eco	•	
Fold down tines	•	SmartDrive™ technology	•	Fast	•	
Pitch adjustable tines	•			Heavy	•	
Place settings	7			Medium	•	
Place settings	7	Performance		Rinse	•	
		Noise emissions	43 dBA	Wash programs	6	
Consumption						
Energy rating	3.5 star	Power requirements		Water connection		
Energy usage	136kWh/year	Amperage	5A	Water pressure	30kPa - 1000 kPa	
In-use energy carbon emissions estimate	18.4kgCO2e/year	Supply frequency	50Hz	Water supply	3/4" BSP (20mm)	
Water consumption (per wash cycle)	6.9L	Supply voltage	220 - 240V		Connector Water Inlet Hose	
Water rating	4.5 star (WELS)				illiet Hose	
		Product dimensions				
Controls		Depth	553 mm	SKU	82320	
Electronic fault/Diagnostic indicator	•	Height	454 mm			
End of cycle beeps	•	Width	599 mm	The product dimensions and specification	ons in this page apply to the specific	
Energy saving delay start option of up to 12 hours	•			The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore		
Internal wash selector	•	Warranty		check with Fisher & Paykel's Customer of correctly describes the model currently		
Keylock	•	Parts and labour	2 years	Appliances Ltd 2020	available. © Fisher & Fayker	
Knock to pause	•		•			
Rinse aid indicator light	•					
Smart appliance	•	Wash Program Modifiers		Other product downloads available at fisherpaykel.com		
		Extra Dry	•	L 2D-DWG Integrated Single F	NichDrawor™ Dichwachor	
		Quick	•	<ul> <li>2D-DWG Integrated Single DishDrawer™ Dishwasher</li> <li>2D-DXF Integrated Single DishDrawer™ Dishwasher</li> </ul>		
Features		Sanitise	•	<ul> <li>2D-DXF Integrated Single DishDrawer™ Dishwasher</li> <li>Data Sheet Integrated Single DishDrawer™ Dishwasher</li> </ul>		
Fan assisted drying	•	Wash modifiers	3	± Energy & Water Label DishD		

QUICK REFERENCE GUIDE > DD60STI9

- ↓ Energy and Water Label
- ↓ Service & Warranty
- ↓ Installation Guide Single DishDrawer™ Dishwasher
- ↓ Planning Guide Integrated Single DishDrawer™ Dishwasher
- ↓ Quick Start Guide
- ↓ Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer™ Dishwasher
- Sketchup Single DishDrawer™ Dishwasher
- ↓ Specification Guide Single DishDrawer™ Dishwasher
- User Guide DishDrawer™ Dishwasher
- Wash Program Data DishDrawer™ Dishwasher

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

