QUICK REFERENCE GUIDE > RS2484SRHE1

24" Series 11 Integrated Column Freezer, Water

Series 11 | Integrated

Panel Ready | Right Hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency

- Flexible storage with two Variable Temperature Zones: choose Fridge, Pantry, or Chill mode
- Mix and match columns, install separately or pair, and customize with cabinetry or stainless steel panels

DIMENSIONS

Height	84 "	
Width	23 3/4 "	
Depth	24 "	

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and lock in natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-13°F) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable leveling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD2484L4D
Door panel stainless steel Right hinge 84"	RD2484R4D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF

QUICK REFERENCE GUIDE > RS2484SRHE1

Handle kit Professional round flush, Brass	AHP3RDSFBA	LED side lighting •	
off-stands		SmartTouch interface at counter height	•
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Soft-close fruit and vegetable bins	•
Joiner Kit	AJ-RS84LR	Stackable bottle holders	4
Toe kick stainless steel 24"	AKRS2404		
Toe kick stainless steel 42"	AKRS4204	Postson	
Toe kick stainless steel 48"	AKRS4804	Performance	
Toe kick stainless steel 54"	AKRS5404	ActiveSmart™ Foodcare	•
Toe kick stainless steel 60"	AKRS6004	Dual evaporator	•
Toe kick stainless steel 66"	AKRS6604	Frost free	•
Toe kick stainless steel 72"	AKRS7204	Humidity control system	•
Toe kick stainless steel 78"	AKRS7804	Inverter controlled compressor	•
Toe kick stainless steel 84"	AKRS8404	Sabbath mode	•
		Variable food modes lower compartment	Pantry; Fridge; Chill
Capacity		Variable temperature zones	2
Total gross capacity	12.4 cu ft		
Volume	12.4 cu ft	Power requirements	
Volume refrigerator	12.4 cu ft	Rated current	10 A
		Supply frequency	60 Hz
Features		Supply voltage	115 V
Adjustable door shelves	4		
Adjustable glass cantilevered shelves	•	Product dimensions	
Covered door shelves	1	Depth	24 "
Door alarm	•	Height	84 "
Fruit and vegetable bins	4	Width	23 3/4 "
Gallon door shelves	1	Width	23 3/4
LED bin lighting	•		
LED ceiling lighting	•	Warranty	
LED lighting	•	Parts and labor	2 years

Sealed system parts & labor additional 3 years

SKU 26905

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K05 Hinge
2D-DWG Integrated Refrigeration
2D-DXF Integrated Refrigeration - K05 Hinge
2D-DXF Integrated Refrigeration
2D-DXF Panel Preparation
Service & Warranty
Planning Guide EN
Planning Guide Integrated Refrigeration FR
Planning Guide Integrated Refrigeration SP
Revit 20 Refrigerator
Rhino 6 Refrigerator
SketchUp Refrigerator

Where applicable:

QUICK REFERENCE GUIDE > RS2484SRHE1

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com