QUICK REFERENCE GUIDE > DD60STX6I1

Series 11, Integrated Tall Single DishDrawer Dishwasher

Series 11 | Integrated

Panel Ready




Place anywhere in your kitchen at bench height for easy loading and seamless integration. Features a premium stainless steel interior.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware

- With soft-close drawers, and knock to pause convenience
- Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

Height 454 mm
Width 599 mm
Depth 553 mm



FEATURES & BENEFITS

Seamless Integration

With the flexibility of ergonomic placement and function, single DishDrawer™ Dishwashers can be distributed throughout the kitchen to support patterns of use. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers, and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking includes height-adjustable cup racks and wine glass supports.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

Running at a low decibel rating of 43dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

		Consumption		Power requirements	
Accessories (included)		Water efficiency (WELS) rating	3 ticks	Amperage	5A
Cutlery basket	•	Water usage (per wash cycle)	0.8L/place setting	Supply frequency	50Hz
Knife clip and multipurpose clip	•			Supply voltage	220 - 240V
		Controls		-	
Accessories (sold separately)		End of cycle beeps	•	Product dimensions	
Assisted opening accessory kit	OPEX1	Energy saving delay start option of up to 12	•	Depth	553 mm
Door panel black stainless steel	ADDD60STPB	hours		Height	454 mm
Door panel recessed handle black stainless steel	ADDD60STNB	Internal wash selector Intuitive capacitive touch controls	•	Width	599 mm
Door panel recessed handle matte black	ADDD60STZB	Keylock	•		
glass		Knock to pause	•	Marranty	
Door panel recessed handle stainless steel	ADDD60STNX	Rinse aid indicator light	•	Warranty	
Door panel stainless steel	ADDD60STPX	Smart appliance		Parts and labour	2 years
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Spray arm sensing			
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Spray arm sensing		Wash Program Modifiers	
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB	Features		Dry +	•
Handle kit Contemporary square, aluminium AHD3-OBDD-60S		Fan assisted drying	•	Quiet	•
Handle kit Contemporary square, black	AHD3-OBDD-60B	Flood protection	•	Sanitise	•
		Flow through detergent dispenser	•	Wash modifiers	3
		Internal tub material	Stainless steel		
Capacity and loading		Quiet operation	•	Work Durantura	
Accommodates round plates up to	310mm	SmartDrive™ technology	•	Wash Programs	
Adjustable height, foldable cupracks	•	Soft close drawer	•	60 min	•
Fold down tines	•			Auto	•
Pitch adjustable tines	•			Eco	•
Place settings	7	Performance		Glassware	•
Place settings	7	Noise emissions	43 dBA	Heavy	•
Wine glass supports with stemware grippers •		TOISE CHIISIONS	73 GDA	Light	•
,		-		Medium	•

QUICK REFERENCE GUIDE > DD60STX6I1

Rinse	•		
Wash programs	8		
Water connection			
Water pressure	30kPa - 1000 kPa		
Water supply	3/4" BSP (20mm) Connector Water Inlet Hose		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG DishDrawer™ Dishwasher

2D-DXF DishDrawer™ Dishwasher

Archicad Integrated Single DishDrawer™ Dishwasher

Service & Warranty

↓ Installation Guide

SKU

Revit Integrated Single DishDrawer™ Dishwasher

↓ Rhino Integrated Single DishDrawer™ Dishwasher

Sketchup Integrated Single DishDrawer™ Dishwasher

User Guide DishDrawer™ Dishwasher

↓ Wash Program Data DishDrawer™

Water Efficiency Label

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



82182

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T +65 6741 0777 Wwww.fisherpaykel.com