

90cm Series 7 Integrated Insert Wall Cooker Hood

Series 7 | Integrated

Stainless Steel and Glass




With edge-to-edge extraction, this cooker hood is perfectly hidden away in your cabinetry.

- With three fan speeds plus a boost function, select the perfect extraction rate for your cooking
- Energy-efficient LED lighting to illuminate your hob surface
- Wi-Fi enabled for notifications through the SmartHQ™ app

DIMENSIONS

Height	316 mm
Width	830 mm
Depth	280 mm



FEATURES & BENEFITS

Achieve The Invisible

This stylish rangehood fits seamlessly into your kitchen cabinetry, providing ventilation that is as discreet as it is powerful.

Effective Extraction

Featuring three fan speeds, plus a boost function, this cooker hood provides powerful extraction to quickly remove odours and steam. Odours can linger in the kitchen well after cooking is finished so the timer keeps the hood working for up to 15 minutes before automatically turning off.

Easy Cleaning

Designed for simple removal, the filters are easy to clean and dishwasher safe, while the glass and stainless steel finish is easily wiped clean. The SmartHQ™ app will notify you when to clean the filter to ensure you get the best performance out of your cooker hood.

Quality Materials

This cooker hood comes in a sleek black glass finish with a real stainless steel frame.

Full Surface Lighting

Low energy, dimmable LED lights provide superb illumination of the entire hob surface.

SPECIFICATIONS

Accessories (included)

Aluminium filter **792943**

Accessories (sold separately)

Recirculation carbon filter **792481**

Consumption

Energy usage **42kWh/year**

Installation and cleaning

Air outlet size **150 mm**
 Dishwasher safe filters **3**
 Ducted **Top extraction**

Recirculation	Optional - top extraction
Stainless steel filter cover	•
Two piece height adjustable flue	•

Dimmable lights	•
Filter cleaning alert	•
Light type	LED strip
Smart appliance	•

- [↓](#) Installation Guide HEB
- [↓](#) Installation Guide ITA
- [↓](#) Installation Guide NOR
- [↓](#) Installation Guide SWE
- [↓](#) Preliminary Specification Guide
- [↓](#) Product Information Sheet Integrated Insert CookerHood
- [↓](#) User Guide Integrated Insert Rangehood DA
- [↓](#) User Guide Integrated Insert Rangehood DEU
- [↓](#) User Guide Integrated Insert Rangehood DUT
- [↓](#) User Guide Integrated Insert Rangehood EN
- [↓](#) User Guide Integrated Insert Rangehood ES
- [↓](#) User Guide Integrated Insert Rangehood FIN
- [↓](#) User Guide Integrated Insert Rangehood FR
- [↓](#) User Guide Integrated Insert Rangehood HEB
- [↓](#) User Guide Integrated Insert Rangehood ITA
- [↓](#) User Guide Integrated Insert Rangehood NOR
- [↓](#) User Guide Integrated Insert Rangehood SWE

Performance

Extraction type	Surface
Fan speeds	4
Fan speeds + boost	•
Filter type	Mesh
Number of filters	2

Warranty

Parts and labour	2 years
------------------	----------------

SKU	50212
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Power requirements

Motor power	130 W
Supply frequency	50 Hz
Supply voltage	220 – 240 V

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Product dimensions

Depth	280 mm
Height	316 mm
Width	830 mm

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DWG Insert Rangehood
- [↓](#) 2D-DXF Insert Rangehood
- [↓](#) Data Sheet Cooker Hood
- [↓](#) Declaration of Conformity
- [↓](#) Energy Label Integrated Cooker Hood
- [↓](#) Service & Warranty
- [↓](#) Installation Guide DA
- [↓](#) Installation Guide DEU
- [↓](#) Installation Guide DUT
- [↓](#) Installation Guide EN
- [↓](#) Installation Guide FIN
- [↓](#) Installation Guide FR

Product information

Control type	Capacitive touch
--------------	-------------------------

Ventilation features

Auto-off/Run-on timer	•
-----------------------	---



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000886605 W www.fisherpaykel.com