QUICK REFERENCE GUIDE > DD60SHTI9

Integrated Single DishDrawer Dishwasher, Tall

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- With extra height for taller dishes, and customisable internal shelving
- · Knock to pause function is perfect if you miss a dish
- Quick wash, Sanitise and Extra Dry options provide superior performance

 Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height 454 mm
Width 599 mm
Depth 553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60STPB

Door panel stainless steel ADDD60STPX

Handle kit Contemporary square fine, aluminium

AHD5DDDW60S

Handle kit Contemporary square fine, black AHD5DDDW60B

Capacity and loading

Accommodates round plates up to 310mm

Adjustable height, foldable cupracks

QUICK REFERENCE GUIDE > DD60SHTI9 Date: 20.06.2024 > 2

Fold down tines	•	Performance		Water connection
Pitch adjustable tines	•	Noise emissions	43 dBA	Water pressure
Place settings	8			Water supply
		Power requirements		
Consumption		Amperage	5A	
Cleaning Index	1.16	Supply frequency	50Hz	
Drying Index	0.97	Supply voltage	220 - 240V	SKU
Energy consumption	0.61kWh/cycle			
Water usage (per wash cycle)	8L			The product dimensions
		Product dimensions		product and model. Und dimensions and specific
Controls		Depth	553 mm	check with Fisher & Payl
		Height	454 mm	correctly describes the r Appliances Ltd 2020
Electronic fault/Diagnostic indicator	•	Width	599 mm	Appliances Ltd 2020
End of cycle beeps	•			
Energy saving delay start option of up to 12 hours	•	Wash Program Modifiers		Other product down
Internal wash selector	•	-		
Keylock	•	Extra Dry	•	
Knock to pause	•	Quick	•	<u>↓</u> MMMM ZH
Rinse aid indicator light	•	Sanitise	•	
		Wash modifiers	3	
				↓ Revit Integrate↓ Rhino Integrate
Features				<u>×</u>
Built-in water softener	•	Wash Programs		Rhino Integrate Panel and Cont
Fan assisted drying	•	Delicate	•	<u>↓</u> Sketchup Integ
Flood protection	•	Eco	•	
Flow through detergent dispenser	•	Fast	•	
Quiet operation	•	Heavy	•	Dishwasher
SmartDrive™ technology	•	Medium	•	↓ User Guide MM
Sa. (2)		Rinse	•	
		Wash programs	6	Where applicable:

Water pressure	100kPa - 1000kPa
Water supply	3/4" BSP (20mm) Connector Water
	Inlet Hose

83031

ons and specifications in this page apply to the specific Inder our policy of continuous improvement, these fications may change at any time. You should therefore aykel's Customer Care Centre to ensure this page ne model currently available. © Fisher & Paykel

wnloads available at fisherpaykel.com

arranty

Guide DishDrawer™ Dishwasher

Guide XXXXXXX ZH

ited Single DishDrawer™ Dishwasher

ated Single DishDrawer™ Dishwasher

ated Single DishDrawer™ Dishwasher with Door ontemporary Square Handle

egrated Single DishDrawer™ Dishwasher

egrated Single DishDrawer™ Dishwasher with and Contemporary Square Handle

Guide Integrated Single DishDrawer $^{\text{\tiny TM}}$

XXX ZH

QUICK REFERENCE GUIDE > DD60SHTI9

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.