
QUICK REFERENCE GUIDE > RS6121SLHK1

# 61cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with stainless steel interior.\*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill

Internal water dispenser for convenient access to fresh, chilled water

# **DIMENSIONS**

Height	2134 mm
Width	603 mm
Depth	610 mm

# **FEATURES & BENEFITS**

### Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

### Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

### Internal Water Dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customised with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

# Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

# Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

# **Design Quality**

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

# **SPECIFICATIONS**

# Accessories (sold separately)

Door panel stainless steel Left hinge 610	mm <b>RD6121L10D</b>
Door panel stainless steel Right hinge 610mm	RD6121R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, alumin	ium <b>AHSRDSF</b>
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, bl	ack AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner Kit	AJ-RS21LR

QUICK REFERENCE GUIDE > RS6121SLHK1 Date: 24.09.2024 > 2

Toe kick stainless steel 1067mm	AKRS10710	Smart appliance	•	Parts and labour
Toe kick stainless steel 1220mm	AKRS12210	SmartTouch control panel	•	Sealed system parts only
Toe kick stainless steel 1372mm	AKRS13710	Soft-close fruit and vegetable bins	•	
Toe kick stainless steel 1524mm	AKRS15210	Stackable bottle holders	4	
Toe kick stainless steel 1828mm	AKRS18310			SKU
Toe kick stainless steel 1981mm	AKRS19810			37.0
Toe kick stainless steel 610mm	AKRS06110	Performance		
Toe kick stainless steel 762mm	AKRS7610	ActiveSmart™ Foodcare	•	The product dimensions and specification
Water filter replacement	847200 - FWC3	Adaptive defrost	•	product and model. Under our policy of co- dimensions and specifications may chang
		Dual evaporator	•	check with Fisher & Paykel's Customer Ca
		Frost free	•	correctly describes the model currently a
Capacity		Humidity control system	•	Appliances Ltd 2020
Total gross capacity	383 L	Inverter controlled compressor	•	
Volume	351 L	Sabbath mode	•	Other product downloads available
Volume refrigerator	351 L	Variable food modes lower compartment	Pantry; Fridge; Chill	
		Variable temperature zones	2	<u>↓</u> Energy Label
		validate temperature zerios	_	<u>↓</u> Energy Label
Consumption				
Energy rating	3.5 star	Power requirements		<ul><li>✓ Water Filter Replacement Inst</li><li>✓ Installation Guide Toe Kick</li></ul>
		Dated current	10.4	<ul><li>✓ Installation Guide Toe Kick</li><li>✓ Installation Guide Integrated C</li></ul>
		Rated current	10 A	▼ Revit Integrated Column Refri
Features		Supply frequency	50 Hz	↓ Rhino Integrated Column Refr
Adjustable door shelves	4	Supply voltage	230 V	Rhino Integrated Column Refr Contemporary Round Handle
Adjustable glass cantilevered shelves	•			Rhino Integrated Column Refr
Adjustable glass shelves	3	Product dimensions		Contemporary Square Handle
Covered door shelves	1	Depth	610 mm	
Door alarm	•	Height	2134 mm	Sketchup Integrated Column F and Contemporary Round Har
Gallon door shelves	1	Width	603 mm	
LED bin lighting	•	width	503 IIIII	and Contemporary Square Ha
LED ceiling lighting	•			User Guide Integrated Refrige
LED side lighting	•	Warranty		

Parts and labour	2 years
Sealed system parts only	5 years

26100

ions in this page apply to the specific continuous improvement, these nge at any time. You should therefore Care Centre to ensure this page available. © Fisher & Paykel

# ole at fisherpaykel.com

structions & Installation Guide EN

Column Refrigerator

frigerator

efrigerator

efrigerator with Door Panel and

efrigerator with Door Panel and

n Refrigerator

n Refrigerator with Door Panel landle

Refrigerator with Door Panel Handle

gerator Freezer EN

QUICK REFERENCE GUIDE > RS6121SLHK1

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1300 650 590 Wwww.fisherpaykel.com