QUICK REFERENCE GUIDE > RS2484FRJK1 Date: 17.10.2024 > 1

# 24" Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for seamless integration - this model is right hinge with stainless steel interior.
p>

- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times


 Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

# **DIMENSIONS**

 Height
 84 "

 Width
 23 3/4 "

 Depth
 24 "



## **FEATURES & BENEFITS**

# Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

# Clever Energy

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

### Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

## **Design Quality**

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

### Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### Perfect Fit

These models fit flush and have only ½" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

# **SPECIFICATIONS**

# Accessories (included)

Joiner kit	AJ-RS84LR	Consumption		Sabbath mode •		
		Energy rating	Energy star	Variable temperature zones	2	
Accessories (sold separately)		Energy usage	439kWh/year			
Accessories (soid separately)		In-use energy carbon emissions estimate	54.1kgCO2e/year	Davier was with a manufacture of the		
Door panel stainless steel Left hinge 84"	RD2484L4D			Power requirements		
Door panel stainless steel Right hinge 84"	RD2484R4D			Rated current	10 A	
Handle kit Classic	AHCLRDSF	Features		Supply frequency	60 Hz	
Handle kit Contemporary round, aluminium	AHSRDSF	Adjustable door shelves	4	Supply voltage	115 V	
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Adjustable glass cantilevered shelves	•			
Handle kit Contemporary square fine, black	AHD5RDSFB	Door alarm	•	Product dimensions		
Handle kit Professional round flush	AHP3RDSF			Depth	24 "	
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Freezer Features		Height	84 "	
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Automatic ice maker	•	Width	23 3/4 "	
Joiner Kit	AJ-RS84LR	Bottle chill	•			
Stainless steel door panel	RD2484R4D	Door alarm	•	Warranty		
Toe kick stainless steel 24"	AKRS2404	Fast freeze	•	Parts and labor	2 years	
Toe kick stainless steel 42"	AKRS4204	Freezer bins	4	Sealed system parts only	5 years	
Toe kick stainless steel 48"	AKRS4804	Ice Boost	•	Sedied System parts only	o years	
Toe kick stainless steel 54"	AKRS5404	LED bin lighting	•		_	
Toe kick stainless steel 60"	AKRS6004	LED ceiling lighting	•			
Toe kick stainless steel 66"	AKRS6604	LED side lighting	•	SKU	26126	
Toe kick stainless steel 72"	AKRS7204	SmartTouch interface at counter height	•			
Toe kick stainless steel 78"	AKRS7804			The product dimensions and specifications in this	nage apply to the specific	
Toe kick stainless steel 84"	AKRS8404	Performance		product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore		
		ActiveSmart™ Foodcare	•	check with Fisher & Paykel's Customer Care Centre	· -	
Capacity		Adaptive defrost	•	correctly describes the model currently available. © Appliances Ltd 2020	S Fisher & Paykei	
		Dual evaporator	•			
Total gross capacity	11.9 cu ft	Frost free	•	Other product downloads available at fisherpaykel.com		
Volume	11.9 cu ft	Inverter controlled compressor	•			
Volume freezer	11.9 cu ft					

QUICK REFERENCE GUIDE > RS2484FRJK1 Date: 17.10.2024 > 3

- 2D-DWG Integrated Column Freezer
- ↓ 2D-DXF Integrated Column Freezer
- ↓ Data Sheet Integrated Column Freezer
- Data Sheet Integrated Column Freezer Dual Install (24" + 24")
- ↓ Energy Label
- ↓ Service & Warranty
- ↓ Water Filter Replacement Instructions & Installation Guide EN
- ↓ Installation Guide
- ↓ Installation Guide Toe Kick
- ↓ Guide d'installation Instructions de Remplacement du Filtre à Eau FR
- J. Guide d'installation FR
- J. Guide d'installation FR
- ↓ Key Purchase Decisions Integrated Columns
- ↓ Planning Guide Professional Style Dial/Handle Accessories
- Planning Guide Integrated Columns
- Revit Freezer
- ↓ Rhino Freezer
- J. Rhino Freezer
- J. Rhino Freezer
- ↓ Rhino Freezer
- ↓ Rhino Freezer
- ↓ Sketchup Freezer
- Sketchup Freezer
- J. Sketchup Freezer
- ↓ Sketchup Freezer
- Sketchup Freezer
- Specification Guide Integrated Column Freezer
- J. User Guide EN
- User Guide Integrated Refrigerator Freezer EN
- Guide d'utilisation FR
- ↓ Guide d'utilisation FR



User Guide

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com