QUICK REFERENCE GUIDE > OR90SCI6W1 Date: 14.06.2024 > 1

Freestanding Cooker, Induction, 90cm, 5 Zones with SmartZone, Selfcleaning

Series 9 | Classic

White




With large oven and cooktops that can be paired to create an expansive cook zone, this is a range made for those who love to cook.

• Five cooking zones that can be bridged to form SmartZones

- Convection oven with 140L total capacity, nine oven functions plus rotisserie, including Pastry Bake with pizza mode and rapid proof for making bread
- · Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

SPECIFICATIONS

Accessories (included)

Flat wire shelf

Full extension sliding shelves

2 sets (part 578744)

Full extension telescopic shelves

2 sets [part

Grill rack true

578744)

QUICK REFERENCE GUIDE > OR90SCI6W1 Date: 14.06.2024 > 2

Roasting dish	1	Electronic clock	•	Fan forced	•
Rotisserie set	1 set	High resolution display	•	fanGrill	•
Step down wire shelf	•	Laser etched graphics	•	Grill	•
		Precise electronic temperature control	•	Number of functions	9
		Sabbath mode	•	Pastry Bake with Pizza mode	•
Accessories (sold separately)		Toughened fused glass graphics	•	Rapid proof	•
Kick strip, white (optional)	KICKOR90W1	Turned stainless steel clock buttons	•	Roast	•
		Turned stainless steel clock crown (dial)	•	Rotisserie	•
				True convection	•
Capacity					
Shelf positions (main oven)	6	Installation Dimensions			
Total capacity	140 L	Installation cutout dimensions (Depth)	600 mm	Oven performance	
Usable capacity (main oven)	121 L	Installation cutout dimensions (Width)	900 mm	CoolTouch door	Quadruple glazed
				Warming drawer power	202 W
Cleaning		Oven features			
Acid resistant graphite enamel	•	AeroTech™ technology	•	Power requirements	
Drop down grill element	•	Automatic rapid pre-heat	•	Amperage	68 A
Flat easy clean glass surface	•	Bright chromed, cast zinc dials with	•	Supply frequency	50 Hz
Pyrolytic proof shelf runners	•	illuminated halos		Supply voltage	220 - 240 V
Pyrolytic self-clean	•	Electronic oven control	•		
Removable oven door	•	Internal light	4 x 25W halogen (2 side & 2 top)		
Removable oven door inner glass	•	Soft open/close door	•	Product details	
Removable shelf runners	•	True convection	•	Self Cleaning Sf	Yes
		Twin cavity fans	•		
		Warming drawer	•		
Controls				Product dimensions	
Audio feedback	•			Depth	600 mm
Automatic cooking/minute timer	•	Oven functions		Height	898 - 946 mm
Automatic pre-set temperatures	•	Bake	•	Width	897 mm
Celsius/Fahrenheit temperature	•	Fan bake	•		

QUICK REFERENCE GUIDE > OR90SCI6W1 Date: 14.06.2024 > 3

3 	
Auto heat reduce	•
Dual colour display	•
Gentle heat	•
Heat settings	9
Hob rail	•
Hob rear trim	60 mm
Induction cooking technology	•
SmartZone	1
Zone bridging	•

Warranty

Parts and labour	2 years
SKU	81695

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Rangetop Performance

Rangetop features

Centre	2300 W
PowerBoost	•

Other product downloads available at fisherpaykel.com

$\underline{\downarrow}$	Service & Warranty
$\overline{\underline{\downarrow}}$	Installation Guide Freestanding Cooker
$\underline{\downarrow}$	Installation Guide - Kick Strip
$\underline{\downarrow}$	Revit Freestanding Cooker
$\underline{\downarrow}$	Rhino Freestanding Cooker
$\underline{\downarrow}$	Sketchup Freestanding Cooker
\downarrow	User Guide Freestanding Cooker

Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com