
# 76cm Series 11 Integrated Column Refrigerator

Series 11	Integrated
Panel Rea	dy   Right Hinge

Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS



## **FEATURES & BENEFITS**

### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Refrigerators and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect Fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

## Clever Energy

Our ActiveSmart<sup>™</sup> Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

## Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

## **Design Quality**

The premium design and quality finish includes a stainless steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

## Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

## SPECIFICATIONS

## Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Right hinge 762mm	RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF

### QUICK REFERENCE GUIDE > RS7621SRK1

Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1524mm	AKRS15210
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 2134mm	AKRS21310
Toe kick stainless steel 762mm	AKRS7610
Capacity	
Total gross capacity	498 L

Total gross capacity	498 L
Total net volume	458L
Volume	463 L
Volume refrigerator	463 L

#### Consumption

Energy consumption	179kWh/year
Energy rating	4 ticks

4 4

1

1

## Features

Adjustable door shelves	
Adjustable glass shelves	
Covered door shelves	
Door alarm	
Front levelling feet	
Gallon door shelves	

	•
LED bin lighting LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at counter height	•
Stackable bottle holders	4
	4
Freezer Features	
LED bin lighting	•
LED ceiling lighting	•
LED Lighting	•
LED side lighting	•
SmartTouch interface at counter height	•
Installation Dimensions	
Minimum inside width of cabinetry frame	762 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal depth of cabinetry Minimum internal height of cabinetry	635 mm 2134 mm
Minimum internal height of cabinetry	
Minimum internal height of cabinetry	
Minimum internal height of cabinetry Performance	
Minimum internal height of cabinetry Performance ActiveSmart™ Foodcare	
Minimum internal height of cabinetry Performance ActiveSmart™ Foodcare Adaptive defrost	
Minimum internal height of cabinetry Performance ActiveSmart™ Foodcare Adaptive defrost Dual evaporator	
Minimum internal height of cabinetry Performance ActiveSmart <sup>™</sup> Foodcare Adaptive defrost Dual evaporator Frost free	
Minimum internal height of cabinetry Performance ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free Frost free freezer	
Minimum internal height of cabinetry Performance ActiveSmart <sup>™</sup> Foodcare Adaptive defrost Dual evaporator Frost free Frost free freezer Humidity control system	

## Date: 17.10.2024 > 2 Sabbath mode • Variable temperature zones 2 **Power requirements** 10 A Rated current Supply frequency 50 Hz Supply voltage 230 V Product dimensions Depth 610 mm Height 2134 mm Height to top of cabinet 756 mm Width 756 mm Product information Packaged weight 156 kg Unpackaged weight 133 kg Warranty Parts and labour 2 years Sealed system parts only 5 years SKU 26138

#### QUICK REFERENCE GUIDE > RS7621SRK1

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 👃 🛛 Energy Label
- Service & Warranty
- ↓ Installation Guide Toe Kick
- Revit Integrated Column Refrigerator
- Rhino Integrated Column Refrigerator
- ↓ Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Sketchup Integrated Column Refrigerator
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- User Guide Integrated Refrigerator Freezer EN

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region. Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com