Series 11 Integrated		
Panel Ready Right Hir	nge	


Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS





FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

Deep Freeze Mode

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

FISHER & PAYKEL

QUICK REFERENCE GUIDE > RS7621FRJK1

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)				
Joiner kit	AJ-RS21LR			
Accessories (sold separately)				
Door panel stainless steel Left hinge 762mn	n RD7621L10D			
Door panel stainless steel Right hinge 762mm	RD7621R10D			
Door panel stainless steel Right hinge 762mm	RD7621R10D			
Handle kit Classic	AHCLRDSF			
Handle kit Contemporary round, aluminium	AHSRDSF			
Handle kit Contemporary square fine, aluminium	AHD5RDSF			
Handle kit Contemporary square fine, black	AHD5RDSFB			
Handle kit Professional round flush	AHP3RDSF			
Toe kick stainless steel 1372mm	AKRS13710			
Toe kick stainless steel 1524mm	AKRS15210			
Toe kick stainless steel 762mm	AKRS7610			
Water filter replacement	847200 - FWC3			
Capacity				
Total gross capacity	477 L			
Total net volume	442L			

Volume freezer	442 L
Consumption	
Energy rating	Grade 1
Features	
Adjustable door shelves	4
Adjustable glass cantilevered shelves	•
Adjustable glass shelves	3
Door alarm	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at counter height	•
Freezer Features	
Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	4
Ice Boost	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at counter height	•

Cabinetry height with included trim kit2134 mmMinimum inside width of cabinetry frame762 mmMinimum internal depth of cabinetry635 mmMinimum internal height of cabinetry2134 mm

Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Inverter controlled compressor	•
Noise emissions	42 dBA
Noise emissions class	D
Sabbath mode	•
Variable food modes	Soft freeze; Freeze; Deep Freeze
Variable temperature zones	2

Power requirements

330W
10 A
50 Hz
220 - 240 V

Product dimensions

Depth	610 mm
Height	2134 mm
Width	756 mm

Installation Dimensions

FISHER & PAYKEL

QUICK REFERENCE GUIDE > RS7621FRJK1

Product information 156 kg Packaged weight Unpackaged weight 133 kg Warranty Parts and labour

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Energy Label \downarrow

SKU

- Service & Warranty $\overline{\mathbf{1}}$
- Water Filter Replacement Instructions & Installation Guide EN $\overline{\mathbf{1}}$
- $\overline{\mathbf{1}}$ Installation Guide Toe Kick
- WWW Water Filter Replacement ZH $\overline{\mathbf{1}}$
- ZXXXX ZH $\overline{\mathbf{1}}$
- $\mathbf{1}$ Revit Integrated Column Freezer
- $\mathbf{1}$ Rhino Integrated Column Freezer
- Rhino Integrated Column Freezer with Door Panel and \downarrow Contemporary Round Handle
- Rhino Integrated Column Freezer with Door Panel and $\overline{\mathbf{1}}$ **Contemporary Square Handle**
- \downarrow **Restriction of Hazardous Substances**

Sketchup Integrated Column Freezer $\overline{\uparrow}$

 \downarrow Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle

- Sketchup Integrated Column Freezer with Door Panel and $\overline{\mathbf{1}}$ **Contemporary Square Handle**
- XXXX ZH \downarrow

1 year

25681

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.