90cm Series 9 Contemporary 5 Zone Induction Pyrolytic Range, 2 SmartZones

Series 9 | Contemporary

Stainless Steel



Contemporary styling with a large capacity oven, this is the perfect choice for those who love to cook.

- Five cooking zones that can be paired to form SmartZones
- Convection oven with 140L total capacity, and nine functions plus Rotisserie

- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning oven cycle breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm

FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech[™] system circulates air evenly throughout the entire oven so dishes on the bottom shelf turn out just as perfectly as food cooked on the top shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door and chromed cast zinc dials add up to an exceptional, premium range cooker.

Power And Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy Cleaning

Your hob simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Complementary Design

With clean lines and complementary tonal contrasts, the timeless aesthetic of this Contemporary style range cooker supports a considered kitchen design.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

SPECIFICATIONS

Accessories (included)	
Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	true
Roasting dish	1
Rotisserie set	1 set
Step down wire shelf	•

Accessories (sold separately)

Kick strip, stainless steel (optional)	KICKOR90X1
Capacity	
Shelf positions	6
Total capacity	140 L
Usable capacity	120 L

Cleaning

Date: 13.08.2024 > 1

QUICK REFERENCE GUIDE > OR90SDI6X1

Acid resistant graphite enamel
Drop down grill element
Flat easy clean glass surface
Pyrolytic proof shelf runners
Pyrolytic self-clean
Removable oven door
Removable oven door inner glass
Removable shelf runners

٠

٠

Consumption

Energy rating	Α
Energy usage	1.62kWh/cycle

Controls

Audio feedback
Automatic cooking/minute timer
Automatic pre-set temperatures
Celsius/Fahrenheit temperature
Electronic clock
High resolution display
Laser etched graphics
Precise electronic temperature control
Sabbath mode
Toughened fused glass graphics
Turned stainless steel clock buttons
Turned stainless steel clock crown (dial)
Turned stainless steel dials with illuminated halos

Installation cutout dimensions (Depth)	600
Installation cutout dimensions (Width)	900
Oven features	
AeroTech™ technology	
Automatic rapid pre-heat	
Electronic oven control	
Full extension telescopic sliding shelves	
Internal light	4 x 25W halo (2 side & 2 t
Soft open/close door	
True convection	
Twin cavity fans	
Warming drawer	
Oven functions	
Oven functions Bake	
Bake	
Bake Fan bake	
Bake Fan bake Fan forced	
Bake Fan bake Fan forced fanGrill	
Bake Fan bake Fan forced fanGrill Grill	
Bake Fan bake Fan forced fanGrill Grill Number of functions	
Bake Fan bake Fan forced fanGrill Grill Number of functions Pastry Bake with Pizza mode	
Bake Fan bake Fan forced fanGrill Grill Number of functions Pastry Bake with Pizza mode Rapid proof	

Oven performance	
CoolTouch door	Quadruple glazed
Warming drawer power	202 W
Power requirements	
Amperage	68 A
Supply frequency	50 Hz
Product dimensions Depth	600 mm
Height	898 - 946 mm
Width	050 - 540 mm
Width	897 mm
Rangetop features	897 mm
	897 mm

Rangetop Performance

Induction cooking technology

Gentle heat

Heat settings

Hob rear trim

SmartZone

Zone bridging

Centre	2300 W
Left front zone rating	1600 (1850) W
Left rear zone rating	2100 (3000) W

٠

9

1

•

60 mm

QUICK REFERENCE GUIDE > OR90SDI6X1

Number of cooking zones	5
PowerBoost	•
PowerBoost all zones	up to 3000 W
Right front zone rating	1600 (1850) W
Right rear zone rating	2100 (3000) W

Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

Warranty	
Parts and labour	5 years
SKU	82227

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

$\overline{1}$	Service & Warranty
Ţ	Installation Guide Freestanding Cooker

↓ User Guide Freestanding Cooker

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com