QUICK REFERENCE GUIDE > OR30SCG4W1

30" Series 7 Classic 4 Burner Gas Range

Height 35 3/4 - 37 5/8" Width 29 7/8"

Depth 25 1/4 "

Series 7 | Classic


White



Create a striking classic kitchen. Your freestanding range has a spacious oven capacity and four gas burners for precise control.

- · Four burner gas cooktop with two dual wok burners
- · Gas oven with 3.5 cu ft total capacity
- · Three oven functions: Bake, Convection Bake and Maxi Broil





FEATURES & BENEFITS

Design quality

This range has been carefully crafted in every detail from performance to durability using quality materials including the balanced soft-close door and rounded hob rail.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Performance power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Chromed shelf runners

Full extension telescopic shelves

2 sets (part 578776)

Small pot support

1 (part 533981 cast)

Accessories (sold separately)

Kick strip, white (optional) KICKOR30W1

Burner ratings

Dual wok burner inner/outer (LPG) 1000 - 18000BTU

Dual wok burner inner/outer (natural gas) 1000 - 18000BTU

Maximum burner power 18000 BTU

Semi-rapid burner (LPG) 1500 - 7600BTU

Semi-rapid burner (natural gas) 1500 - 8000BTU


Total cooktop power 52000 BTU

Capacity		Soft open/close door	•	Rangetop Performance	
Total capacity	3.5 L	Storage drawer	•	Number of burners	4
Cleaning		Oven functions		Safety	
Acid resistant graphite enamel	•	Convection bake	•	ADA compliant	•
Removable oven door	•	Number of functions	3	Advanced cooling system	•
Removable shelf runners	•			Anti-tilt bracket	•
				Balanced oven door •	
		Oven performance		Full extension telescopic sliding shelves •	
Controls		Bake power	14000 BTU	Non-tip shelves	•
Laser etched graphics	•	Broil	11000 BTU	Spill containment	45.42 L
		CoolTouch door	Triple glazed	Spill containment	1/2 gallon
Gas Requirements					
Supply Pressure (LPG)	11" W.C.P	Power Requirements		2.41	0474
Supply Pressure (natural gas)	4" W.C.P	Amperage	15 A	SKU	81714
		Supply frequency	60 Hz		
Installation Dimensions				The product dimensions and specifications in this page product and model. Under our policy of continuous in	nprovement, these
Installation cutout dimensions (Width)	30 mm	Product Dimensions dimensions and specifications may change at any time. You show check with Fisher & Paykel's Customer Care Centre to ensure this			
		Depth	25 1/4 "	correctly describes the model currently available. $\ensuremath{\mathbb{G}}$ F	
		Height	35 3/4 - 37 5/8 "	Appliances Ltd 2020	
Oven features		Width	29 7/8 "		
Auto re-ignition system	•			Other product downloads available at fisherp	aykel.com
Concealed element	•	Rangetop features			
Convection	•	- '			
Electronic ignition	•	Hob rail	•		
Full extension telescopic sliding shelves	•	LPG / Natural Gas compatible	•	Service & Warranty	
Internal light	2 x 25W halogen (rear)	Sealed range top	•	 ✓ Installation Guide EN ✓ Guide d'installation FR ✓ Revit Gas Cooktop 	
				→ Revit Gas Cooktop	

QUICK REFERENCE GUIDE > OR30SCG4W1



Rhino Gas Cooktop





User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com