QUICK REFERENCE GUIDE > DD60DHI9

Integrated Double DishDrawer Dishwasher, Sanitise

Series 9 | Integrated

Panel Ready



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.

- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes


 Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 553 mm



FEATURES & BENEFITS

Seamless Integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers, making loading dishes simple. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer $^{\text{TM}}$ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

QUICK, SANITISE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Kickstrip	true	Controls		Product dimensions	
Knife clip and multipurpose clip	•	Electronic fault/Diagnostic indicator	•	Depth	553 mm
		End of cycle beeps	•	Height	820 - 880 mm
Accessories (sold separately)		Energy saving delay start option of up to 12 hours	•	Width	599 mm
Door panel black stainless steel	ADDD60DPB	Internal wash selector	•		
Door panel stainless steel	ADDD60DPX	Keylock	•	Warranty	
Handle kit Classic	AHCL-DDDW-60X	Knock to pause	•	Parts and labour	5 years
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Rinse aid indicator light	•	r arts and labour	o years
Handle kit Contemporary square fine,	AHD5-	Smart appliance	•		
aluminium	OBDD-60SX	Wi-Fi connectivity	•	Wash Program Modifiers	
Handle kit Contemporary square fine, black	AHD5- OBDD-60SB			Extra Dry	•
Handle kit Contemporary square, aluminiur	nAHD3-OBDD-60S			Quick	
Handle kit Contemporary square, black	AHD3-OBDD-60B	Features		Sanitise	•
, , ,		Built-in water softener	•	Wash modifiers	3
		Fan assisted drying	•	Washingamers	Š
Capacity and loading		Flood protection	•		
Accommodates round plates up to	280mm	Flow through detergent dispenser	•	Wash Programs	
Adjustable height, foldable cupracks	•	Quiet operation	•	Delicate	
Fold down tines	•	SmartDrive [™] technology	•	Eco	
Pitch adjustable tines	•			Fast	
Place settings per drawer	6			Heavy	
That settings per drawer	· ·	Performance		Medium	
		Noise on standard cycle top drawer	43 dBA	Rinse	
Consumption				Wash programs	6
Energy rating	E			wash programs	Ü
Energy usage	54kWh/100	Power requirements			
	cycles per drawer	Amperage	10A	Water connection	
In-use energy carbon emissions estimate	10.7kgCO2e/100	Supply frequency	50Hz	Water pressure	100kPa - 1000kPa
Mahamma na Garama I I.S.	cycles per drawer	Supply voltage	220 - 240V	·	3/4" BSP (20mm)
Water usage (per wash cycle)	7.8L per drawer			Water supply	3/4" BSP (20mm) Connector Water Inlet Hose

QUICK REFERENCE GUIDE > DD60DHI9

SKU 82351

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Double DishDrawer™ Dishwasher

J 2D-DWG Double DishDrawer™ Dishwasher

2D-DXF Integrated Double DishDrawer™ Dishwasher

2D-DXF Double DishDrawer™ Dishwasher

Declaration of Conformity Double DishDrawer™ Dishwasher

, Energy Rating DishDrawer™ Dishwasher EN

Service & Warranty

Installation Guide Double DishDrawer™ Dishwasher

Installation Guide Double DishDrawer™ Dishwasher

→ Planning Guide Integrated Double DishDrawer™ Dishwasher
EN

J. Quick Start Guide

Revit Integrated Double DishDrawer™ Dishwasher

Rhino Integrated Double DishDrawer™ Dishwasher

Rhino Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

Sketchup Integrated Double DishDrawer™ Dishwasher

Sketchup Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle

J Specification Guide Double DishDrawer™ Dishwasher EN

User Guide DishDrawer™ Dishwasher

User Guide Integrated DishDrawer™ Dishwasher

Wash Program Data DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 08000 886 605 Wwww.fisherpaykel.com