90cm Series 5 Classic 4 Zone Induction Cooker

Series 5 | Classic

Stainless Steel



Heritage styling paired with contemporary performance, in a freestanding cooker with large convection oven and induction cooktop.

- Large induction cooktop with four cooking zones
- Convection oven with 140L total capacity and seven oven functions including Fan Bake
- Optional non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

| Height | 898 - 946 mm |
|--------|--------------|
| Width | 897 mm |
| Depth | 600 mm |
| | |

FEATURES & BENEFITS

Quality And Durability

This freestanding cooker has been carefully crafted in every detail from performance to durability, using quality materials including the balanced door and finely tuned dials.

Impressive Capacity

With an extra large 140L capacity, this freestanding cooker has plenty of space for cooking multiple dishes at the same time.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear and stir fry over powerful heat, or simmer a delicate sauce to perfection.

Even Heat

Dishes on the top shelf turn out as perfectly as the ones on the bottom, due to our AeroTechTM convection system that circulates air evenly throughout the entire oven.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new for years to come.

Safe And Sound

The door and cavity cooling system keeps the heat on the inside, protecting your hands and surrounding cabinetry.

SPECIFICATIONS

| Accessories (included) | |
|-------------------------------------|-------|
| Chromed shelf runners | 1 set |
| Flat wire shelf | 1 |
| Grill rack | true |
| Roasting dish | 1 |
| Square foot covers, stainless steel | 1 |
| Step down wire shelf | • |

Accessories (sold separately)

| Full extension sliding shelves | Optional (part 578744) |
|--|---------------------------|
| Full extension telescopic shelves | Optional (part 578744) |
| Kick strip, stainless steel (optional) | KICKOR90X1 |

Capacity

| Shelf positions | 6 |
|-----------------------------|-------|
| Shelf positions (main oven) | 6 |
| Total capacity | 140 L |
| Usable capacity | 120 L |
| Usable capacity (main oven) | 121 L |

Cleaning

| Acid resistant graphite enamel | • |
|--------------------------------|---|
| Drop down grill element | • |
| Flat easy clean glass surface | • |

QUICK REFERENCE GUIDE > OR90SCI1X1

| Removable oven door | |
|---------------------------------|--|
| Removable oven door inner glass | |
| Removable shelf runners | |

Controls

| Audio feedback | |
|--------------------------------|--|
| Automatic cooking/minute timer | |
| Celsius/Fahrenheit temperature | |
| Electronic clock | |
| Laser etched graphics | |
| Sabbath mode | |
| Toughened fused glass graphics | |
| | |

Installation Dimensions

| Installation cutout dimensions (Depth) | 600 mm |
|--|--------|
| Installation cutout dimensions (Width) | 900 mm |

Oven features

| AeroTech™ technology | • |
|---|---------------------------|
| Electronic oven control | • |
| Full extension telescopic sliding shelves | • |
| Internal light | 2 x 25W halogen (side) |
| Storage compartment | • |
| True convection | • |
| Twin cavity fans | • |
| Warming drawer | • |

| Oven functions | |
|---------------------|---------------|
| Bake | • |
| Defrost | • |
| Fan bake | • |
| Fan forced | • |
| fanGrill | • |
| Grill | • |
| Number of functions | 7 |
| Warm | • |
| Oven performance | |
| CoolTouch door | Double glazed |

Power requirements

| Connection | Terminal Block |
|------------|-----------------------|
| Service | 46 A |
| Supply | 220 - 240 V, 50 Hz |

Product dimensions

| Depth | 60 |
|--------|----------|
| Height | 898 - 94 |
| Width | 89 |
| | |

Rangetop features

Auto heat reduce

Dual colour display

| Gentle heat | • |
|------------------------------|-------|
| Heat settings | 9 |
| Hob rail | • |
| Hob rear trim | 60 mm |
| Induction cooking technology | • |
| SmartZone | true |
| Zone bridging | • |
| | |

Rangetop Performance

| Centre | 2300 W |
|------------|--------|
| Left front | 1600 W |
| Left rear | 2100 W |
| PowerBoost | • |

Safety Advanced cooling system Anti-tilt bracket Balanced oven door Catalytic venting system Child lock CoolTouch door 00 mm Non-tip shelves 46 mm Pan detection system 397 mm Safety time out Spill containment 12 L Spillage auto off Surface hot indicators

81679

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ Service & Warranty
- Installation Guide Freestanding Cooker
- ↓ User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1300 650 590 Wwww.fisherpaykel.com