QUICK REFERENCE GUIDE > RDV3-488-N Date: 17.12.2024 > 1

# 48" Series 9 Professional 8 Burner Dual Fuel Self-Cleaning Range, Natural Gas

Series 9 | Professional

Stainless Steel | Natural Gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

Beautiful LED halo-illuminated dials provide information at a glance

## **DIMENSIONS**

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "



#### **FEATURES & BENEFITS**

## **Cook With Confidence**

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

## Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

#### Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

## **Design Quality**

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

#### Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

## **SPECIFICATIONS**

## Accessories (included)

Adjustable feet covers •

Branded coin end cap •

Accessories (sold separately)		Dial with illuminated halo	•	Convection bake	•
Square handle option	AH-R48	Dual control oven dials	•	Convection broil	•
		Electric circuit	4 wire	Maxi broil	•
		High resolution display	•	Number of oven functions	15
Burner ratings		Metal illuminated dials	•	Pizza bake	•
Maximum burner power	23500 BTU	Multi-language interface	•	Rapid proof	•
Power back centre	18500BTU	Precise cooking with food probe	•	Roast	•
Power back centre (2)	18500BTU	$recipe {\sf AndFoodBasedFunctions}$	•	Slow cook	•
Power back left	18500BTU	Sabbath mode	•	True convection	•
Power back right	18500BTU	Smart appliance	•	Warm	•
Power front centre	18500BTU	Tilting touch screen interface	•		
Power front centre (2)	18500BTU				
Power front left	23500BTU			Oven features	
Power front right	23500BTU	Gas Requirements		Auto re-ignition system	•
Total cooktop power	158000 BTU	Fitting and pipe	½ NPT, min. %″ ∑ flex line	Concealed element	•
		Supply Pressure (natural gas)	6" to 9" W.C	Electronic oven control	•
		Supply Fressure (Hatural gas)	0 to 9 W.C	Full extension telescopic sliding shelves	•
Capacity				Internal light	true
Shelf positions (main oven)	5	Main oven features		Self-clean proof side racks	•
Shelf positions (second oven)	5	Concealed Element		Titanium coated, illuminated metal dials	•
Total capacity (main oven)	4.8 cu ft	Electronic oven control	•		
Total capacity second oven	2.1 cu ft	Full extension telescopic racks	•	Our for the	
Usable capacity (main oven)	3.8 cu ft	Internal light	•	Oven functions	
		Self-clean proof side racks	•	Air fry	•
		Self Clean proof side facks		Bake	•
Cleaning				Classic bake	•
Easy clean porcelain basepan	•	Main oven functions		Clean	•
Pyrolytic self-clean	•	Air fry	•	Convection bake	•
		Bake	•	Convection Broil	•
		Classic bake	•	Dehydrate	•
Controls		Classic bake  Clean  •		Dehydrate	•
		Clearl	•		

QUICK REFERENCE GUIDE > RDV3-488-N

Maxi Broil	•	Depth (excluding handles)	2918 m
Number of functions	15	Height	35 3/4 - 36 3/4
Pastry bake	•	Width	47 7/8
Pizza bake	•		
Rapid proof	•		
Roast	•	Rangetop features	
Slow cook	•	Sealed range top	
True convection	•	Vent trim included	
Warm	•		
		Recommended Back Guards Ventilation	
Oven performance		Combustible situation	BGRV3-3048
Bake power	4600 3600 W	Non combustible situation	BGRV2-3048 BGRV2-124
Main oven - True convection power	2500 W	Recommended hood	HCB48-12_ (48 Profession Range Hoo Dual Blowe
Power Requirements  Connection	4-prong	-	
Connection	grounding type [NEMA 14-50	Safety	
Service	plug] 50 A	ADA compliant	
Supply	120 / 240 V, 60		
<b>З</b> ирріу	120 / 240 V, 60 Hz	Secondary oven features	
		3/4 Extension racks	
Product Details		Concealed element	
Self Cleaning Sf	Yes	Electronic oven control	
Sen Cleaning Si	165	Food probe	
		Internal light	
Product Dimensions			
Depth	29 1/8 "	Secondary oven functions	

Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven functions	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

82969

#### Other product downloads available at fisherpaykel.com

↓ 2D-DWG Dual Fuel Cooker with Backguard BGRV2-1248

2D-DWG Dual Fuel Cooker with Backguard BGRV2-3048

2D-DWG Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim

SKU

2D-DXF Dual Fuel Cooker with Backguard BGRV2-1248

2D-DXF Dual Fuel Cooker with Backguard-BGRV2-3048

QUICK REFERENCE GUIDE > RDV3-488-N

- 2D-DXF Dual Fuel Cooker with Backguard-BGRV2-3048H and Angled Trim
- ↓ 2D-DXF Dual Fuel Range
- ↓ Service & Warranty
- Installation Guide EN
- J. Installation Guide FR
- ↓ Planning Guide 48" Professional Ranges & Backguards
- ↓ Rhino Dual Fuel Cooker
- ↓ Sketchup Dual Fuel Cooker
- ↓ User Guide EN

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com