

# 538L Series 7 Quad Door Refrigerator Freezer, Ice & Water

Series 7 | Contemporary

Black Stainless Steel | French hinge



With ample storage and a stylish contemporary design, this model will complement your kitchen perfectly.

- Recessed handles for a sleek look to complement any kitchen design
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature

- Convenient access to fresh, chilled water and ice with slimline water dispenser and internal ice maker
- Variable Temperature Zone lets you change a compartment to Chill, Fridge, Soft Freeze or Freezer for optimal storage

## DIMENSIONS

Height	1790 mm
Width	905 mm
Depth	688 mm

## FEATURES & BENEFITS

### Variable Temperature Zone

When it comes to optimal food preservation, one temperature does not fit all. Variable Temperature Zones give you full control over the way you care for food. At the touch of a button, easily convert the lower right compartment to Freezer, Soft Freeze, Chill or Fridge mode, to best suit different types of food. Adjust zones for maximum every day convenience, or change modes to provide additional chilling capacity for special occasions.

### Chill Mode

Keep ready-to-eat food fresher for longer with Chill Mode (-1.5 to 0°C). Chill Mode is a perfect solution for everyday life. It keeps meats, poultry and fish as cool as possible, retaining vital freshness and helps food retain its condition for around three times longer than Fridge Mode. It's also great for entertaining. Set a zone to Chill Mode to quickly bring beverages down to serving temperature.

### Soft Freeze Mode

Soft freeze (-10 to -6°C) is perfect for food that will be consumed soon – but not right away. Set a zone to Soft Freeze Mode and enjoy optimal food storage and everyday convenience. Soft frozen food requires only a quick thaw rather than a full defrost. It is the ideal setting for easy portioning, such as cut loaves of bread, soups and even cured meats, or for serving straight from the compartment.

### Activesmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. It is technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

### Complementary Design

Recessed handles and flat doors create a streamlined look to fit any kitchen aesthetic. With the choice of natural stainless steel or elegant black stainless steel, you can pick the finish that best complements your kitchen design.

### Design Quality

Our refrigerators are designed and built using robust, quality materials, with stainless steel exteriors and solid glass for the interior shelving.

### Ice Maker

Fresh ice is always available for you in a dedicated freezer bin. Simply turn it off when you need to free up freezer space, or during busy times, use the boost feature to increase ice production.

## SPECIFICATIONS

### Capacity

Total gross capacity	605 L
Volume	538 L
Volume freezer	98 L

Volume refrigerator	<b>341 L</b>
Volume variable temperature compartment	<b>99 L</b>

Door alarm	•
Fast freeze	•
Full extension clear bins	<b>3</b>
Ice bin and scoop	•
Ice Boost	•
LED Lighting	•

Minimum air clearance - each side	<b>20 mm</b>
Minimum air clearance - on top	<b>20 mm</b>
Width	<b>905 mm</b>

**Consumption**

Energy rating	<b>4 star</b>
Energy usage	<b>396kWh/year</b>
In-use energy carbon emissions estimate	<b>241.6kgCO2e/year</b>

**Performance**

ActiveSmart™ Foodcare	•
Frost free	•
Humidity control system	•
Internal replacable water filter	•
Inverter controlled compressor	•
R600a refrigerant	•
Sabbath mode	•
Variable Temperature Compartment Performance	•
Variable temperature zones	<b>1</b>

**Variable Temp Compartment**

Chill	•
Freezer	•
Fridge	•
Full extension clear bins	<b>3</b>
Soft freeze	•

**Features**

Adjustable door shelves	<b>6</b>
Adjustable glass cantilevered shelves	•
Adjustable glass shelves	<b>4</b>
cantileveredGlassShelves	<b>4</b>
Covered door shelves	<b>2</b>
Door alarm	•
Front levelling feet	•
Fruit and vegetable bins	<b>2</b>
Full extension runners	•
Gallon door shelves	<b>2</b>
LED lighting	•
Rear rollers	•
SmartTouch control panel	•
Stackable bottle holders	<b>4</b>
Ultra slim water dispenser	•

**Power requirements**

Rated current	<b>1.8 A</b>
Supply voltage	<b>220 - 240 V</b>

**Product dimensions**

Depth	<b>688 mm</b>
Height	<b>1790 mm</b>
Height to top of cabinet	<b>1775 mm</b>
Height to top of door	<b>1790 mm</b>
Minimum air clearance - at rear	<b>30 mm</b>

**Warranty**

Sealed system parts only	<b>5 years</b>
--------------------------	----------------

SKU	26552
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Other product downloads available at fisherpaykel.com**

- [↓](#) Energy Label Refrigeration
- [↓](#) Service & Warranty
- [↓](#) Water Filter Replacement Instructions - Parts 847200 and 847201 - EN

- ↓ Installation Guide Freestanding Quad Door Refrigerator Freezer
- ↓ User Guide Freestanding Refrigerator Freezer

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1300 650 590 W [www.fisherpaykel.com](http://www.fisherpaykel.com)