QUICK REFERENCE GUIDE > RS6009SBL1

60cm Series 9 Integrated Beverage Centre

Series 9 | Integrated


Panel Ready | Left hinge

Elevate your beverage storage with our panel-ready Integrated Beverage Centre. Ideal for wine, craft beer and more, it's perfect for any space within your home.

- Integrates into any setting within the home, from the bar to the master suite - the choices are endless
- Spacious 129L capacity, with full-depth wine shelf that can accommodate up to seven bottles
- Adjustable temperature control helps to keep drinks at the ideal temperature
- Panel ready and flush fit, with 4mm gaps and no visible hinges or grilles

DIMENSIONS

Height	864 mm
Width	592 mm
Depth	576 mm



FEATURES & BENEFITS

Complete Design Freedom

This versatile under-counter beverage centre brings increased cooling capability to any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it carefully stores a selection of beverages, from cans to beer bottles or up to seven bottles of wine in a custom rack. Pair it perfectly with our under-counter wine cabinet to create an entertainer's dream set-up.

Customised Drink Storage

The beverage centre is designed to store a selection of beverages, from cans to beer bottles, or bottles of wine in a custom rack. Full extension shelving makes it simple to see and select between a pale ale or pilsner, sauvignon blanc or chardonnay.

Flexible Storage

The beverage rack includes a slideable shelf divider that moves to securely hold bottles and cans to avoid tipping, or can be removed for large items. The custom wine rack carefully cradles and displays up to seven bottles of wine.

Precise Temperature Control

Set the temperature in each zone to between 2°C and 14°C depending on your needs, or use one of our five preset modes: Fridge, Beverage, Sparkling, White Wine or Pantry to store a range of drinks at the ideal temperature.

Seamless Fit

The beverage centre is designed to fit flush, with only 4mm gaps between surrounding cabinetry, and no visible hinges or grilles.

Intuitive Control

Temperature control at your fingertips. Adjust the temperature of your beverage centre through intuitive touch controls, or remotely using the SmartHQ™ app through Wi-Fi connectivity.

Design Flexibility

This panel-ready model means you can hide your beverage centre seamlessly behind your custom cabinetry for more flexibility, or choose to draw attention with our optional stainless steel door panel. Also available is a model with a tempered glass door, allowing visibility into your refrigerator.

SPECIFICATIONS

Accessories (included)

Hinge change (from left hinge to right hinge)

Accessories (sold separately)

QUICK REFERENCE GUIDE > RS6009SBL1

Door panel set stainless steel	Left hinge (Solid)	Front levelling feet
	RD6009L, Right hinge (Solid)	Full extension beverage shelf
	RD6009R	Full extension wine storage rack
Handle kit Classic	AHCLRD09	Keylock
Handle kit Contemporary round, aluminium	AHSRD09	LED lighting
Handle kit Contemporary square fine, aluminium	AHD5RD09	Smart appliance
Handle kit Contemporary square fine, black	AHD5RD09B	SmartTouch control panel
Handle kit Professional round flush	AHP3RD09	Soft close doors
Joiner kit	AJRS09LR	Variable temperature control
Toe kick stainless steel 1200mm	AKR\$12010	
Toe kick stainless steel 600mm	AKRS06010	Performance
		ActiveSmart™ technology
Capacity		Adaptive defrost
		Frost free
Volume	129 L	Noise emissions
		Refrigerator temperature range
Consumption		
Consumption		Sabbath mode
Energy rating	6 star	Variable temperature zones
Energy usage	56kWh/year	
In-use energy carbon emissions estimate	7.6kgCO2e/year	
		Power requirements
		Amperage
Controls		Supply frequency
Electronic interface	•	Supply voltage
Interior light	•	
		Product dimensions
Features		Depth
Cantilevered glass shelves	1	Height
Door alarm	•	Width

Wa	rra	nty
----	-----	-----

Parts and labour	2 years
Sealed system parts only	5 years

SKU 26703

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K08 Hinge

, 2D-DWG

31 dBA 2-14 degrees

Celsius

1

10 A

50 Hz

230 V

576 mm

864 mm 592 mm 2D-DXF Integrated Refrigeration - K08 Hinge

2D-DXF

2D-DXF Integrated Refrigeration - Panel Preparation

Energy Label

Service & Warranty

↓ Planning Guide Wine Cabinet & Beverage Centre

Revit 19

Rhino 6

Sketchup 8

User Guide Integrated Beverage Centre

Where applicable:

QUICK REFERENCE GUIDE > RS6009SBL1

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com