QUICK REFERENCE GUIDE > DD24DTX6HI1

Integrated Double DishDrawer Dishwasher, Tall, Sanitize

Series 11 | Integrated

Panel Ready



Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Tall top drawer fits full-size dinner plates up to 12 1/4 inches, with flexible racking for large cookware


- With soft-close drawers, and knock to pause convenience
- Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

Height 34 - 36 3/8 "

Width 23 9/16 "

Depth 21 3/4 "



FEATURES & BENEFITS

Seamless Integration

Install your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers. The tall top drawer fits your larger plates and dishes up to 12 1/4 inches, while the bottom drawer is ideal for small washes. Flexible racking includes height-adjustable cup racks and wine glass supports.

True Half Load

Both drawers fit a true half load. Each drawer operates independently, so you can wash one load while stacking the other drawer, or wash simultaneously on separate cycles.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitize, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Quiet Performer

QUICK REFERENCE GUIDE > DD24DTX6HI1 Date: 20.06.2024 > 2

Running at a low decibel rating of 44dBA, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Access	ories	(inc	luded)

Cutlery basket

Kickstrip

true

Knife clip and multipurpose clip

•

Accessories (sold separately)

ADDD24DTPX Door panel stainless steel Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S AHD5-Handle kit Contemporary square fine, OBDD-60SX aluminium Handle kit Contemporary square fine, black AHD5-OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Professional round flush AHP3-DWDD-SX Handle kit Professional round flush, Brass AHP3DDDW24BA off-stands Handle kit Professional round flush, Dark AHP3DDDW24DC

Capacity and loading

Copper off-stands

Accommodates round plates up to

12.25" (top)
11" (bottom)

Adjustable height, foldable cupracks

Fold down tines

Pitch adjustable tines	•	
Place settings	14	
Place settings	14	
Wine glass supports with stemware grippers	•	

Consumption

Energy usage 239kWh/year
In-use energy carbon emissions estimate 29.5kgCO2e/year
Water usage (per wash cycle) 3.7 gal

Controls

Electronic fault/Diagnostic indicator

End of cycle beeps

Energy saving delay start option of up to 12 hours

Internal wash selector

Intuitive capacitive touch controls

Keylock

Knock to pause

Rinse aid indicator light

Smart appliance

Spray arm sensing

Wi-Fi connectivity

Performance

Noise on standard cycle top drawer 44 dBA

Stainless steel

Power requirements

Internal tub material

SmartDrive[™] technology

Quiet operation

Soft close drawer

Amperage 10A
Rated current 15 A
Supply frequency 60Hz
Supply voltage 100 - 120V

Product dimensions

Depth 21 3/4 "
Height 34 - 36 3/8 "
Width 23 9/16 "

Warranty

Parts and labor Limited 2 years

Features

Built-in water softener

Fan assisted drying

Flood protection

Flow through detergent dispenser

Wash Program Modifiers

Dry +
Quiet
Sanitise

QUICK REFERENCE GUIDE > DD24DTX6HI1

Wash Programs 60 min Auto Eco Glassware Heavy Light	
Auto Eco Glassware Heavy Light	
Eco Glassware Heavy Light	•
Glassware Heavy Light	•
Heavy Light	•
Light	•
	•
	•
Medium	•
Rinse	•
Wash programs	8

Water connection

Inlet water temperature	max 140 °F
Supplied hose to suit 3/8" (9mm) male compression fitting	•
Water pressure	100kPa - 1000kPa
Water supply	3/8" to suit Male Compression Fitting
SKU	82163

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

