QUICK REFERENCE GUIDE > OB60SD9PLX1

60cm Series 7 Contemporary Pyrolytic Oven, 9 Function

Series 7 | Contemporary

Stainless Steel



With beautiful Contemporary styling and generous capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 85L total capacity with nine oven functions including Slow Cook and Roast
- · Moisture level control with ActiveVent technology

- Pyrolytic self-cleaning function breaks down food residue for an easy clean
- Wi-Fi enabled for remote control and notifications through the SmartHQ™ app

DIMENSIONS

Height	598 mm
Width	596 mm
Depth	565 mm

FEATURES & BENEFITS

Multi-Function Flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has nine functions including Roast and Slow Cook, allowing you to use a variety of cooking styles.

Generous Capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Cook With Confidence

The intuitive 2.4" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out. Cook by food type and allow your oven to guide you through steps, or change temperature and heat type automatically, depending on your selection.

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech™ circulates heat evenly for a consistent temperature.

Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The chrome side racks don't need to be removed when using this function.

Design Freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories (included)

Chromed shelf runners	•
Full extension sliding shelves	1 set
Roasting dish	1
Step down wire shelf	1
Wire shelf	1

Capacity

Shelf positions	6
Total capacity	85 L
Usable capacity	72 L

QUICK REFERENCE GUIDE > OB60SD9PLX1 Date: 24.09.2024 > 2

Cleaning		True convection oven	•	Product dimensions	
Acid resistant graphite enamel	•	Turned stainless steel dials with illuminated halos	•	Depth	565 mm
Pyrolytic self-clean	•	Halos		Height	598 mm
Removable oven door	•			Width	596 mm
Removable oven door inner glass	•	Functions			
Removable shelf runners	•	Bake	•		
		Fan bake		Safety	
		Fan forced		Balanced oven door	•
Consumption			•	Catalytic venting system	•
Energy rating	Α	Fan grill	•	Control panel key lock	•
Energy usage	0.94kWh/cycle	Grill	•	CoolTouch door	•
In-use energy carbon emissions estimate	0.2kgCO2e/cycle	Number of functions	9	Non-tip shelves	•
	0.1.1.90010,0,0.0	Pyrolytic self-clean	•	Safety thermostat	•
		Roast	•	Safety thermostat	
Controls		Slow cook	•		
A P		Vent bake	•	Warranty	
Adjustable audio and display settings	•	Warm	•	•	_
Audio feedback	•			Parts and labour	5 years
Automatic cooking/minute timer	•				
Automatic pre-set temperatures	•	Performance			
Celsius/Fahrenheit temperature	•	ActiveVent™ system	•	SKU	82568
Delay start	•	AeroTech™ technology	•		
Electronic clock	•	Automatic rapid pre-heat	•		
Electronic oven control	•	Grill power	3000 W	The product dimensions and specifications in the	
Halogen lights	•	Temperature range	35°C - 280°C	product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Multi-language display	UK English, US English, Simplified	Whisper Quiet Cooking	•		
	Chinese, Français, Español				
Sabbath mode with Federation of	•	Power requirements			
Synagogues certification		Amperage	15 A	Other product downloads available at fis	sherpaykel.com
Smart appliance	•	Supply frequency	50 Hz		
Soft close doors	•	Supply voltage	220-240 V	<u>↓</u> 2D-DWG Oven	

QUICK REFERENCE GUIDE > OB60SD9PLX1

- ↓ 2D-DXF Oven
- ↓ ArchiCAD Oven
- ↓ Declaration of Conformity Oven
- ↓ Energy Label Oven
- ↓ Service & Warranty
- ↓ Installation Guide Wall Oven
- ↓ Product Information Sheet Oven
- ↓ Rhino Oven
- ↓ SketchUp Oven
- ▶ Preliminary Specification Guide Wall Oven
- User Guide Convection Oven

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 08000 886 605 Wwww.fisherpaykel.com