QUICK REFERENCE GUIDE > RDV3-304-N

Dual Fuel Range, 30", 4 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural Gas




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 22,500 BTU, for seriously fast boiling
- 4 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	29 7/8 "
Depth	29 1/8 "



FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Featuring a generous total capacity of 4 cu ft, with enough room to fit a 26 lb turkey, or to cook several dishes at once.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 22,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

Adjustable feet covers

Branded coin end cap

Accessories (sold separately)

Square handle option AH-R30
Wok grate included No

QUICK REFERENCE GUIDE > RDV3-304-N Date: 14.06.2024 > 2

Burner ratings		Tilting touch screen interface	•	Convection Broil	•
Maximum burner power	22500 BTU	Wi-Fi connectivity	•	Dehydrate	•
Power back left	18500BTU			Dehydrate	•
Power back right	18500BTU			Maxi Broil	•
Power front left	22500BTU	Gas Requirements		Number of functions	15
Power front right	18500BTU	Fitting and pipe	½ NPT, min. 5%" ∑	Pastry bake	•
Total cooktop power	78000 BTU	Country Discourse (notional rese)	flex line	Pizza bake	•
		Supply Pressure (natural gas)	6" to 9" W.C	Rapid proof	•
				Roast	•
Capacity		Main oven functions		Slow cook	•
Shelf positions	5			True convection	•
		Warm	•	Warm	•
Cleaning		Oven features		Oven performance	
Easy clean porcelain basepan	•	Auto re-ignition system		Oven performance	
Pyrolytic self-clean	•	Broil pan	•	Bake power	3500
		Concealed element	•	Main oven - True convection power	2500 W
	_	Electronic oven control	•		
Consumption		Food probe	•	Dower requirements	
Energy usage	490kWh/year	Full extension telescopic sliding shelves	•	Power requirements	
		Internal light	true	Amperage	30 A
		Self-clean proof side racks	irue	Rated current	30 A
Controls		Titanium coated, illuminated metal dials		Supply frequency	60 Hz
Dial with illuminated halo	•	manum coated, mummated metal diais	·		
Electric circuit	4 wire			5	
High resolution display	•	Oven functions		Product details	
Metal illuminated dials	•	Air fry	_	Self Cleaning Sf	Yes
Multi-language interface	•	Bake	•		
Precise cooking with food probe	•	Classic bake	•		
Recipe and food based functions	•		•	Product dimensions	
Sabbath mode	•	Clean	•	Depth	29 1/8 "
		Convection bake	•		

QUICK REFERENCE GUIDE > RDV3-304-N

35 3/4 - 36 3/4 " 29 7/8 "
29 7/8 "
•
•
•
BGRV3-3030H
BGRV2-3030 / BGRV2-1230
HCB30-6_N (Professional Range Hood)
•
•

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Dual Fuel Range 2D-DXF Dual Fuel Range 2D-DWG Dual Fuel Range with Backguard BGRV2-1230 2D-DWG Dual Fuel Range with Backguard BGRV2-3030 2D-DXF Dual Fuel Range with Backguard-BGRV2-1230 2D-DXF Dual Fuel Range with Backguard BGRV2-3030 ArchiCAD Dual Fuel Range Data Sheet Dual Fuel Range with Backguard BGRV2-1230 Data Sheet Dual Fuel Range with Backguard BGRV2-3030 Data Sheet Dual Fuel Range Energy Label Dual Fuel Cooker Service & Warranty Installation Guide EN Guide d'installation FR Planning Guide Dual Fuel Range Revit Dual Fuel Range Rhino Dual Fuel Range SketchUp Dual Fuel Range Specification Guide Dual Fuel Range User Guide Professional Range EN Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com