Integrated Column Freezer, 18", Ice

Series 11 Integrated	
Panel Ready Left hinge	


Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
- Internal ice maker with boost for busy times

• Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS





FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our Energy Star certified ActiveSmart[™] Foodcare Fridge Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigeratorand freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigeratorand freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect Fit

These models fit flush and have only ½" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (included)

Date: 09.07.2024 > 1

FISHER & PAYKEL

QUICK REFERENCE GUIDE > RS1884FLJK1

Joiner kit	AJ-RS84LR
Accessories (sold separately)	
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC
Stainless steel door panel	RD1884L4D
Foe kick stainless steel 18″	AKRS1804
Foe kick stainless steel 42"	AKRS4204
Toe kick stainless steel 48"	AKRS4804
Toe kick stainless steel 54"	AKRS5404
Toe kick stainless steel 60"	AKRS6004
Toe kick stainless steel 66"	AKRS6604
Toe kick stainless steel 72"	AKRS7204
Toe kick stainless steel 78"	AKRS7804
Toe kick stainless steel 84"	AKRS8404

Capacity

Total gross capacity	7.8 cu ft
Volume	7.8 cu ft
Volume freezer	7.8 cu ft

Consumption

Energy rating	Energy star
Energy usage	415kWh/year
In-use energy carbon emissions estimate	51.2kgCO2e/year

Features	
Adjustable door shelves	4
Adjustable glass cantilevered shelves	•
Door alarm	•

Freezer Features

Automatic ice maker
Bottle chill
Door alarm
Fast freeze
Freezer bins
Glass shelves
Ice Boost
LED bin lighting
LED ceiling lighting
LED side lighting
SmartTouch interface at counter height

.

4 3

Performance

ActiveSmart™ Foodcare
Adaptive defrost
Dual evaporator
Frost free
Inverter controlled compressor

Sabbath mode Variable temperature zones 2 Power requirements Dated current 10.4

Rated current	10 A
Supply frequency	60 Hz
Supply voltage	115 V

Product dimensionsDepth24 "Height84 "Width17 3/4 "WarrantyParts and labor2 yearsSealed system parts only5 yearsSKU26116

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

FISHER & PAYKEL

- ↓ 2D-DWG Integrated Column Freezer
- ↓ 2D-DXF Integrated Column Freezer
- ↓ Data Sheet Integrated Column Freezer
 - Data Sheet Integrated Column Freezer Dual Install (18" + 24")
 - Data Sheet Integrated Column Freezer Dual Install (18" + 30")
- Energy Label

 \downarrow

 $\overline{\mathbf{1}}$

 \downarrow

 $\mathbf{1}$

 $\mathbf{1}$

 \downarrow

 $\overline{\mathbf{1}}$

 $\overline{1}$

 \downarrow

 $\overline{\mathbf{1}}$

 \downarrow

 $\overline{\uparrow}$

 \downarrow

 $\frac{1}{2}$

 $\overline{\mathbf{1}}$

 \downarrow

 $\overline{\uparrow}$

 $\overline{\mathbf{1}}$

 \downarrow

 $\overline{\mathbf{1}}$

 $\overline{\mathbf{1}}$

 $\frac{1}{4}$

 \uparrow $\overline{\uparrow}$

 \downarrow

- ▲ Service & Warranty
 - Water Filter Replacement Instructions & Installation Guide EN
 - Installation Guide
 - Installation Guide Toe Kick
 - Guide d'installation Instructions de Remplacement du Filtre à Eau FR
 - Guide d'installation FR
- Installation Guide
- Guide d'installation FR
- Key Purchase Decisions Integrated Column Freezer
- Planning Guide Professional Style Dial/Handle Accessories
- Planning Guide Integrated Column Freezer
- Revit Freezer
- Rhino Freezer
- Sketchup Freezer
- Specification Guide Integrated Column Freezer
- User Guide EN
- User Guide Integrated Refrigerator Freezer EN
- Guide d'utilisation FR
- Guide d'utilisation FR
- ↓ User Guide
- Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com