QUICK REFERENCE GUIDE > RS6121SRK1

61cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge



Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.


- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134 mm

Width 603 mm

Depth 610 mm



FEATURES & BENEFITS

Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 17.12.2024 > 2

Handle kit Classic	AHCLRDSF	LED bin lighting	•	Product dimensions		
Handle kit Contemporary round, aluminium	AHSRDSF	LED ceiling lighting	•	Depth	610 mm	
Handle kit Contemporary square fine, aluminium	AHD5RDSF	LED side lighting Stackable bottle holders	•	Height	2134 mm	
Handle kit Contemporary square fine, black	AHD5RDSFB	Stackable bottle floiders	7	Width	603 mm	
Handle kit Professional round flush	AHP3RDSF					
Joiner kit	AJ-RS21LR	Installation Dimensions		Product information		
Stainless steel door panel	RD6121R10D	Minimum inside width of cabinetry frame	610 mm			
Toe kick stainless steel 1067mm	AKRS10710	Minimum internal depth of cabinetry	635 mm	Packaged weight	137 kg	
Toe kick stainless steel 1220mm	AKRS12210	•	2134 mm	Unpackaged weight	117 kg	
Toe kick stainless steel 1372mm	AKRS13710	Minimum internal height of cabinetry	2134 11111			
Toe kick stainless steel 1828mm	AKRS18310			Warranty		
Toe kick stainless steel 1981mm	AKRS19810	Performance		-		
Toe kick stainless steel 610mm	AKRS06110	ActiveSmart™ Foodcare	•	Parts and labour	1 year	
		Adaptive defrost	•	-		
Capacity		Dual evaporator	•			
		Frost free	•	SKU	25674	
Total gross capacity	383 L	Humidity control system	•			
Total net volume	351L	Inverter controlled compressor	•	The product dimensions and specifications in this	page apply to the specific	
Volume	351 L	Noise emissions	42 dBA	product and model. Under our policy of continuous improvement, these		
Volume refrigerator	351 L	Noise emissions class	D	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page		
		Sabbath mode	•	correctly describes the model currently available.		
Consumption		Variable temperature zones	2	Appliances Ltd 2020		
Energy rating	Grade 1					
_		Power requirements		Other product downloads available at fishe	erpaykel.com	
Features		Connection power	330W			
		Rated current	10 A	± Energy Label		
Adjustable door shelves	4	Supply frequency	50 Hz	↓ Service & Warranty		
Covered door shelves	1	Supply voltage	220 - 240 V	↓ Installation Guide Toe Kick		
Door alarm	•			Water Filter Replacement Instructions	s - Parts 847200 and	
Gallon door shelves	1			- 847201 - ZH		

QUICK REFERENCE GUIDE > RS6121SRK1

Date: 17.12.2024 > 3

- ↓ Planning Guide ZH
- ↓ Planning Guide Integrated Refrigeration EN
- ↓ Revit Integrated Column Refrigerator
- ↓ Rhino Integrated Column Refrigerator
- → Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- → Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Sketchup Integrated Column Refrigerator
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- ↓ XXXXX ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.