QUICK REFERENCE GUIDE > HC60BCXB2

# Wall Cooker Hood, 60cm, Box Chimney

Series 7 | Contemporary

Stainless Steel and Glass




The wall chimney cooker hood has a contemporary styling, extracting steam, grease and cooking odours quietly and efficiently.

- With four fan speeds, plus boost function, select the perfect extraction rate for your cooking
- Powerful maximum air movement 617m³/hr
- · Dishwasher safe filters that are easy to remove and clean

## **DIMENSIONS**





# **FEATURES & BENEFITS**

#### **Effective And Quiet**

This cooker hood features four fan speeds, plus a boost function, providing powerful extraction to quickly remove odours and steam. As odours can linger in the kitchen well after cooking is finished, the timer keeps the rangehood working for up to 15 minutes before automatically turning off.

#### Simple To Use

This Fisher & Paykel chimney cooker hood features a sleek and easy to use touch-control panel. Low energy, dimmable LED lights provide superb illumination over the entire cooking surface.

#### Easy Cleaning

Designed for simple removal, the filters are easy to clean and dishwasher safe. The stainless steel mesh cover just needs a quick wipe to keep clean. An alert reminds you when to clean the filter to ensure you get the best performance out of your cooker hood.

# **Designed To Match**

This wall cooker hood features sleek black glass and stainless steel styling which will complement any contemporary kitchen and is designed to match the rest of Fisher & Paykel's kitchen appliance family.

#### **SPECIFICATIONS**

## Accessories (included)

Aluminium filter 791938

## Accessories (sold separately)

Chimney extension	792492
Eave ducting kit	RHK150E
Light bulb	792556
Recirculation carbon filter	792481
Recirculation diverter	792560
Side wall ducting kit	HK150W

# Consumption

Energy rating B
Energy usage 47kWh/year
In-use energy carbon emissions estimate 14.5kgCO2e/year

QUICK REFERENCE GUIDE > HC60BCXB2

Fan ratings	
Maximum air movement	617 m³/hr
Maximum pressured air movement EN61591 at boost	617 m³/hr
Maximum sound rating	69 dB
Installation and cleaning	
Air outlet size	150 mm
Dishwasher safe filters	2
Ducted	Top extraction
Recirculation	Optional - top extraction
Stainless steel filter cover	•
Two piece height adjustable flue	•
Performance	
Airflow balancing plate	•
Extraction type	Surface
Fan speeds	4
Filter type	Mesh with Stainless Steel filter cover
Number of filters	2
Power requirements	
Lighting power	7 W
Motor power	130 W
Rated current	3 A
Supply frequency	50 Hz
Supply voltage	220-240 V

Total Power	137 W
Product dimensions	
Depth	500 mm
Height	600-1035 mm
Width	600 mm
Product information	
Control type	Capacitive touch
Ventilation features	
Dimmable lights	•
Light type	LED
Timer function	•
Warranty	
Parts and labour	5 years
SKU	50119

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

2D-DWG Wall Rangehood
2D-DXF Wall Rangehood

→ Archicad Wall CookerHood

Data Sheet Wall Rangehood

Energy Label Wall Rangehood

Service & Warranty

Installation Guide

Product Information Sheet Wall Rangehood

Revit Wall CookerHood

Rhino Wall CookerHood

Sketchup Wall CookerHood

User Guide

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1800 625174 Wwww.fisherpaykel.com