

**FISHER & PAYKEL**

**INTEGRATED  
WINE CABINET**

---

RS6009V2RT1 & RS6009V2R1 models

**USER GUIDE**

**CN**



## CONTENTS

---

|   |    |
|---|----|
| Safety and warnings                       | 5  |
| Product overview                          | 9  |
| Control panel                             | 10 |
| Menu                                      | 11 |
| Using your wine cabinet                   | 12 |
| Wine modes                                | 14 |
| Light modes (glass door models only)      | 15 |
| Loading suggestions                       | 16 |
| Adding and removing wine racks            | 17 |
| Cleaning                                  | 18 |
| Replacing the air filters                 | 19 |
| Accessories                               | 20 |
| Troubleshooting                           | 21 |
| Faults                                    | 23 |
| Manufacturer's warranty and service guide | 24 |
| Hazardous substances declaration          | 25 |



**⚠ WARNING!**



**Electric Shock Hazard**

Failure to do so can result in death, electric shock, fire or injury to persons.

- Read and follow the safety and warnings outlined in this user guide before operating this appliance.

**⚠ WARNING!**



**Tip Hazard**

- This product may tip until it is fully installed. Keep children away and take care. Failure to follow this advice may result in injury.
- This appliance is top-heavy and must be secured to prevent the possibility of tipping forward.

**To ensure that the appliance is stable under all loading conditions:**

- The anti-tip bracket and fittings supplied must be installed by a professional installer according to the installation steps in this guide.
- This product may tip when the anti-tip bracket is unscrewed. Refer to installation instructions to safely uninstall the product.

**⚠ WARNING!**



**This appliance contains flammable refrigerant isobutane (R600a).**

## SAFETY AND WARNINGS

---

### READ AND SAVE THIS GUIDE

#### **WARNING!**

Read Safety Guide. Failure to follow all guides and rules could cause personal injury or property damage. When using this appliance, always exercise basic safety precautions including the following:

Use this appliance only for the intended purpose as described in the user guide and installation guide of this appliance.

#### **General**

- This appliance is designed for use in a normal domestic (residential) environment.
- Children should be supervised to ensure that they do not play with the appliance.
- Children aged 3 to 8 years may load and unload this appliance under supervision.
- Cleaning and user maintenance shall not be undertaken by children without supervision.
- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- The manufacturer's installation instructions for appliance and cabinetry ventilation must be followed when installing the appliance.
- To avoid hazard due to instability of the appliance, it must be fixed in accordance with installation guide.
- Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Do not damage the refrigerant circuit. In case of damage to the refrigerant circuit, ventilate the area by opening all windows.
- It is hazardous for anyone other than a Fisher & Paykel trained and supported service technician to service this appliance.
- It is hazardous for anyone other than an Authorised Service Person to service this appliance. In Queensland - the authorized Service Person MUST hold a Gas Work Authorisation for hydrocarbon refrigerants, to carry out Servicing or repairs which involve the removal of covers.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance

#### **Installation**

- Ensure that the appliance is secured to prevent tipping forward. Tipping of appliance can lead to serious injury or death.

#### **WARNING!**

To reduce the risk associated with choking:

- DO NOT allow children under 3 years of age to have access to small parts during the installation of the water filter.

## SAFETY AND WARNINGS

---

### Electrical

- Do not plug in any other appliance at the same power point as your appliance or use extension cords or double adapters.
- When moving your appliance away from the wall, be careful not to roll over or damage the power cord.
- When positioning the appliance, ensure the power cord is not trapped or damaged. If the power cord is damaged, it must only be replaced by your Fisher & Paykel trained and supported service technician.
- Do not operate electrical equipment or any other equipment that may produce arcs, sparks or flames in the area. Contact your Fisher & Paykel trained and supported service technician immediately to arrange for the appliance to be repaired.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- Do not locate multiple portable socket-outlets or portable power supplies at the rear of the appliance.

### Temperature control

- This refrigerating appliance is intended to be used at ambient temperatures ranging from 16°C to 43°C. The appliance performance may be compromised when operating outside of the temperature range.
- For optimum performance, it is recommended to control the ambient temperature between 16°C and 25°C.
- Once you turn on your appliance for the first time, the cooling system will automatically cool all compartments to their set temperatures. This will take between 2 - 3 hours.
- The control panel enables you to change and control the temperatures of the compartments accurately and independently regardless of the temperature or humidity of the surroundings whether it is summer or winter.
- We recommend checking the operation of your appliance once every 4 hours for the first 24 hours.
- If at any time you notice that the appliance is not cooling properly, call your installer or Fisher & Paykel trained and supported service technician to verify if the unit is operating properly. Take immediate steps to prevent food from spoiling by storing in another appliance or freezer.

### Servicing

- All electrical repairs must be carried out by an adequately trained service technician or qualified electrician.
- Electrical shock hazard. Assume all parts are live.
- Disconnect supply before servicing and installation.
- The LED light cannot be serviced by the user. Contact your Fisher & Paykel Dealer or Fisher & Paykel trained and supported service technician.
- For spare parts, please contact Fisher & Paykel Customer Care. Spare parts are available for all Fisher & Paykel appliances for a minimum period of 10 years from the date of manufacture.

### **IMPORTANT!**

Your appliance is designed to operate for many years without the need for service checks. However, if your appliance is malfunctioning, have it attended to by your Fisher & Paykel trained and supported service technician as soon as possible.

## SAFETY AND WARNINGS

---

### Cleaning

- If the appliance is left empty for long periods, switch off, defrost, clean, dry, and leave the door open to prevent mould developing within the appliance.
- Use only soap-based cleaning products. Many commercially available cleaning products contain solvents that may degrade the plastic components of your refrigerator and cause them to crack
- Avoid using anti-bacterial cleaning products on either the interior or exterior of the cabinet as they may cause rusting of metal components and cracking of plastic components.
- Regularly clean accessible draining systems and surfaces that come in contact with food.
- **GLASS DOOR:** Use only mild liquid detergent dissolved in warm water and a soft cloth. Rinse with clean water and dry with a clean, lint-free cloth.

### Disposal

- Extreme care must be taken when disposing of your old appliance to avoid hazards:
  - The flammable refrigerant gas must be safely removed by a qualified service technician.
  - The thermal insulation foam in this appliance contains flammable insulation which can emit gases. Any exposed foam may be highly flammable and must be carefully treated during disposal.
- **WARNING:** Risk of child entrapment. Before you throw away your old refrigerator or freezer, the doors and panels should be removed and the racks left in place so that children may not easily climb inside.
- Consult your local energy authority or local codes as to the best way to dispose of your old appliance.
- Your Fisher & Paykel trained and supported service technician will be able to give advice on environmentally-friendly methods of disposing of your old appliance or freezer.
- Remove all packaging and dispose of it responsibly. Recycle items that you can.

### For wine cabinet only

- This appliance is intended to be used exclusively for the storage of wine.
- Do not store food and dairy products in the Wine cabinet. The internal temperature may not be cold enough to prevent spoilage in food, and the expiry dates stated on the food packaging may be invalid.

### Energy Labelling and Eco-design

- This product contains light sources of energy efficiency class F.
- Information on product can be found in European Product Database (EPREL) at the following link <http://eprel.ec.europa.eu/>. You will be asked to enter the model identifier. You can identify the model information on the serial plate located on the inside or outer edge of the lower compartment.



## PRODUCT OVERVIEW




RS6009V2R illustrated with door panel and toe kick (not supplied).

### Features


- ① Control panel
- ② Upper zone
- ③ Lower zone
- ④ Wine racks
- ⑤ Air filters
- ⑥ Lighting

## CONTROL PANEL



|                         |   |
|-------------------------|---|
| ① <b>Menu</b>           | Press to access product features and settings, or to return to standby. If the display has been locked, hold for two seconds to unlock. |
| ② <b>Display screen</b> | Displays product features and settings.   |
| ③ <b>Scroll</b>         | Press to select wine modes and adjust temperatures. Enables you to scroll through the menu, features and settings.                      |
| ④ <b>Select</b>         | Press to confirm and activate the selected features and settings.   |
| ⑤ <b>Back</b>           | Press to go back to the previous menu.  |

## MENU



|                     |   |
|---------------------|---|
| <b>TEMPERATURE</b>  | Adjust the temperature for the selected zone.   |
| <b>WINE MODES</b>   | Select a wine storage mode. Refer to 'Wine Modes'.  |
| <b>LIGHT MODES</b>  | Adjust the lighting brightness to suit your preferences (glass door models only).   |
| <b>ALARM MUTE</b>   | Mute the door alarm for 20 minutes or until the door is closed again.   |
| <b>DISPLAY LOCK</b> | Lock the controls to prevent accidental use.  |
| <b>SABBATH MODE</b> | For the Sabbath observant. In Sabbath Mode alarms, lights and the display will be deactivated for 80 hours. <ul style="list-style-type: none"><li>• The lights will not turn on when you open the door.</li><li>• The door alarm will not operate.</li><li>• The display will not illuminate.</li><li>• The display will be unresponsive.</li></ul> |
| <b>SETTINGS</b>     | Adjust the appliance settings to suit your preferences.   |

## USING YOUR WINE CABINET


Select a wine mode and temperature that suits the wine you will be storing. See 'Wine Modes' for storage recommendations.




Adjust the settings as needed to suit your preferences.

### Accessing the menu






1. Press  to access the menu.




2. Press  or  to scroll through the menu, then press  to select a feature.




3. Press  or  to adjust as needed, then press  to confirm your selection.






4. Press  at any point to exit the menu.




## USING YOUR WINE CABINET

### Selecting and adjusting wine modes






1. Press  to access **TEMPERATURE SET**. Press  to confirm.






2. Press  or  to select a compartment. Press  to confirm.





3. Press  or  to scroll to desired mode, then press  to select.



4. Press  or  to adjust the temperature.



5. Press  to confirm and  to exit the menu.

## WINE MODES

---

Wine modes give you control over the temperature in each compartment to best care for your wine and provide the ideal serving temperature for all wine varieties.

The modes are set to recommended temperatures, but you can set different temperatures as desired.

Not all wines will improve over time. Check with your wine merchant for more information regarding the best storage conditions for your wine.

| WINE MODE                      |  | TYPES OF WINE TO STORE  |
|--------------------------------|--|---|
| <b>RED</b><br>(16°C/61°F)      | For short-term storage of light, fruity and full-bodied reds at serving temperature.                       | Pinot Noir, Merlot, Malbec, Shiraz/Syrah, Chianti, Cabernet Sauvignon, Vintage Port.        |
| <b>CELLAR</b><br>(12°C/54°F)   | For longer-term storage of all wine varieties, 'Cellar Mode' provides conditions suitable for aging wines. | All varieties.  |
| <b>WHITE</b><br>(8°C/46°F)     | For short-term storage of aromatic white wines and Rosé at serving temperature.                            | Sauvignon Blanc, Chardonnay, Riesling, Pinot Gris, Viognier, Chablis, Gewürztraminer, Rosé. |
| <b>SPARKLING</b><br>(7°C/45°F) | For short-term storage of all sparkling wines at serving temperature.                                      | Sparkling wines (eg Méthode Champenoise, Metodo Classico) Champagne, Cava, Prosecco.        |

## LIGHT MODES (GLASS DOOR MODELS ONLY)

---

Light modes let you select the illumination level of bottles and the surrounding environment. Light mode will default to **LOW** after 3 hours to ensure the best wine care.

---

### LIGHT MODE

---

|               |  |
|---------------|--|
| <b>OFF</b>    | Select <b>OFF</b> to turn off all compartment lights. Best mode for long-term storage.   |
| <b>LOW</b>    | Dimmest setting available. Softly illuminates the interior of your wine cabinet while allowing it to blend into the surrounding environment. |
| <b>MEDIUM</b> | Medium illumination subtly highlights your wine collection.  |
| <b>HIGH</b>   | Turns all compartment lights to full brightness to showcase your wine collection.  |

---

## LOADING SUGGESTIONS

---

This product is designed to store up to 35 standard 750ml bottles. Remove shelves if needed to make space for larger bottles or magnums. Sparkling wine may fit best on the lower shelves of each compartment.

For best results, do not overfill the racks or exceed the overall capacity of the product.



Bottles of the same size can be placed in alternating directions on each shelf.



Racks can be removed to store magnums and larger wine bottles.



## ADDING AND REMOVING WINE RACKS

---



1. Pull the rack towards you and locate the pins at the base of the corners.



2. Lift the rear of the rack to free the rear pins, then pull the rack towards you to separate the front pins from the slide support so you can remove the rack.



3. To refit, push the front pins into the slide support and lower the rack until the rear pins lock into place.

# CLEANING

---

## Surfaces

Remove racks, then wipe interior surfaces with a damp cloth and mild detergent. Dry with a clean, lint-free cloth. Use a small brush to clean difficult to reach spots if needed.

We do not recommend using the following cleaning products as they may cause damage:

- Plastic or stainless steel scouring pads
- Abrasive, solvent, household cleaners
- Acid or alkaline cleaners
- Hand washing liquids or soap
- Stainless steel cleaners or polishes
- Laundry detergents or disinfectants

## Glass door

Use only mild liquid detergent dissolved in warm water and a soft cloth. Rinse with clean water and dry with a clean, lint-free cloth.

## Door seal

Use a small brush to clean around the door seal as needed.

## Wooden wine racks

Clean wine spills immediately to prevent staining. Stains can be spot cleaned with a damp cloth and mild detergent.

Take care to keep the wood as dry as possible. Do not use water or cleaners for day-to-day cleaning.

## Lower grille

Clean regularly to keep dust-free.


## REPLACING THE AIR FILTERS

---

Your product comes with activated carbon air filters to keep each compartment free of odours. Replace the carbon air filters every 6 months to maintain optimal performance. An alert will show in the display when the filters need to be replaced. To reset the alert, go to settings.

### Replacing the air filters

The air filters are located behind the top rack of each compartment. Remove the racks to access the filters.



1. Push the filter cover to open.



2. Remove the old filter and replace with a new one.



3. Push the filter cover to close.

## ACCESSORIES

---

Cooling accessories are available to purchase from [www.fisherpaykel.com](http://www.fisherpaykel.com). Go to the website and search by product or accessory reference.

---

| <b>Item</b>                             | <b>Reference</b>      |
|---|-----------------------|
| Air filter for Integrated Wine (2-pack) | FILTER ODOUR WINE KIT |
| Bottle label kit for Integrated Wine    | ALV14                 |

---

# TROUBLESHOOTING

---

## General use

---

### Why will the product not turn on?

- No power. Make sure the product is connected to the power supply and switched on at the wall.
  - Check the circuit breaker, or check if there is a power cut in your home or area. If the product still won't turn on, call Customer Care or your Authorised Service Centre.
- 

### Why is the display not working?

- The product may be in Sabbath Mode. Press and hold  to exit this mode.
- 

### Why is the light not working?

- Product is not switched on. Check it is turned on at the wall or the isolating switch.
  - Light needs to be replaced. Call Customer Care or your Authorised Service Centre.
- 

### Why is the product beeping and displaying a code when I open the door?

- There is a fault. Record the code on the display, and call Customer Care or your Authorised Service Centre.
- 

### Why are the storage compartments too warm?

- Temperature setting not correct. See 'Selecting and adjusting wine mode.'
  - Frequent door openings. Minimise door openings to allow temperature to stabilise.
  - Large amount of wine has been recently added. Keep recommended bottle capacity.
- 

### Why is the product making unfamiliar noises?

- Product is not stable or level. Check Installation guide at [www.fisherpaykel.com](http://www.fisherpaykel.com) or call Customer Care or your Authorised Service Centre.
- 

### Why is the product warm on the outside?

- This is normal.
- 

### Why is there condensation on the outside of the product?

- This is not unusual during periods of high humidity. Wipe dry with a lint-free cloth.
-

## TROUBLESHOOTING

---

---

### **Why is the door not closing?**

- Items in product are preventing door from closing tightly. Rearrange items so door can close.
  - Product is not installed correctly. Check Installation guide at [www.fisherpaykel.com](http://www.fisherpaykel.com) or call Customer Care or your Authorised Service Centre.
- 

### **Why is there condensation inside the product?**

- Frequent or long door openings. Minimise door openings.
  - Door seal is leaking. Check and clean door seal. See 'Cleaning.'
  - This is not unusual during periods of high humidity. Wipe dry with a lint-free cloth.
  - Items in product preventing door from closing tightly. Rearrange items so door can close tightly.
  - Doors not aligned. Call Customer Care or your Authorised Service Centre.
-

## FAULTS

---

If a fault occurs, there will be 4 rapid beeps and the fault will be displayed on the control panel.

Record the fault code and contact a Fisher & Paykel trained and supported service technician in order to repair the fault. You can do this by going online to [fisherpaykel.com](http://fisherpaykel.com) or by contacting our Customer Care Centre.

### Normal appliance sounds

This product has been designed to have excellent energy ratings and cooling performance. As a result, it can produce sounds somewhat different to your old appliance.

---

|                                      |   |
|--------------------------------------|---|
| Low frequency ticking                | This is the valve that controls cooling to each compartment. This noise will only last for a few seconds at a time.   |
| Fan air flow                         | This product has fans which change speed depending on demand. During cooling periods, such as after frequent door openings, fans circulate the cold air in the appliance producing some air-flow sound. This is quite normal. |
| Cracking or popping                  | This may occur when the automatic defrost function is operating.  |
| Running water                        | This is the liquid refrigerant in the system and can be heard as a boiling or gurgling noise.   |
| Hissing sound after closing the door | This is due to the pressure difference between the warm air that has entered the product, and suddenly cooled, and the outside air pressure.  |
| Humming                              | This is the compressor running and is quite normal.   |
| Other sounds                         | Product not stable or level.<br>Bottles rattling on shelves.  |

---

## MANUFACTURER'S WARRANTY AND SERVICE GUIDE

---



### To access your Warranty and Service Guide

Scan the QR code with your smartphone to access your warranty and book a service, or view online at <https://www.fisherpaykel.com/cn/help-and-support/warranty-information>

Complete and keep for safe reference:

Model \_\_\_\_\_

Serial No. \_\_\_\_\_

Purchase Date \_\_\_\_\_

Purchaser \_\_\_\_\_

Dealer \_\_\_\_\_

Suburb \_\_\_\_\_

Town \_\_\_\_\_

Country \_\_\_\_\_



# HAZARDOUS SUBSTANCES DECLARATION

## Refrigerators

The Environmentally Friendly Use Period (EFUP) for all enclosed products and their parts are per the symbol shown here, unless otherwise marked. Certain parts may have a different EFUP (for example, battery modules) and so are marked to reflect such. The Environmentally Friendly Use Period is valid only when the product is operated under the conditions defined in the user guide.



### HARMFUL SUBSTANCE

| PART NAME                          | Lead (Pb) | Mercury (Hg) | Cadmium (Cd) | Hexavalent Chromium (Cr (VI)) | Polybrominated Biphenyls (PBB) | Polybrominated Diphenyl ethers (PBDE) |
|------------------------------------|-----------|--------------|--------------|-------------------------------|--------------------------------|---------------------------------------|
| Control module (s)                 | X         | ○            | ○            | ○                             | ○                              | ○                                     |
| Display(s)                         | X         | ○            | ○            | ○                             | ○                              | ○                                     |
| Lighting module(s)                 | ○         | ○            | ○            | ○                             | ○                              | ○                                     |
| Solenoid                           | X         | ○            | ○            | ○                             | ○                              | ○                                     |
| Inverter                           | X         | ○            | ○            | ○                             | ○                              | ○                                     |
| Fan(s)                             | X         | ○            | ○            | ○                             | ○                              | ○                                     |
| Humidity sensor (some models only) | ○         | ○            | ○            | ○                             | ○                              | ○                                     |
| Wi-Fi module                       | X         | ○            | ○            | ○                             | ○                              | ○                                     |

○ This hazardous substance is lower than the upper limit specified in GB/T26572.

X This hazardous substance exceeds the upper limit specified in GB/T26572.

**FISHERPAYKEL.COM**

© Fisher & Paykel Appliances 2024. All rights reserved.

The models shown in this guide may not be available in all markets  
and are subject to change at any time.

The product specifications in this guide apply to the specific products and  
models described at the date of issue. Under our policy of continuous product  
improvement, these specifications may change at any time.

For current details about model and specification availability in your country,  
please go to our website or contact your local Fisher & Paykel dealer.

**431767A 05.24**