

48" Series 9 Professional Dual Fuel 5 Burner with Griddle Self-Cleaning Range, LPG

Series 9 | Professional



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with a griddle and five burners that deliver up to 19,000 BTU for fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "

FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

- Adjustable feet covers
- Branded coin end cap

Burner ratings

Maximum burner power	19000 BTU
Power back left	11500BTU
Power back right	11500BTU
Power centre	19000BTU
Power front left	15000BTU
Power front right	15000BTU
Power griddle	24000BTU
Total cooktop power	96000 BTU

Capacity		Main oven features		Titanium coated, illuminated metal dials	
Shelf positions (main oven)	5	Concealed Element	•		
Shelf positions (second oven)	5	Electronic oven control	•		
Total capacity (main oven)	4.8 cu ft	Full extension telescopic racks	•	Oven functions	
Total capacity second oven	2.1 cu ft	Internal light	•	Air fry	•
Usable capacity (main oven)	3.8 cu ft	Large broil pan	•	Bake	•
		Self-clean proof side racks	•	Classic bake	•
				Clean	•
Cleaning		Main oven functions		Convection bake	•
Easy clean porcelain basepan	•	Air fry	•	Convection Broil	•
Pyrolytic self-clean	•	Bake	•	Dehydrate	•
		Classic bake	•	Maxi Broil	•
Controls		Clean	•	Number of functions	15
Dial with illuminated halo	•	Convection bake	•	Pastry bake	•
Dual control oven dials	•	Convection broil	•	Pizza bake	•
Electric circuit	4 wire	Maxi broil	•	Rapid proof	•
High resolution display	•	Number of oven functions	15	Roast	•
Metal illuminated dials	•	Pizza bake	•	Slow cook	•
Multi-language interface	•	Rapid proof	•	True convection	•
Precise cooking with food probe	•	Roast	•	Warm	•
recipeAndFoodBasedFunctions	•	Slow cook	•		
Sabbath mode	•	True convection	•	Oven performance	
Smart appliance	•	Warm	•	Bake power	4600
Tilting touch screen interface	•			Broil	3600 W
		Oven features		Main oven - True convection power	2500 W
Gas Requirements		Auto re-ignition system	•		
Fitting and pipe	½ NPT, min. ⅝" flex line	Concealed element	•	Power Requirements	
Supply Pressure (LPG)	11" to 14" W.C	Electronic oven control	•	Connection	4-prong grounding type [NEMA 14-50 plug]
		Full extension telescopic sliding shelves	•		

Service	50 A
Supply frequency	60 Hz
Supply voltage	208 - 240 V

Product Details

Self Cleaning Sf	Yes
------------------	-----

Product Dimensions

Depth	29 1/8 "
Depth (excluding handles)	2918 mm
Height	35 3/4 - 36 3/4 "
Width	47 7/8 "

Rangetop features

Sealed range top	•
Vent trim included	•

Recommended Back Guards Ventilation

Combustible situation	BGRV3-3048H
Non combustible situation	BGRV2-3048 / BGRV2-1248
Recommended hood	HCB48-12_N (48" Professional Range Hood, Dual Blower)

Safety

ADA compliant	•
---------------	---

Secondary oven features

3/4 Extension racks	2
Concealed element	•
Electronic oven control	•
Food probe	•
Internal light	•

Secondary oven functions

Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven functions	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•

SKU	82972
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓	2D-DWG Dual Fuel Range
↓	2D-DXF Dual Fuel Range
↓	ArchiCAD Dual Fuel Range
↓	Installation Guide EN
↓	Installation Guide FR
↓	Planning Guide Professional Style Dial/Handle Accessories
↓	Planning Guide - 48" Professional Ranges & Backguards
↓	Revit
↓	Rhino
↓	Right To Repair Declaration (English, French)
↓	SketchUp
↓	User Guide EN
↓	User Guide FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com