QUICK REFERENCE GUIDE > RS2484WRUE1 Date: 04.11.2024 > 1

24" Series 11 Integrated Column Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency

- Flexible storage with two Variable Temperature Zones: choose Pantry, Fridge, Soft Freeze or Freezer mode
- Mix and match columns, install separately or pair, and customize with cabinetry or stainless steel panels

DIMENSIONS

 Height
 84 "

 Width
 23 3/4 "

 Depth
 24 "

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and lock in natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-13°F) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable leveling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 84" RD2484WLD
Door panel stainless steel Right hinge 84" RD2484WRD
Handle kit Classic AHCLRD2484W
Handle kit Contemporary round, aluminium AHSRD2484W
Handle kit Contemporary square fine, aluminium
Handle kit Contemporary square fine, black AHD5RD2484WB
Handle kit Professional round flush AHP3RD2484W

QUICK REFERENCE GUIDE > RS2484WRUE1 Date: 04.11.2024 > 2

andle kit Professional round flush, Brass f-stands	AHP3RD2484WB A	LED ceiling lighting	•	Variable food modes	Pantry; Fridge; Soft freeze;
andle kit Professional round flush, Dark	AHP3RD2484WD	LED lighting	•		Freezer
opper off-stands	C	LED side lighting	•	Variable temperature zones	2
oiner Kit	AJ-RS84LR	SmartTouch interface at counter height	•		
oe kick stainless steel 24"	AKRS2404	Stackable bottle holders	4		
oe kick stainless steel 42"	AKRS4204			Power requirements	
oe kick stainless steel 48"	AKRS4804			Rated current	10 A
oe kick stainless steel 54"	AKRS5404	Freezer Features		Supply frequency	60 Hz
oe kick stainless steel 60"	AKRS6004	Automatic ice maker	•	Supply voltage	115 V
oe kick stainless steel 66"	AKRS6604	Bottle chill	•		
oe kick stainless steel 72"	AKRS7204	Door alarm	•		
oe kick stainless steel 78"	AKRS7804	Fast freeze	•	Product dimensions	
Toe kick stainless steel 84"	AKRS8404	Freezer bins	2	Depth	24 "
		Freezer trays	1	Height	84 "
		Ice Boost	•	Width	23 3/4 "
pacity		LED bin lighting	•		
otal gross capacity	12.08 cu ft	LED ceiling lighting	•		
olume	12.1 cu ft	LED side lighting	•	Product information	
olume freezer	4.1 cu ft	Max Cold	•	Packaged weight	357 lbs
olume refrigerator	8 cu ft	SmartTouch interface at counter height	•	Unpackaged weight	269 lbs
atures		Performance		Warranty	
djustable door shelves	4	ActiveSmart™ Foodcare	•	Parts and labor	2 years
djustable glass cantilevered shelves	•	Adaptive defrost	•	Sealed system parts only	5 years
overed door shelves	1	Dual evaporator	•	Sealed system parts only	3 years
oor alarm	•	Frost free freezer	•		
ruit and vegetable bins	2	Humidity control system	•		
allon door shelves	1	Inverter controlled compressor	•	SKU	26907
ternal water dispenser	•	Sabbath mode	•		
ED bin lighting					

QUICK REFERENCE GUIDE > RS2484WRUE1 Date: 04.11.2024 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K05 Hinge

↓ 2D-DWG Integrated Refrigeration

↓ 2D-DXF Integrated Refrigeration - K05 Hinge

2D-DXF Integrated Refrigeration

↓ 2D-DXF Panel Preparation

Service & Warranty

Planning Guide EN

→ Planning Guide Integrated Refrigeration FR

Planning Guide Integrated Refrigeration SP

Revit 20 Refrigerator Freezer

↓ Rhino 6 Refrigerator Freezer

SketchUp Refrigerator Freezer

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.