QUICK REFERENCE GUIDE > RDV3-366-L Date: 14.06,2024 > 1

Dual Fuel Range, 36", 6 Burners, Self-cleaning, LPG

Series 9 | Professional

Stainless Steel | LPG




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 19,000 BTU, for seriously fast boiling
- 4.8 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	35 7/8 "
Depth	29 1/8 "



FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Featuring a large 4.8 cu ft total capacity convection oven, with enough room to fit a 32 lb turkey and full-size baking sheets.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

Adjustable feet covers

Branded coin end cap

Accessories (sold separately)

Square handle option AH-R36
Wok grate included No

QUICK REFERENCE GUIDE > RDV3-366-L Date: 14.06.2024 > 2

Burner ratings		Multi-language interface	•	Bake	•
Maximum burner power	19000 BTU	Precise cooking with food probe	•	Classic bake	•
Power back centre	13000BTU	Recipe and food based functions	•	Clean	•
Power back left	13000BTU	Sabbath mode	•	Convection bake	•
Power back right	13000BTU	Tilting touch screen interface	•	Convection Broil	•
Power front centre	15000BTU	Wi-Fi connectivity	•	Dehydrate	•
Power front left	19000BTU			Dehydrate	•
Power front right	19000BTU			Maxi Broil	•
Total cooktop power	92000 BTU	Gas Requirements		Number of functions	15
		Fitting and pipe	½ NPT, min. 5%" 🛭	Pastry bake	•
			flex line	Pizza bake	•
Capacity		Supply Pressure (LPG)	11" to 14" W.C	Rapid proof	•
Shelf positions	5			Roast	•
Total capacity	4.8 cu ft	Main oven functions		Slow cook	•
Usable capacity	3.8 cu ft			True convection	•
•		Warm	•	Warm	•
Cleaning		Oven features		Oven newformance	
Easy clean porcelain basepan	•	Auto re-ignition system		Oven performance	
Pyrolytic self-clean	•	Concealed element	•	Main oven - True convection power	2500 W
		Electronic oven control			
		Food probe		B	
Consumption		Full extension telescopic sliding shelves		Power requirements	
Energy usage	490kWh/year	Internal light	true	Rated current	30 A
		Large broil pan	irue	Supply frequency	60 Hz
		Self-clean proof side racks			
Controls		True convection			
Dial with illuminated halo	•	ride convection	·	Product dimensions	
Electric circuit	4 wire			Depth	29 1/8 "
High resolution display	•	Oven functions		Depth (excluding handles)	29 1/8 "
Metal illuminated dials	•	A in Face	_	Height	35 3/4 - 36 3/4 "
		Air fry	•		

QUICK REFERENCE GUIDE > RDV3-366-L Date: 14.06.2024 > 3

Width	35 7/8 "
Rangetop features	
Vent trim included	•
Recommended Back Guards Ventilation	
Combustible situation	BGRV3-3036H
Non combustible situation	BGRV2-3036 / BGRV2-1236
Recommended hood	HCB36-6_N (36" Professional Range Hood) / HCB36-12_N (36" Professional Range Hood, Dual Blower)
Safety	
ADA compliant	•
Full extension telescopic sliding shelves	•
Secondary oven features	
Food probe	•
Warranty	
Parts and labor	Limited 2 years
SKU	81899

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Dual Fuel Range

↓ 2D-DXF Dual Fuel Range

2D-DWG Dual Fuel Range with Backguard BGRV2-1236

, 2D-DWG Dual Fuel Range with Backguard BGRV2-3036

2D-DWG Dual Fuel Range with Backguard BGRV2-3036H and Angled Trim

, 2D-DXF Dual Fuel Range with Backguard BGRV2-1236

2D-DXF Dual Fuel Range with Backguard-BGRV2-3036

ArchiCAD Dual Fuel Range

Data Sheet Dual Fuel Range with Backguard BGRV2-1236

Data Sheet Dual Fuel Range with Backguard BGRV2-3036

Data Sheet Dual Fuel Range with Backguard BGRV2-3036H and Angled Trim

Data Sheet Dual Fuel Range

Energy Label Dual Fuel Cooker

Service & Warranty

Installation Guide EN

↓ Guide d'installation FR

Planning Guide Professional Style Dial/Handle Accessories

Revit Dual Fuel Range

, Rhino Dual Fuel Range

Sketchup Dual Fuel Range

Specification Guide Dual Fuel Range

User Guide Professional Range EN



Guide d'utilisation FR



Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com