

# Freestanding Cooker, Induction, 90cm, 5 Zones with SmartZone, Self-cleaning

Series 9 | Professional

Stainless Steel



Professional style and performance, with a large oven and five cooktop zones that can be paired to create an expansive cook zone.

- Large convection oven with 140L total capacity
- Nine functions plus Rotisserie, including Pastry Bake, Pizza Mode and Rapid Proof

- Non-tip full-extension shelves for safe removal of hot dishes
- Pyrolytic self-cleaning oven cycle breaks down food residue for an easy clean

## DIMENSIONS

|        |            |
|--------|------------|
| Height | 898-946 mm |
| Width  | 897 mm     |
| Depth  | 600 mm     |

## FEATURES & BENEFITS

### Multi-Shelf Cooking

Our AeroTech™ system circulates heat evenly for a consistent temperature throughout the cavity, helping you achieve perfect results even when using multiple shelves.

### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to a premium freestanding cooker.

### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

### Even Heat

Accurate, electronically controlled oven heat ensures a great result every time.

### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

## SPECIFICATIONS

### Accessories (included)

|                                  |                      |
|----------------------------------|----------------------|
| Flat wire shelf                  | 1                    |
| Full extension sliding shelves   | 2 sets (part 578744) |
| Pyrolytic proof shelf runners    | 1 set                |
| Roasting dish and grill rack set | 1 set                |
| Rotisserie set                   | 1 set                |
| Step down wire shelf             | •                    |

### Accessories (sold separately)

|  |            |
|--|------------|
| Kick strip, stainless steel (optional) | KICKOR90X1 |
|--|------------|

### Capacity

|                 |       |
|-----------------|-------|
| Shelf positions | 6     |
| Total capacity  | 140 L |
| Usable capacity | 120 L |

### Cleaning

|                                |   |
|--------------------------------|---|
| Acid resistant graphite enamel | • |
| Drop down grill element        | • |
| Flat easy clean glass surface  | • |

- Pyrolytic proof shelf runners
- Pyrolytic self-clean
- Removable oven door
- Removable oven door inner glass
- Removable shelf runners

**Controls**

- Audio feedback
- Automatic cooking/minute timer
- Automatic pre-set temperatures
- Celsius/Fahrenheit temperature
- Dial with illuminated halo
- Electronic clock
- High resolution display
- Laser etched graphics
- Precise electronic temperature control
- Sabbath mode
- Toughened fused glass graphics
- Turned stainless steel clock buttons
- Turned stainless steel clock crown (dial)

**Installation Dimensions**

- Installation cutout dimensions (Depth) **600 mm**
- Installation cutout dimensions (Width) **900 mm**

**Main oven features**

- Internal light

**Oven features**

- AeroTech™ technology
- Automatic rapid pre-heat
- Convection
- Electronic oven control
- Full extension telescopic sliding shelves
- Internal light **4 x 25W halogen (2 side & 2 top)**
- Soft open/close door
- Twin cavity fans
- Warming drawer

**Oven functions**

- Bake
- Fan bake
- Fan forced
- fanGrill
- Grill
- Number of functions **9 + rotisserie**
- Pastry Bake with Pizza mode
- Pyrolytic self-clean
- Rapid proof
- Roast
- Rotisserie

**Oven performance**

- CoolTouch door **Quadruple glazed**
- Grill power **4500W**
- Warming drawer power **202 W**

**Power requirements**

- Amperage **68 A**
- Supply frequency **50 Hz**
- Supply voltage **220-240 V**

**Product dimensions**

- Depth **600 mm**
- Height **898-946 mm**
- Width **897 mm**

**Rangetop features**

- Dual colour display
- Gentle heat
- Heat settings **9**
- Hob rail
- Hob rear trim **60 mm**
- Induction cooking technology
- PowerBoost **true**
- SmartZone **true**
- Zone bridging

**Rangetop Performance**

- Centre **2300 W**
- Left front zone rating **1600 (1850) W**
- Left rear zone rating **2100 (3000) W**
- Number of cooking zones **5**
- PowerBoost **3000**
- Right front zone rating **1600 (1850) W**

Right rear zone rating **2100 (3000) W**

Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)

- [↓](#) 2D-DWG Professional Cooking
- [↓](#) 2D-DXF Professional Cooking
- [↓](#) Service & Warranty
- [↓](#) Installation Guide Freestanding Cooker
- [↓](#) User Guide Freestanding Cooker
- [↓](#) Datasheet

**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
 24 Hours 7 Days a Week Customer Support  
 T 1300 650 590 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

**Safety**

- Advanced cooling system •
- Anti-tilt bracket •
- Balanced oven door •
- Catalytic venting system •
- Child lock •
- CoolTouch door •
- Full extension telescopic sliding shelves •
- Non-tip shelves •
- Pan detection system •
- Safety time out •
- Spill containment **1.2 L**
- Spillage auto off •
- Surface hot indicators •

**Warranty**

Parts and labour **2 years**

SKU **82724**

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020