QUICK REFERENCE GUIDE > RS7621SLHK1 Date: 17.12.2024 > 1

# 76cm Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with stainless steel interior.\*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill

Internal water dispenser for convenient access to fresh, chilled water

# **DIMENSIONS**

Height	2134 mm
Width	756 mm
Depth	610 mm

# **FEATURES & BENEFITS**

### Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

#### Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

### Internal Water Dispenser

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

#### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs - or install separately. They can be customised with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

# Clever Energy

ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

# Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

# **Design Quality**

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

# **SPECIFICATIONS**

# Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Right hinge 762mm	RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR

QUICK REFERENCE GUIDE > RS7621SLHK1 Date: 17.12.2024 > 2

Toe kick stainless steel 1220mm	AKRS12210	Smart appliance	
		Smart appliance	4
Toe kick stainless steel 1372mm	AKR\$13710	Stackable bottle holders	4
Toe kick stainless steel 1524mm	AKR\$15210		
Toe kick stainless steel 1828mm  Toe kick stainless steel 1981mm	AKRS18310 AKRS19810	Performance	
Toe kick stainless steel 2134mm	AKRS21310	A a bis sa Cara a ub TM Fa a alla a sa	
		ActiveSmart™ Foodcare	•
Toe kick stainless steel 762mm	AKRS7610	Dual evaporator	•
		Humidity control system	•
Capacity		Inverter controlled compressor	•
•		Sabbath mode	•
Total gross capacity	498 L	Variable food modes lower compartment	Pantry; Fridge; Chill
Volume	463 L	Variable temperature zones	2
Volume refrigerator	463 L		
Consumption		Power requirements	
·	4 stan	Rated current	10 A
Energy rating	4 star	Supply frequency	50 Hz
Energy usage In-use energy carbon emissions estimate	203kWh/year 27.5kgCO2e/year	Supply voltage	230 - 230 V
		Doe dook die oordoo	
Features		Product dimensions	
Adjustable door shelves	4	Depth	610 mm
Adjustable glass cantilevered shelves	•	Height	2134 mm
Adjustable glass shelves	3	Width	756 mm
Covered door shelves	1		
Door alarm	•		
Gallon door shelves	1	Warranty	
LED bin lighting	•	Parts and labour	2 years
LED ceiling lighting	•	Sealed system parts only	5 years
LED side lighting	•		

SKU 26102

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K05 Hinge

2D-DXF Integrated Refrigeration - K05 Hinge

2D-DXF Panel Preparation

Energy Label

Energy Label

Service & Warranty

Water Filter Replacement Instructions - Parts 847200 and 847201 - EN

Installation Guide Toe Kick

Revit Integrated Column Refrigerator

Rhino Integrated Column Refrigerator

Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle

Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle

Sketchup Integrated Column Refrigerator

Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle

Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle

↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

QUICK REFERENCE GUIDE > RS7621SLHK1 Date: 17.12.2024 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 0800 372 273 Wwww.fisherpaykel.com