QUICK REFERENCE GUIDE > RB2470BRV1

Integrated Refrigerator Freezer, 24"

Series 5 | Integrated

Panel Ready | Reversible hinge




Integrates seamlessly into surrounding cabinetry with a flush fit, and a reversible hinge to suit your kitchen design.

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel
- Spacious bottom freezer with easy-slide internal drawers to separate storage
- With an independently operating Variable Temperature drawer, which you can set to a temperature between 23°F and 37°F.

8 cu ft total capacity

DIMENSIONS

Height 69 3/4 "
Width 21 7/8 "
Depth 21 1/4 "



FEATURES & BENEFITS

No More Gaps

Our integrated products are designed to fit flush into your cabinetry. Customize your appliance with your own cabinetry and handle or purchase a stainless steel door panel and handle kit accessories.

Variable Temperature Drawer

Designed to allow optimal storage of fresh meat, produce, deli and dairy products at their ideal temperatures. Operating separately from the refrigeratorand freezer, the drawer operates from 23°F and 37°F, with 37°F ideal for fruit and vegetables, 30°F perfect for fresh meats, and 23°F for fast chilling - keeping your food fresher for longer.

Simple Storage

This refrigeratoris designed to make it simple for you to store, access and remove food. Storage bins give you full access inside when they're pulled open and can be easily removed to clean. Adjustable shelving in the main cavity and door provide flexible storage options.

Fast Freezing

When freezing fresh food, the freshness, texture and taste are retained with rapid freezing. The Fast Freeze function boosts the freezing speed by dropping the freezer to its coldest temperature (11°F) for 12 hours ensuring food is fast and fully frozen. Plus, you never need to worry about defrosting your refrigeratorwith the built-in frost-free function.

Beautiful Lighting

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigeratorand freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Easy Installation

Our integrated products are easy to install, whether you are renovating your kitchen or designing a new one. They are designed for minimal gaps with adjustable door panels that can be customized to match your kitchen.

Easy Cleaning

Spill-safe secure glass shelves easily capture any drips or leaks and prevent them from falling on items below.

SPECIFICATIONS

QUICK REFERENCE GUIDE > RB2470BRV1 Date: 14.06.2024 > 2

		Variable temperature drawer	•	Warranty
Accessories (sold separately)				Parts and labor 2 years
Door panel set stainless steel	(Left Hinge) RD2470BL, (Right Hinge)	Freezer Features		Sealed system parts only 5 years
	RD2470BR	Fast freeze	1105 + 505 /	
Handle kit Contemporary round, aluminium	AHS-RD70B	Freezer temperature range	-11°F to +5°F / -24°C to -15°C	SKU 25381
Handle kit Contemporary square, aluminium	AHD3-RD70B			
Capacity		Performance		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these
•	0 #	Frost Free Freezer	•	dimensions and specifications may change at any time. You should therefore
Total gross capacity	8 cu ft	Inverter controlled compressor	•	check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel
Volume freezer	2.19 cu ft	Sabbath mode	•	Appliances Ltd 2020
Volume refrigerator	5.76 cu ft	Variable Temperature Compartment Performance	•	
Consumption				Other product downloads available at fisherpaykel.com
Energy rating	Energy star	Power Requirements		
Energy usage	380kWh/year	Rated current	10 A	
		Supply frequency	60 Hz	Guide d'installation - Instructions de Remplacement du Filtre à Eau FR
Features		Supply voltage	120 V	
redures				
Adjustable door shelves	3			Revit Refrigerator Freezer Left Hinge
Adjustable glass cantilevered shelves	•	Product Dimensions		→ Rhino Refrigerator Freezer Right Hinge with Custom Panel
Adjustable glass shelves	2	Depth	21 1/4 "	Rhino Refrigerator Freezer Right Hinge Door with Contemporary Round Handle
Covered door shelves	2	Height	69 3/4 "	♦ Rhino Refrigerator Freezer Right Hinge Door with
Door alarm	•	Width	21 7/8 "	Contemporary Square Handle
Egg trays	2			Rhino Refrigerator Freezer Left Hinge with Custom Panel
Fruit and vegetable bins	2			Rhino Refrigerator Freezer Left Hinge Door with Contemporary Round Handle
LED lighting	•	Product information		↓ Rhino Refrigerator Freezer Left Hinge Door with
Rapid cool function	•	Unpackaged weight	165 lbs	Contemporary Square Handle
SmartTouch control panel	•			Sketchup Refrigerator Freezer Right Hinge with Custom Panel

QUICK REFERENCE GUIDE > RB2470BRV1

- Sketchup Refrigerator Freezer Right Hinge Door with Contemporary Square Handle
- ↓ Sketchup Refrigerator Freezer Left Hinge with Custom Panel
- Sketchup Refrigerator Freezer Left Hinge Door with Contemporary Round Handle
- Sketchup Refrigerator Freezer Left Hinge Door with Contemporary Square Handle
- ↓ User Guide EN / Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com